BIG CITIES HEALTH INVENTORY

2007

The Health of Urban USA

NACCHO

1100 17TH STREET, NW, 2ND FLOOR
WASHINGTON, DC 20036
(202) 783-5550
(202) 783-1583 FAX
WWW.NACCHO.ORG

NATIONAL
ASSOCIATION OF
COUNTY & CITY
HEALTH OFFICIALS

July 2007

We are very pleased to release the fifth edition of the Big Cities Health Inventory (BCHI), a compendium of health status indicators produced in a comparative format for the 53 largest metropolitan areas in the United States. This report fills an information gap that, despite great advances in information technology over the past decade, still persists today. Data on the health of our communities are probably more widely available at this time than at any point in the past. The Internet has become a vast repository of statistics on a variety health conditions. But less progress has been made in turning these raw data into usable information, especially for the nation's largest urban areas which face higher rates of poor health status and racial/ethnic disparities in illness and access to health care services.

Several key principles of public health practice depend on having reliable and current information regarding the health status of the community. The most obvious of these principles is evidence-based decision making and the core science of public health, epidemiology, is grounded in the collection and analysis of data. Perhaps an even more fundamental principle is social justice and the recognition that eliminating health disparities is critical to improving the health of the overall population. For highly diverse urban populations, understanding the the root causes of health disparities, including the synergistic interplay of social and environmental stressors that contribute to the erosion of resiliency in many of our nation's urban communities, is necessary to accomplish this goal.

NACCHO is committed to supporting its members in advancing these principles, and the BCHI is designed to assist Metro Forum members better understand the needs of their populations within the context of the diverse urban environment. It is also intended that the BCHI will help focus discussion at the national level to further efforts to both improve the information base on urban health, and address health disparities that heavily impact urban communities.

Tony Iton, MD, JD , MPH
Director & Health Officer
Alameda County Health Department
Chair, Metro Forum

Patrick M. Libbey
Executive Director
NACCHO

Acknowledgments

Publication of this report was a "do it yourself" effort of the National Association of County and City Health Officials (NACCHO) Metro Forum. NACCHO and Metro Forum members provided both a major proportion of the project funding along with guidance on the report's content and production.

The Metro Forum appointed an 11-member Technical Advisory Committee, composed of senior local epidemiologists, which patiently advised the project production team on some of the more technical issues concerning data collection, reporting, and presentation. Committee members included: Bernadette Albanese, MD, MPH – El Paso County Department of Health and Environment; Sheila Andersen, JD, MA, BSN – Louisville Metro Public Health and Wellness; John Davies-Cole – Washington District of Columbia Department of Health; Gerald Hoff, Ph.D., F.A.C.E. – City of Kansas City, MO Health Department; David Johnson, MPH – Minneapolis Department of Health and Family Support; P. Joseph Gibson, Ph.D., MPH – Health and Hospital Corporation of Marion County; Witold Migala, Ph.D., MPH – City of Fort Worth Public Health Department; Mark Perry – Houston Department of Health and Human Services; David Solet, Ph.D. – Public Health - Seattle and King County; Gretchen Van Wye, Ph.D., MA – New York City Department of Health and Mental Hygiene; and Timothy W. Van Wave, Dr. P.H. – Metro Public Health Department of Nashville and Davidson County.

Much of the data in this report were provided by the 53 urban local health departments which individually reported local data, responded to questions when clarification was needed, and finally validated the information in the report.

Production of the report fell to a four-person team. Patrick Lenihan, PhD, of the Public Health Institute of Metropolitan Chicago (PHIMC), served as the overall project manager. PHIMC was also the fiscal and administrative entity for the project. Nanette Benbow, MAS, was the lead epidemiologist responsible for managing the assembly of the data and preparation of the report. Nanette was assisted by Kingsley Weaver who did much of the computer programming. Victoria Johnson, MS, from NACCHO coordinated project financing and contract with the Metro Forum.

While the BCHI reflects the input and efforts of many people, questions and comments should be addressed to:

Patrick Lenihan, PhD
Public Health Institute of Metropolitan Chicago
28 East Jackson – Suite 700
Chicago, IL 60604
phone: (312) 566-0285

Suggested Citation

Big Cities Health Inventory: The Health of Urban America, 2007, National Association of County and City Health Officials, Benbow, N., editor. Washington, D.C. 2007.

Table of Contents

Acknowledgments iii

Introduction
Background 3
Selection of Indicators and Organization of the Report 3
Selected Analyses 4
Trends 5
Summary 6

Section 1
Indicators by Gender, Ranked by City Total 9-34

Section 2
Indicators by Race/Ethnicity, Ranked by City Total 35-62

Section 3
Trends, Ranked Alphabetically by City 63-88

Section 4
City Profiles by Health Indicator 89-118

Section 5
Selected Sociodemographic Indicators, Ranked Alphabetically by City 119-126

Appendix
Technical Notes 127-138

List of Figures and Tables

Introduction

Table 1: Rate Rank of Selected Indicators for U.S. Cities with Populations>1,000,000 in 2000 3
Table 2: Race/Ethnicity Rate Comparison for Selected Indicators 4
Figure 1: Average City Rate for Selected Indicators by Race/Ethnicity, 2004 4
Figure 2: Percent Difference between City Lung Cancer Mortality Rate and Healthy People Year 2010 Goal, 2004 5
Figure 3: Number of Cities Experiencing an Increase, Slight Change, or a Decrease in Selected Communicable Disease Rates between 1998-2005 5
Figure 4: Number of Cities Experiencing an Increase, Slight Change, or a Decrease in Selected Mortality Rates between 1998-2005 6

Section 1

Table 1.1: HIV (not AIDS) Prevalence Rate by Gender, 2005 11
Table 1.2: AIDS Prevalence Rate by Gender, 2005 12
Table 1.3: HIV (not AIDS) Incidence Rate by Gender, 2005 13
Table 1.4: AIDS Incidence Rate by Gender, 2005 14
Table 1.5: Primary and Secondary Syphilis Incidence Rate by Gender, 2005 15
Table 1.6: Chlamydia Incidence Rate by Gender, 2005 16
Table 1.7: Gonorrhea Rate by Gender, 2005 17
Table 1.8: Tuberculosis Incidence Rate by Gender, 2005 18
Table 1.9: Overall Mortality Rate by Gender, 2004 19
Table 1.10: Heart Disease Mortality Rate by Gender, 2004 20
Table 1.11: All Cancer Mortality Rate by Gender, 2004 21
Table 1.12: Lung Cancer Mortality Rate by Gender, 2004 22
Table 1.13: Female Breast Cancer Mortality Rate, 2004 23
Table 1.14: Motor Vehicle Injury Mortality Rate by Gender, 2004 24
Table 1.15: Homicide Rate by Gender, 2004 25
Table 1.16: Firearm-Related Mortality Rate by Gender, 2004 26
Table 1.17: Suicide Rate by Gender, 2004 27
Table 1.18: HIV-Related Mortality Rate by Gender, 2004 28
Table 1.19: Pneumonia and Influenza Mortality Rate by Gender, 2005 29
Table 1.20: Diabetes Mortality Rate by Gender, 2005 30
Table 1.21: Infant Mortality Rate, 2003 31
Table 1.22: Fertility Rate, 2003 31
Table 1.23: Percent Low Birthweight, 2003 32
Table 1.24: Percent of Mothers Under Age Twenty, 2003 32
Table 1.25: Percent of Mothers who Smoke, 2003 33

Section 2

Table 2.1: HIV (not AIDS) Prevalence Rate by Race/Ethnicity, 2005 37
Table 2.2: AIDS Prevalence Rate by Race/Ethnicity, 2005 38
Table 2.3: HIV (not AIDS) Incidence Rate by Race/Ethnicity, 2005 39
Table 2.4: AIDS Incidence Rate by Race/Ethnicity, 2005 40
Table 2.5: Primary and Secondary Syphilis Incidence Rate by Race/Ethnicity, 2005 41
Table 2.6: Chlamydia Incidence Rate by Race/Ethnicity, 2005 42
Table 2.7: Gonorrhea Rate by Race/Ethnicity, 2005 43
Table 2.8: Tuberculosis Incidence Rate by Race/Ethnicity, 2005 44
Table 2.9: Overall Mortality Rate by Race/Ethnicity, 2004 45
Table 2.10: Heart Disease Mortality Rate by Race/Ethnicity, 2004 46
Table 2.11: All Cancer Mortality Rate by Race/Ethnicity, 2004 47
Table 2.12: Lung Cancer Mortality Rate by Race/Ethnicity, 2004 48
Table 2.13: Female Breast Cancer Mortality Rate by Race/Ethnicity, 2004 49
Table 2.14: Motor Vehicle Injury Mortality Rate by Race/Ethnicity, 2004 50
Table 2.15: Homicide Rate by Race/Ethnicity, 2004 51

Table 2.16: Firearm-Related Mortality Rate by Race/Ethnicity, 2004 52
Table 2.17: Suicide Rate by Race/Ethnicity, 2004 53
Table 2.18: HIV-Related Mortality Rate by Race/Ethnicity, 2004 54
Table 2.19: Pneumonia and Influenza Mortality Rate by Race/Ethnicity, 2004 55
Table 2.20: Diabetes Mortality Rate by Race/Ethnicity, 2004 56
Table 2.21: Infant Mortality Rate by Race/Ethnicity, 2003 57
Table 2.22: Fertility Rate by Race/Ethnicity, 2003 58
Table 2.23: Percent Low Birthweight by Race/Ethnicity, 2003 59
Table 2.24: Percent of Mothers Under Age Twenty by Race/Ethnicity, 2003 60
Table 2.25: Percent of Mothers who Smoke by Race/Ethnicity, 2003 61

Section 3

Table 3.1: HIV (not AIDS) Prevalence Rate, 1998 - 2005 65
Table 3.2: AIDS Prevalence Rate, 1998 - 2005 66
Table 3.3: AIDS Incidence Rate, 1998 - 2005 67
Table 3.4: Primary and Secondary Syphilis Incidence Rate, 1998 - 2005 68
Table 3.5: Chlamydia Incidence Rate, 1998 - 2005 69
Table 3.6: Gonorrhea Rate, 1998 - 2005 70
Table 3.7: Tuberculosis Incidence Rate, 1998 - 2005 71
Table 3.8: Overall Mortality Rate, 1990 - 2004 72
Table 3.9: Heart Disease Mortality Rate, 1990 - 2004 73
Table 3.10: All Cancer Mortality Rate, 1990 - 2004 74
Table 3.11: Lung Cancer Mortality Rate, 1990 - 2004 75
Table 3.12: Female Breast Cancer Mortality Rate, 1990 - 2004 76
Table 3.13: Motor Vehicle Injury Mortality Rate, 1990 - 2004 77
Table 3.14: Homicide Rate, 1990 - 2004 78
Table 3.15: Firearm-Related Mortality Rate, 1990 - 2004 79
Table 3.16: Suicide Rate, 1990 - 2004 80
Table 3.17: HIV-Related Mortality Rate, 1990 - 2004 81
Table 3.18: Pneumonia and Influenza Mortality Rate, 1990 - 2004 82
Table 3.19: Diabetes Mortality Rate, 1990 - 2004 83
Table 3.20: Infant Mortality Rate, 1990 - 2003 84
Table 3.21: Fertility Rate, 1990 - 2003 85
Table 3.22: Percent Low Birthweight, 1990 - 2003 86
Table 3.23: Percent of Mothers Under Age Twenty, 1990 - 2003 87
Table 3.24: Percent of Mothers who Smoke, 1990 - 2002 88

Section 5:

Table 5.1: Percent Foreign Born, 2000 121
Table 5.2: Childhood Poverty, 2000 122
Table 5.3: Percent Below 200% Poverty Level, 2000 123
Table 5.4: Median Household Income, 1999 124
Table 5.5: Number of High School Graduates 18 and Older, 2000 125
Table 5.6: Unemployment Among People 16 and Older, 2000 126

Appendix

Table A.1: Report Indicators 129
Table A.2: Cities providing county-level data 130
Table A.3: Mortality indicators codes according to applicable revision of the International Classification of Diseases (ICD) and comparability ratios between ICD-9 and ICD-10 131
Table A.4: Number of Deaths, All Causes and the Two Leading Causes, Seattle WA, 2004: Reported vs. Geocoded City 132
Table A.5: Percent Distribution of Single and Multiple Race Population by City, 2000 133
Table A.6: City Population & Race/Ethnicity Distribution, 2000 135
Table A.7: Percent of Total Cases that are of Other/Unknown Race/Ethnicity by Indicator, 2005 136
Table A.8: Population Change Between 2000 and 2005 137
Table A.9: Impact of census population year used to calculate AIDS incidence rates for select cities 137

Introduction

Introduction

The importance of having state, county and local health-related data has been recognized in a number of studies.[1-9] The availability of local level data, both general and related to specific issues, continues to improve in this technological age.[10-13] Among these are several reports and data sources that have been produced to describe the relationship between levels of urbanization and health.[14-25]

The purpose of this document is to focus specifically on the health of people living in large cities in the United States. In so doing, the report attempts to increase knowledge of the issues large cities face and stimulate dialogue that will lead to a healthier city population. In addition to improving our understanding of the health in large cities, the data in this report will serve as a reference point to monitor cities' progress in reaching the nation's Year 2010 objectives.

Background

The *Big Cities Health Inventory, 2007: The Health of Urban USA* (BCHI) is the fifth edition of a report initially developed by the Chicago Department of Public Health (CDPH) to present epidemiologic data specific to large cities.

The BCHI has always been a collaborative project. In addition to local health department contributions, the National Association of County and City Health Officials (NACCHO), has contributed significant input and financial support as well. NACCHO's Metro Forum has recognized the value of the BCHI from the beginning and became an early supporter and sponsor of the effort. The value of the BCHI derives from there being no comparable single data source available that allows metro health departments to view a selection of key health status indicators in relation to other jurisdictions. The geography used in the BCHI corresponded to that of the jurisdiction of the respective Metro Forum health departments making comparisons among jurisdictions more possible and valid. This comparison has proved valuable in profiling the health of urban America and in permitting metro area health departments to gauge the need to focus their efforts to address the health status needs relative to other urban jurisdictions and to justify these efforts before oversight bodies and funding agencies. NACCHO's sponsorship of the effort has included financial support for four of the last five BCHIs including this most recent edition. Publication of the BCHI is a "do it yourself" effort among Metro Forum members, which have provided a major portion of the funding and much of the data, along with guidance on selecting indicators and review of the report's content.

Selection of Indicators and Organization of the Report

The report focuses on 31 indicators of health, divided into five sections: Eight indicators cover communicable diseases, twelve causes on mortality, five indicators of maternal and child health, and six socioeconomic indicators *(see Table A.1)*.

Of the five sections, the first four following the introduction consist of a set of tables presenting, for each indicator, a city-to-city comparison along with the national rate and the year 2010 goal as benchmarks. The fifth section presents selected demographic and socioeconomic data for each of the participating cities. Com-

Table 1: Rate Rank of Selected Indicators for U.S. Cities with Populations>1,000,000 in 2000

	Population	HIV Incidence	Gonorrhea	All Cause Mortality	Heart Disease	Cancer	Diabetes
New York, NY	8,008,278	12	33	49	9	52	45
Los Angeles, CA	3,694,820	18	37	46	24	46	23
Chicago, IL	2,896,016	7	12	37	23	34	28
Houston, TX	1,953,631	11	23	18	15	22	20
Philadelphia, PA	1,517,550	---	14	16	19	14	34
Phoenix, AZ	1,321,045	26	29	41	37	49	44
San Diego, CA	1,223,400	---	38	48	41	48	46
Dallas, TX	1,188,580	4	22	36	30	39	38
San Antonio, TX	1,144,646	23	27	19	20	29	2
Cities w/ Valid Rates		38	41	53	53	53	53

FIGURE 1: AVERAGE CITY RATE FOR SELECTED INDICATORS BY RACE/ETHNICITY, 2004



bined, these sections present the indicators for the cities overall, according to gender and race/ethnicity, and for the time period between 1990 and 2000. Throughout the report, indicators will appear in the following order: morbidity indicators, mortality, indicators of maternal and child health, and socioeconomic indicators.

Selected Analyses

This section presents a broad overview of the health of more than 45,500,000 people residing in the 53 largest cities in the United States. These cities accounted for 16% of the total U.S. population in 2000 and account for 15% of all deaths in the US in 2004. Large cities continue to bear a disproportionate share of the nation's morbidity. In 2005, these cities accounted for 47% of people living with AIDS in the US. Similarly, 47% of P&S Syphilis, 29% of Gonorrhea and 26% of Chlamydia cases diagnosed in the US resided in these cities. Compared to national rates, all cities studied for which rates were available had a higher primary and secondary syphilis and chlamydia rate, and only six cities had a lower gonorrhea rate. Homicide and HIV/AIDS mortality also are more likely to affect large cities. More than half of the cities had an HIV/AIDS-related mortality rate double that of the U.S., and a quarter of them had a rate at least three times that of the country overall.

TABLE 2: RACE/ETHNICITY RATE COMPARISON FOR SELECTED INDICATORS

INDICATOR	LOWEST NON-HISPANIC BLACK RATE	LOWEST NON-HISPANIC WHITE RATE
All Cause Mortality	970.3	669.1
Heart Disease	204.6	137.4
All Cancer	211	160.6
Female Breast Cancer	27.3	18.0
Diabetes	31.8	13.1
Pneumonia	16	12.6

It is interesting to note however, that the 9 largest cities in the U.S. have considerably different health profiles and are often not among those with the highest rates *(see Table 1)*. For instance, New York's all-cause mortality rate in 2005 ranks 49 out of the 53 cities included in the report, yet its HIV incidence rate was among the 12 highest rates. San Antonio, on the other hand, had the second highest diabetes rate and ranks among the top twenty highest rates for all-cause mortality and heart disease.

Racial/Ethnic Disparities

While conditions relating to healthcare disparities have been improving for many minority populations due to increased attention and intensive intervention programs, racial health and income disparities are still a major concern.[26-29] As illustrated in Figure 1, racial/ethnic disparities are also entrenched in the country's largest cities. For example, in the case of Lung Cancer Mortality, the city average rate is 24% higher for non-Hispanic Blacks Alone than non-Hispanic Whites Alone and twice the rate of Hispanics. The city average non-Hispanic Black Alone rate is five times the rate for non-Hispanic White Alone for homicide and 34% higher for female breast cancer. Hispanics have the highest city average Motor Vehicle Injury mortality rate and non-Hispanic Whites have the highest city average suicide rate.

Racial disparities are also significant when comparing race/ethnicity specific rates across cities. That is, for many indicators, the lowest rate for non-Hispanic Blacks across cities is still considerably higher than the lowest rate for non-Hispanic Whites *(see Table 2)*. In the case of female breast cancer mortality, for example, the lowest rate for non-Hispanic Whites among all 53 cities is 18.0 per 100,000, compared to the lowest non-His-

Figure 2: Percent Difference between City Lung Cancer Mortality Rate and Healthy People Year 2010 Goal, 2004



panic Black rate of 27.3 per 100,000.

Figure 3: Number of Cities Experiencing an Increase, Slight Change, or a Decrease in Selected Communicable Disease Rates between 1998–2005



Figure 4: Number of Cities Experiencing an Increase, Slight Change, or a Decrease in Selected Mortality Rates between 1998–2005



Trends

One of the purposes of the report is to measure whether or not cities are reaching the Healthy People 2010 Goals. For instance, Figure 2 displays the percent difference between a city's 2004 lung cancer mortality rate and the Healthy People YR2010 Goal. Only 5 of 53 cities had reached or exceeded the goal of 43.3.

Figure 3 shows the number of cities for selected morbidity indicators between 1998 and 2005 whose rates: a) declined by more than a 10%, b) had less than 10% decline or increase, and c) increased by more than 10%, for selected morbidity indicators between 1998 and 2005. The majority of cities experienced a considerable decline in rates of AIDS Incidence and Gonorrhea, 28 cities experienced an improvement in AIDS incidence rates and 19 in Gonorrhea rates.

However, during this period, 32 out of 40 cities experienced more than a 10% increase in Chlamydia rates. Figure 4 displays similar information for mortality indicators between 1990 and 2004. All-cause mortality either declined more than 10% or experienced slight/no change in 51 of the 53 cities included in the report. Many cities experienced a considerable decline in mortality due to heart disease, and lung cancer. In contrast, 38 of the 53 cities experienced an increase in diabetes-related mortality rates.

Summary

This report contributes towards our understanding of the current health issues in large cities. Much data are still needed on a regular basis to provide a comprehensive health profile over time that will allow for identification of negative and protective factors associated with large urban areas. Additionally, the report provides a benchmark for establishing current health status and highlights priority areas for reducing health disparities in minority populations.

The on-going city-level collaboration that has characterized the *Big Cities Health Inventory* has been crucial in assuring that the report continues to expand its scope to further our understanding of city characteristics that affect health.

Endnotes

1. Simon PA, Wold CM, Cousineau MR, et al. Meeting the needs of a local health department: the Los Angeles County Health Survey. *Am J Public Health.* 2001;91:1950-1952.
2. Freudenberg N. Community-based health education for urban populations: an overview. *Health Education and Behavior.*1998; 25: 11-23.
3. Institute of Medicine. *Improving Health in the Community: A Role for Performance Monitoring.* Washington, DC: National Academy Press; 1997.
4. Krieger N, Chen JT, Ebel G. Can we monitor socioeconomic inequalities in health? A survey of U.S. health department's data collection and reporting practices. *Public Health Rep* 1997; 112:481-491.
5. Williams DR. Missed opportunities in monitoring socioeconomic status. *Public Health Rep* 1997; 112:492-494.
6. Payne-Sturges DC, Breugelmans JG. Local lead data are needed for local decision making. *Am J Public Health.* 2001;91:1396-1397.
7. Barnett E, Halverson J. Local Increases in Coronary Heart Disease Mortality Among Blacks and Whites in the United States, 1985-1995. *Am J Public Health.* 2001;91:1499-1506.
8. Plepys C, Kelin R. Health Status Indicators: Differentials by race and Hispanic origin. *Healthy People Statistical Notes:* no. 10. Hyattsville, MD: National Center for Health Statistics; 2001.
9. CDC. Surveillance for certain health behaviors

among states and selected local areas — Behavioral Risk Factor Surveillance System, United States, 2003. MMWR 2005;54(No. SS-8)]

10. Illinois Project for Local Assessment of Needs (IPLAN). Available at URL: http://app.idph.state.il.us/
11. Office of Social and Economic Trend Analysis (SETA). Available at URL: http://www.seta.iastate.edu/
12. University of Virginia Library Geospacial and Statistical Data Center. Available at URL: http://fisher.lib.virginia.edu/collections/stats/ccdb/php/historic.php?level=City
13. The National Campaign to Prevent Teen Pregnancy. Available at URL: http://www.teenpregnancy.org/ resources/data/countycitydata.asp
14. National Center for Health Statistics. *Health Status Indicator Reports: "State of the Art"*. Statistics and Surveillance; no. 8. Hyattsville, MD; May 1996.
15. U.S. Department of Health and Human Services, Health Resource and Services Administration. Community Health Status Indicators Project Partnership. Available from: URL: http://www.communityhealth.hrsa.gov.
16. Youth Risk Behavior Surveillance - United States, 1999. *MMWR Morb Mortal Wkly Rep*. 2000;49(SS-05).
17. Lengerich, EJ, editor. *Indicators for Chronic Disease Surveillance: Consensus of CSTE, ASTCDPD, and CDC, Data Volume*. Atlanta, GA: Council of State and Territorial Epidemiologists, June 2000.
18. State specific prevalence of selected health behaviors by race and ethnicity —- Behavior Risk Factor Surveillance System, 1997. *MMWR Morb Mortal Wkly Rep*. 2000;49(SS-02).
19. Annie E. Casey Foundation, 2001. *Kids Count Data Book. State Profiles of Child Well-Being.*
20. Centers for Disease Control and Prevention. *Reported Tuberculosis in the United States, 1997*. Atlanta, GA: Centers for Disease Control and Prevention; 1998.
21. Centers for Disease Control and Prevention. *Sexually Transmitted Disease Surveillance, 1999*. Atlanta, GA: Centers for Disease Control and Prevention; 2000.
22. UnitedHealth Group. *UnitedHealth Group State Health Ranking – 2000 Edition*. Available from URL: http://www.unitedhealthgroup.com
23. Brown M, Shenassa E, Matte T, Catlin S. Children in Illinois with Elevated Blood Levels, 1993-1998,

Section 1

Table 1.1: HIV (not AIDS) Prevalence Rate by Gender, 2005

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	Washington, DC	4,074.4	1,952.5	2,951.6	1	1
2	Miami, FL	3,262.0	1,562.5	2,407.4	2	2
3	Baltimore, MD	1,729.4	997.2	1,343.3	3	3
4	San Francisco, CA	1,458.4	103.4	792.2	4	22
5	Kansas City, MO	968.8	136.6	538.3	5	15
6	Denver, CO	941.8	120.2	535.3	6	18
7	Mesa, AZ	801.5	169.5	482.6	7	9
8	New York, NY	624.2	275.6	440.8	11	5
9	New Orleans, LA	639.8	212.4	412.6	9	8
10	Charlotte, NC	528.7	282.4	403.1	16	4
11	Dallas, TX	633.2	167.2	402.1	10	11
11	Memphis, TN	548.0	271.0	402.1	13	6
13	Seattle, WA	717.2	64.1	389.8	8	28
14	Boston, MA	563.5	159.4	353.9	12	13
15	Houston, TX	473.2	219.7	346.3	17	7
16	Chicago, IL	532.6	163.5	342.6	15	12
17	Minneapolis, MN	533.7	117.7	326.7	14	19
18	Nashville-Davidson, TN	468.3	136.0	296.9	18	16
19	Cincinnati, OH	443.2	113.2	269.0	19	20
20	Fort Worth, TX	370.5	155.0	261.3	22	14
21	Oakland, CA	404.7	112.2	253.3	21	21
22	Los Angeles, CA	434.9	67.6	250.7	20	25
23	Milwaukee, WI	345.9	101.4	218.3	23	23
24	Cleveland, OH	313.4	123.9	213.6	27	17
25	Jacksonville, FL	241.7	168.5	203.9	30	10
26	Phoenix, AZ	335.4	51.0	195.6	25	31
27	Tucson, AZ	336.0	58.0	194.2	24	29
28	Columbus, OH	314.9	76.3	192.3	26	24
29	Indianapolis, IN (Marion County)	261.3	64.6	159.7	29	27
30	Portland, OR (Multnomah County)	268.6	35.1	150.6	28	35
31	Oklahoma City, OK	241.4	44.4	140.7	31	32
32	Virginia Beach, VA	182.4	67.5	124.4	33	26
33	San Antonio, TX	208.6	44.0	123.5	32	33
34	Omaha, NB	145.8	51.5	97.4	34	30
35	Fresno, CA (Fresno County)	127.8	40.9	84.4	37	34
36	San Jose, CA	131.7	20.0	76.8	36	37
37	Albuquerque, NM (Bernalillo County)	135.7	17.2	75.1	35	38
38	Colorado Springs, CO (El Paso County)	118.6	24.5	71.8	38	36
39	Long Beach, CA	84.2	12.8	47.9	39	39
40	El Paso, TX	19.1	---	9.8	40	---
---	Arlington, TX	---	---	---	---	---
---	Atlanta, GA	---	---	---	---	---
---	Austin, TX	---	---	---	---	---
---	Detroit, MI	---	---	---	---	---
---	Honolulu, HI (Honolulu County)	---	---	---	---	---
---	Las Vegas, NV	---	---	---	---	---
---	Philadelphia, PA	---	---	---	---	---
---	Pittsburgh, PA	---	---	---	---	---
---	Sacramento, CA (Sacramento County)	---	---	---	---	---
---	San Diego, CA (San Diego County)	---	---	---	---	---
---	St. Louis, MO	---	---	---	---	---
---	Tulsa, OK	---	---	---	---	---
---	Wichita, KS (Sedgwick County)	---	---	---	---	---
	City Average	618.3	225.3	414.5		
	United States, 2005	---	---	---		
	2010 Goal			---		

* County data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
† People living with HIV (not AIDS) at the end of 2005, crude rate per 100,000 population using 2000 U.S. Census figures.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

Table 1.2: AIDS Prevalence Rate by Gender, 2005

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	Miami, FL	4,813.1	1,910.3	3,353.4	1	1
2	Washington, DC	3,226.1	937.6	2,015.2	2	2
3	Atlanta, GA	2,242.6	463.4	1,346.5	3	4
4	San Francisco, CA	2,082.4	131.2	1,123.0	4	17
5	Baltimore, MD	1,356.7	648.1	978.6	5	3
6	New York, NY	1,120.5	413.4	748.4	7	5
7	Philadelphia, PA	992.8	315.6	630.2	8	6
8	Denver, CO	1,154.9	93.6	629.8	6	21
9	Dallas, TX	951.4	169.1	563.4	9	11
10	Fort Worth, TX	803.9	175.7	485.5	12	10
11	Mesa, AZ	835.6	133.5	481.4	11	16
12	Houston, TX	740.9	215.0	477.6	13	7
13	Seattle, WA	854.2	69.8	461.0	10	26
14	Boston, MA	698.5	205.5	442.8	14	9
15	Oakland, CA	682.2	153.3	408.5	15	13
16	New Orleans, LA	675.9	146.4	394.5	16	14
17	Chicago, IL	572.1	130.9	345.0	17	18
18	Jacksonville, FL	458.6	210.4	330.6	23	8
19	Memphis, TN	483.7	157.1	311.6	22	12
20	Cleveland, OH	501.0	123.1	302.0	20	19
21	Los Angeles, CA	541.1	61.5	300.6	18	29
22	Kansas City, MO	533.9	64.4	291.0	19	28
23	Nashville-Davidson, TN	483.9	104.8	288.3	21	20
24	Detroit, MI	418.2	138.6	270.4	27	15
25	Minneapolis, MN	426.6	73.5	250.9	26	24
26	Cincinnati, OH	430.4	70.3	240.3	25	25
27	Portland, OR (Multnomah County)	438.7	34.2	234.4	24	38
28	Milwaukee, WI	368.7	86.0	221.1	30	22
29	Indianapolis, IN (Marion County)	385.8	65.2	220.2	28	27
30	San Diego, CA (San Diego County)	379.5	38.7	210.1	29	34
31	San Antonio, TX	355.7	48.0	196.7	31	31
32	Charlotte, NC	291.0	81.9	184.3	34	23
33	Tucson, AZ	335.1	39.1	184.1	32	33
34	Phoenix, AZ	292.5	37.6	167.2	33	36
35	Oklahoma City, OK	234.1	27.0	128.2	35	40
36	Columbus, OH	215.7	37.7	124.2	36	35
37	Sacramento, CA (Sacramento County)	209.4	36.3	121.0	37	37
38	San Jose, CA	198.8	27.0	114.3	39	40
39	Albuquerque, NM (Bernalillo County)	209.3	19.3	112.1	38	42
40	Omaha, NB	177.9	44.0	109.2	40	32
41	Virginia Beach, VA	143.5	51.2	96.9	42	30
42	Honolulu, HI (Honolulu County)	151.0	18.6	85.1	41	43
43	Fresno, CA (Fresno County)	127.1	30.1	78.7	43	39
44	Colorado Springs, CO (El Paso County)	80.9	13.2	47.2	44	44
45	Long Beach, CA	54.3	---	29.5	45	---
46	El Paso, TX	16.8	---	8.9	46	---
---	Arlington, TX	---	---	---	---	---
---	Austin, TX	---	---	---	---	---
---	Las Vegas, NV	---	---	---	---	---
---	Pittsburgh, PA	---	---	---	---	---
---	St. Louis, MO	---	---	---	---	---
---	Tulsa, OK	---	---	---	---	---
---	Wichita, KS (Sedgwick County)	---	---	---	---	---
	City Average	703.1	192.0	437.9		
	United States, 2005	---	---	---		
	2010 Goal			---		

* County data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
† People living with AIDS at the end of 2005, crude rate per 100,000 population using 2000 U.S. Census figures.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

Table 1.3: HIV (not AIDS) Incidence Rate by Gender, 2005

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	Miami, FL	469.5	211.2	339.6	1	1
2	Baltimore, MD	224.6	110.8	164.0	2	2
3	San Francisco, CA	136.8	13.1	76.0	3	12
4	Dallas, TX	98.8	23.9	61.7	4	6
5	Memphis, TN	57.9	33.0	44.8	7	3
6	Denver, CO	73.5	9.8	42.0	5	15
7	Chicago, IL	61.9	16.4	38.5	6	11
8	Charlotte, NC	56.6	20.3	38.1	10	8
9	Fort Worth, TX	57.3	17.7	37.2	8	10
10	Jacksonville, FL	47.2	27.7	37.1	16	4
11	Houston, TX	52.7	20.8	36.7	13	7
12	New York, NY	52.8	18.5	34.7	12	9
13	New Orleans, LA	42.7	24.1	32.8	18	5
14	Seattle, WA	57.3	---	31.8	8	---
15	Long Beach, CA	53.4	10.2	31.4	11	14
16	Kansas City, MO	51.1	9.6	29.7	14	16
17	Boston, MA	48.0	12.1	29.4	15	13
18	Los Angeles, CA	45.6	6.8	26.1	17	21
19	Minneapolis, MN	41.1	---	24.6	20	---
20	Cleveland, OH	41.5	8.3	24.0	19	19
21	Nashville-Davidson, TN	35.9	9.2	22.1	22	17
22	Cincinnati, OH	34.5	---	21.7	23	---
23	San Antonio, TX	36.5	7.4	21.5	21	20
24	Columbus, OH	33.8	8.5	20.8	24	18
25	Oakland, CA	32.2	---	20.0	26	---
26	Phoenix, AZ	31.4	6.0	18.9	27	23
27	Portland, OR (Multnomah County)	33.3	---	17.7	25	---
28	Tucson, AZ	27.3	---	15.8	28	---
29	Indianapolis, IN (Marion County)	24.0	6.5	15.0	29	22
30	Milwaukee, WI	20.7	---	12.7	31	---
31	Oklahoma City, OK	21.0	---	11.5	30	---
32	Omaha, NB	13.7	---	10.8	33	---
33	El Paso, TX	19.4	---	9.9	32	---
34	Virginia Beach, VA	12.4	---	9.4	35	---
35	Mesa, AZ	13.7	---	9.3	33	---
36	Albuquerque, NM (Bernalillo County)	12.1	---	6.1	36	---
37	Fresno, CA (Fresno County)	9.0	---	5.8	37	---
38	Colorado Springs, CO (El Paso County)	8.9	---	5.0	38	---
---	Arlington, TX	---	---	---	---	---
---	Atlanta, GA	---	---	---	---	---
---	Austin, TX	---	---	---	---	---
---	Detroit, MI	---	---	---	---	---
---	Honolulu, HI (Honolulu County)	---	---	---	---	---
---	Las Vegas, NV	---	---	---	---	---
---	Philadelphia, PA	---	---	---	---	---
---	Pittsburgh, PA	---	---	---	---	---
---	Sacramento, CA (Sacramento County)	---	---	---	---	---
---	San Diego, CA (San Diego County)	---	---	---	---	---
---	San Jose, CA	---	---	---	---	---
---	St. Louis, MO	---	---	---	---	---
---	Tulsa, OK	---	---	---	---	---
---	Washington, DC	---	---	---	---	---
---	Wichita, KS (Sedgwick County)	---	---	---	---	---
	City Average	58.3	27.7	37.7		
	United States, 2005	---	---	---		
	2010 Goal			---		

* County data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
† HIV (not AIDS) cases diagnosed in 2005, crude rate per 100,000 population using 2000 U.S. Census figures.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

Table 1.4: AIDS Incidence Rate by Gender, 2005

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	Miami, FL	400.7	203.5	301.5	1	1
2	Washington, DC	188.6	83.9	133.2	2	2
3	Baltimore, MD	123.8	68.8	94.4	3	3
4	Atlanta, GA	114.6	31.5	72.8	4	4
5	San Francisco, CA	94.2	9.4	52.5	5	17
6	Memphis, TN	77.4	27.4	51.1	6	6
6	New York, NY	73.8	30.7	51.1	8	5
8	Dallas, TX	76.5	19.0	48.0	7	11
9	Philadelphia, PA	66.2	24.1	43.7	10	8
10	Houston, TX	56.1	24.6	40.3	12	7
10	Long Beach, CA	73.7	---	40.3	9	---
12	New Orleans, LA	59.4	22.5	39.8	11	9
13	Jacksonville, FL	51.4	22.1	36.3	15	10
14	Nashville-Davidson, TN	47.1	17.0	31.6	17	12
15	Chicago, IL	49.7	12.1	30.4	16	15
16	Denver, CO	52.1	8.0	30.3	14	18
17	Seattle, WA	52.3	---	29.5	13	---
18	Detroit, MI	46.2	14.3	29.3	18	14
19	Charlotte, NC	38.5	16.0	27.0	19	13
20	Boston, MA	37.0	12.1	24.1	22	15
21	Cincinnati, OH	38.4	---	22.0	20	---
22	Oakland, CA	37.4	---	21.3	21	---
23	Indianapolis, IN (Marion County)	27.4	6.7	16.7	23	19
24	San Antonio, TX	26.4	5.9	15.8	24	20
25	Fort Worth, TX	25.8	---	15.5	26	---
26	Phoenix, AZ	25.8	4.6	15.4	26	21
27	Los Angeles, CA	26.4	3.7	15.0	24	22
28	Kansas City, MO	24.4	---	14.3	29	---
29	San Diego, CA (San Diego County)	24.8	2.5	13.7	28	23
30	Tucson, AZ	23.9	---	13.6	30	---
31	Minneapolis, MN	18.7	---	13.1	33	---
32	Columbus, OH	21.4	---	11.9	31	---
33	Omaha, NB	15.8	---	11.0	36	---
34	El Paso, TX	19.4	---	10.6	32	---
35	Cleveland, OH	16.8	---	9.8	35	---
36	Oklahoma City, OK	17.0	---	9.7	34	---
37	Albuquerque, NM (Bernalillo County)	13.2	---	8.1	38	---
38	Mesa, AZ	11.7	---	6.8	39	---
38	Portland, OR (Multnomah County)	13.8	---	6.8	37	---
40	Sacramento, CA (Sacramento County)	10.7	---	6.5	40	---
41	Milwaukee, WI	9.1	---	6.2	42	---
42	Fresno, CA (Fresno County)	9.7	---	6.0	41	---
43	Honolulu, HI (Honolulu County)	9.1	---	5.3	42	---
44	San Jose, CA	7.5	---	4.2	44	---
45	Colorado Springs, CO (El Paso County)	---	---	3.9	---	---
---	Arlington, TX	---	---	---	---	---
---	Austin, TX	---	---	---	---	---
---	Las Vegas, NV	---	---	---	---	---
---	Pittsburgh, PA	---	---	---	---	---
---	St. Louis, MO	---	---	---	---	---
---	Tulsa, OK	---	---	---	---	---
---	Virginia Beach, VA	---	---	---	---	---
---	Wichita, KS (Sedgwick County)	---	---	---	---	---
	City Average	52.1	28.5	33.1		
	United States, 2005	---	---	13.7		
	2010 Goal			---		

* County data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
† AIDS cases diagnosed in 2005, crude rate per 100,000 population using 2000 U.S. Census figures.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

Table 1.5: Primary and Secondary Syphilis Incidence Rate by Gender, 2005

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	Miami, FL	79.4	13.7	46.3	1	2
2	Atlanta, GA (Fulton County)	71.2	5.8	38.0	2	5
3	San Francisco, CA	61.5	---	32.1	3	---
4	Baltimore, MD	39.8	21.3	29.9	4	1
5	Washington, DC	38.2	---	19.9	5	---
6	Memphis, TN	26.0	13.7	19.5	8	2
7	Charlotte, NC	23.8	---	14.6	9	---
8	Chicago, IL	27.0	2.5	14.4	7	10
9	Kansas City, MO	27.2	---	13.8	6	---
10	Columbus, OH	21.7	5.7	13.5	11	6
11	Houston, TX	19.3	4.3	11.8	14	9
12	Minneapolis, MN	21.3	---	11.0	12	---
13	Boston, MA	22.2	---	10.9	10	---
13	Dallas, TX	16.2	5.4	10.9	16	7
13	Los Angeles, CA	19.9	1.9	10.9	13	11
16	Fort Worth, TX	11.8	10.0	10.8	20	4
17	San Antonio, TX	16.4	5.4	10.7	15	7
18	New York, NY	15.7	0.5	7.7	17	13
19	San Diego, CA (San Diego County)	11.9	1.7	6.9	19	12
20	Jacksonville, FL	8.4	---	6.7	25	---
21	Denver, CO	12.1	---	6.3	18	---
22	Phoenix, AZ	8.9	---	5.9	23	---
23	Oakland, CA	11.4	---	5.8	22	---
24	Philadelphia, PA	11.5	---	5.7	21	---
25	Albuquerque, NM (Bernalillo County)	---	---	5.0	---	---
26	San Jose, CA	8.6	---	4.6	24	---
27	Nashville-Davidson, TN	8.3	---	4.2	26	---
28	Oklahoma City, OK	---	---	4.1	---	---
28	Portland, OR (Multnomah County)	8.3	---	4.1	26	---
30	Indianapolis, IN (Marion County)	6.7	---	3.6	28	---
---	Arlington, TX	---	---	---	---	---
---	Austin, TX	---	---	---	---	---
---	Cincinnati, OH	---	---	---	---	---
---	Cleveland, OH	---	---	---	---	---
---	Colorado Springs, CO (El Paso County)	---	---	---	---	---
---	Detroit, MI	---	---	---	---	---
---	El Paso, TX	---	---	---	---	---
---	Fresno, CA (Fresno County)	---	---	---	---	---
---	Honolulu, HI (Honolulu County)	---	---	---	---	---
---	Las Vegas, NV	---	---	---	---	---
---	Long Beach, CA	---	---	---	---	---
---	Mesa, AZ	---	---	---	---	---
---	Milwaukee, WI	---	---	---	---	---
---	New Orleans, LA	---	---	---	---	---
---	Omaha, NB	---	---	---	---	---
---	Pittsburgh, PA	---	---	---	---	---
---	Sacramento, CA (Sacramento County)	---	---	---	---	---
---	Seattle, WA	---	---	---	---	---
---	St. Louis, MO	---	---	---	---	---
---	Tucson, AZ	---	---	---	---	---
---	Tulsa, OK	---	---	---	---	---
---	Virginia Beach, VA	---	---	---	---	---
---	Wichita, KS (Sedgwick County)	---	---	---	---	---
	City Average	23.4	7.1	13.0		
	United States, 2005	5.1	0.9	3.0		
	2010 Goal			0.2		

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
† Crude rate per 100,000 population by year of report using 2000 U.S. Census figures.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

Table 1.6: Chlamydia Incidence Rate by Gender, 2005

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	Milwaukee, WI	875.7	2,197.9	1,565.9	1	1
2	Cincinnati, OH	601.8	2,067.7	1,386.7	4	2
3	Miami, FL	424.0	1,716.1	1,073.7	13	3
4	Memphis, TN	541.9	1,489.2	1,040.9	7	5
5	Philadelphia, PA	658.1	1,347.8	1,027.3	2	6
6	Baltimore, MD	363.9	1,518.1	979.8	15	4
7	Cleveland, OH	557.1	1,319.8	972.6	6	7
8	Kansas City, MO	588.3	1,306.5	959.8	5	8
9	Denver, CO	640.6	1,143.1	889.2	3	10
10	Indianapolis, IN (Marion County)	490.9	1,162.5	840.0	8	9
11	Chicago, IL	451.1	1,107.6	789.2	10	11
12	Omaha, NB	405.2	1,001.1	711.0	14	12
13	Minneapolis, MN	434.4	906.6	669.6	12	18
14	Albuquerque, NM (Bernalillo County)	---	---	662.1	---	---
15	Washington, DC	253.2	983.5	643.3	27	13
16	Boston, MA	448.2	820.8	641.4	11	22
17	Jacksonville, FL	312.7	925.6	628.7	21	15
18	San Antonio, TX	320.1	898.0	618.7	19	19
19	Fresno, CA (Fresno County)	305.6	907.9	607.5	24	17
20	Oakland, CA	306.6	882.3	604.8	23	20
21	Charlotte, NC	260.0	910.3	591.7	26	16
22	Columbus, OH	292.0	857.2	589.2	25	21
23	Fort Worth, TX	212.7	948.1	585.6	33	14
24	Sacramento, CA (Sacramento County)	318.8	799.6	569.1	20	24
25	Oklahoma City, OK	247.9	774.3	517.1	28	26
26	Phoenix, AZ	233.3	794.9	509.4	31	25
27	Nashville-Davidson, TN	348.7	631.6	494.7	16	32
28	New York, NY	322.7	639.4	489.7	18	31
29	Houston, TX	147.5	814.9	481.6	39	23
30	San Francisco, CA	473.1	462.4	477.4	9	40
31	Colorado Springs, CO (El Paso County)	328.2	601.6	464.3	17	34
32	Atlanta, GA (Fulton County)	240.7	680.7	464.1	30	28
33	Dallas, TX	179.1	712.9	444.3	37	27
34	Portland, OR (Multnomah County)	312.0	554.3	434.4	22	36
35	Wichita, KS (Sedgwick County)	179.6	664.2	424.6	36	30
36	El Paso, TX	128.5	672.3	414.1	40	29
37	Mesa, AZ	159.4	625.5	394.6	38	33
38	San Diego, CA (San Diego County)	207.7	558.2	391.0	34	35
39	Los Angeles, CA	242.1	522.9	382.9	29	38
40	Virginia Beach, VA	221.8	523.0	373.9	32	37
41	San Jose, CA	201.8	486.2	343.5	35	39
---	Arlington, TX	---	---	---	---	---
---	Austin, TX	---	---	---	---	---
---	Detroit, MI	---	---	---	---	---
---	Honolulu, HI (Honolulu County)	---	---	---	---	---
---	Las Vegas, NV	---	---	---	---	---
---	Long Beach, CA	---	---	---	---	---
---	New Orleans, LA	---	---	---	---	---
---	Pittsburgh, PA	---	---	---	---	---
---	Seattle, WA	---	---	---	---	---
---	St. Louis, MO	---	---	---	---	---
---	Tucson, AZ	---	---	---	---	---
---	Tulsa, OK	---	---	---	---	---
	City Average	355.9	948.4	662.2		
	United States, 2005	161.6	498.2	332.5		
	2010 Goal			---		

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
† Crude rate per 100,000 population by year of report using 2000 U.S. Census figures.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

Table 1.7: Gonorrhea Rate by Gender, 2005

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	Cincinnati, OH	706.1	927.8	829.5	2	1
2	Cleveland, OH	742.0	619.4	683.3	1	3
3	Milwaukee, WI	569.5	711.5	643.6	4	2
4	Kansas City, MO	554.6	546.8	550.6	5	4
5	Baltimore, MD	576.9	496.5	534.0	3	5
6	Miami, FL	465.6	451.0	458.2	7	7
7	Indianapolis, IN (Marion County)	442.8	465.3	455.1	9	6
8	Memphis, TN	453.4	446.8	449.9	8	8
9	Washington, DC	413.2	339.9	375.1	11	12
10	Charlotte, NC	424.9	312.5	367.6	10	15
11	Oklahoma City, OK	329.5	359.7	345.0	20	10
12	Chicago, IL	335.1	347.4	341.5	19	11
13	Fort Worth, TX	343.9	328.4	336.3	17	13
14	Philadelphia, PA	345.3	322.6	333.2	16	14
15	Jacksonville, FL	347.8	291.0	318.5	15	17
16	Atlanta, GA (Fulton County)	396.8	241.9	318.1	12	20
17	Minneapolis, MN	352.7	274.2	313.9	14	18
18	San Francisco, CA	517.7	91.6	310.7	6	36
19	Oakland, CA	277.6	309.6	294.6	21	16
20	Columbus, OH	373.3	410.8	293.3	13	9
21	Denver, CO	336.5	216.8	277.3	18	23
22	Dallas, TX	277.0	251.0	264.3	22	19
23	Houston, TX	176.6	227.9	202.3	25	21
24	Nashville-Davidson, TN	232.4	161.6	195.8	23	28
25	Omaha, NB	162.6	222.5	193.3	30	22
26	Sacramento, CA (Sacramento County)	175.5	193.7	186.3	26	24
27	San Antonio, TX	188.5	179.2	183.7	24	26
28	Fresno, CA (Fresno County)	149.1	175.5	162.6	31	27
29	Phoenix, AZ	171.2	133.1	152.5	28	29
30	Wichita, KS (Sedgwick County)	96.9	191.7	144.9	37	25
31	Boston, MA	170.0	119.5	143.8	29	32
32	Portland, OR (Multnomah County)	175.3	93.8	134.1	27	34
33	New York, NY	146.0	119.9	132.3	32	31
34	Albuquerque, NM (Bernalillo County)	---	---	118.6	---	---
35	Colorado Springs, CO (El Paso County)	106.7	125.9	116.3	35	30
36	Virginia Beach, VA	106.9	116.4	111.7	34	33
37	Los Angeles, CA	126.0	93.8	109.9	33	34
38	San Diego, CA (San Diego County)	103.6	76.1	92.6	36	38
39	Mesa, AZ	77.4	86.0	81.7	38	37
40	San Jose, CA	73.2	54.1	63.9	39	40
41	El Paso, TX	47.8	54.4	51.3	40	39
---	Arlington, TX	---	---	---	---	---
---	Austin, TX	---	---	---	---	---
---	Detroit, MI	---	---	---	---	---
---	Honolulu, HI (Honolulu County)	---	---	---	---	---
---	Las Vegas, NV	---	---	---	---	---
---	Long Beach, CA	---	---	---	---	---
---	New Orleans, LA	---	---	---	---	---
---	Pittsburgh, PA	---	---	---	---	---
---	Seattle, WA	---	---	---	---	---
---	St. Louis, MO	---	---	---	---	---
---	Tucson, AZ	---	---	---	---	---
---	Tulsa, OK	---	---	---	---	---
	City Average	301.7	279.7	284.7		
	United States, 2005	111.8	119.4	115.6		
	2010 Goal			19.0		

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
† Crude rate per 100,000 population by year of report using 2000 U.S. Census figures.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

Table 1.8: Tuberculosis Incidence Rate by Gender, 2005

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	Miami, FL	79.4	47.2	63.2	1	1
2	San Francisco, CA	22.8	11.0	17.0	2	3
3	Fort Worth, TX	20.9	9.6	15.1	3	4
4	Minneapolis, MN	15.6	12.6	14.1	10	2
5	Memphis, TN	18.2	7.9	12.8	4	10
6	Dallas, TX	16.0	8.7	12.4	7	6
6	Houston, TX	17.7	7.2	12.4	5	14
8	New York, NY	16.7	8.3	12.3	6	7
9	Nashville-Davidson, TN	15.9	7.5	11.6	8	12
10	Chicago, IL	14.7	8.3	11.4	13	7
11	Oakland, CA	15.0	---	11.3	12	---
12	Jacksonville, FL	15.4	6.9	11.0	11	16
13	San Diego, CA (San Diego County)	13.9	7.7	10.8	16	11
13	Seattle, WA	15.7	---	10.8	9	---
15	Atlanta, GA (Fulton County)	14.2	7.2	10.7	15	14
16	Sacramento, CA (Sacramento County)	12.0	9.3	10.6	19	5
17	Columbus, OH	14.7	6.6	10.5	13	18
18	Boston, MA	12.0	7.5	9.7	19	12
19	Los Angeles, CA	11.8	6.7	9.3	21	17
20	Cleveland, OH	12.8	---	9.2	17	---
21	Fresno, CA (Fresno County)	9.0	8.3	8.6	25	7
22	Charlotte, NC	12.5	---	8.5	18	---
23	Denver, CO	11.8	---	7.9	21	---
24	Philadelphia, PA	9.1	6.4	7.6	24	19
24	Phoenix, AZ	10.6	4.5	7.6	23	20
26	Oklahoma City, OK	8.1	---	6.5	28	---
27	San Antonio, TX	8.5	4.4	6.4	26	21
28	Portland, OR (Multnomah County)	8.3	---	6.1	27	---
29	Cincinnati, OH	---	---	6.0	---	---
30	Kansas City, MO	---	---	5.4	---	---
31	Indianapolis, IN (Marion County)	6.7	---	5.2	29	---
32	Wichita, KS (Sedgwick County)	---	---	4.4	---	---
33	Milwaukee, WI	---	---	3.7	---	---
---	Albuquerque, NM (Bernalillo County)	---	---	---	---	---
---	Arlington, TX	---	---	---	---	---
---	Austin, TX	---	---	---	---	---
---	Baltimore, MD	---	---	---	---	---
---	Colorado Springs, CO (El Paso County)	---	---	---	---	---
---	Detroit, MI	---	---	---	---	---
---	El Paso, TX	---	---	---	---	---
---	Honolulu, HI (Honolulu County)	---	---	---	---	---
---	Las Vegas, NV	---	---	---	---	---
---	Long Beach, CA	---	---	---	---	---
---	Mesa, AZ	---	---	---	---	---
---	New Orleans, LA	---	---	---	---	---
---	Omaha, NB	---	---	---	---	---
---	Pittsburgh, PA	---	---	---	---	---
---	San Jose, CA	---	---	---	---	---
---	St. Louis, MO	---	---	---	---	---
---	Tucson, AZ	---	---	---	---	---
---	Tulsa, OK	---	---	---	---	---
---	Virginia Beach, VA	---	---	---	---	---
---	Washington, DC	---	---	---	---	---
	City Average	15.9	9.7	11.2		
	United States, 2005	6.0	3.6	4.8		
	2010 Goal			1.0		

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
† Crude rate per 100,000 population by year of report using 2000 U.S. Census figures.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

Table 1.9: Overall Mortality Rate by Gender, 2004

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	Las Vegas, NV	2,019.3	1,361.2	1,660.3	1	1
2	Sacramento, CA	1,794.9	1,195.5	1,449.6	2	2
3	Tucson, AZ	1,747.3	1,142.8	1,398.2	3	3
4	Miami, FL	1,651.7	989.2	1,288.4	4	4
5	Baltimore, MD	1,497.2	881.8	1,139.6	5	11
6	Fresno, CA	1,427.7	929.0	1,135.0	8	5
7	Cleveland, OH	1,430.4	922.7	1,131.0	6	6
8	Detroit, MI	1,407.7	885.3	1,103.4	9	10
9	New Orleans, LA	1,429.1	848.8	1,095.1	7	14
10	Cincinnati, OH	1,344.7	894.5	1,072.9	10	8
11	Jacksonville, FL	1,295.7	894.9	1,061.2	14	7
12	Columbus, OH	1,340.7	859.6	1,051.0	11	13
13	Memphis, TN	1,317.3	863.4	1,045.7	13	12
14	St. Louis, MO	1,328.3	798.3	1,013.2	12	20
15	Indianapolis, IN	1,272.3	832.3	1,009.1	16	15
16	Philadelphia, PA	1,281.2	815.5	1,006.1	15	18
17	Arlington, TX	1,176.1	885.5	1,004.5	26	9
18	Houston, TX	1,235.0	822.7	997.9	20	16
19	San Antonio, TX	1,205.3	822.6	983.5	25	17
20	Albuquerque, NM	1,250.4	782.0	976.2	17	26
21	Atlanta, GA	1,216.7	796.2	974.3	24	22
22	Charlotte, NC	1,232.4	811.4	973.0	21	19
23	Fort Worth, TX	1,241.1	781.2	969.2	19	27
24	Washington, DC	1,249.2	770.9	966.4	18	29
25	Milwaukee, WI	1,224.6	787.0	965.4	22	25
26	Pittsburgh, PA	1,219.3	768.1	950.5	23	30
26	Wichita, KS	1,164.4	798.0	950.5	27	21
28	Mesa, AZ	1,139.2	792.0	943.1	30	24
29	Oklahoma City, OK	1,139.0	794.4	936.2	31	23
30	Tulsa, OK	1,153.9	779.5	933.6	29	28
31	Kansas City, MO	1,157.6	749.5	912.6	28	34
32	Colorado Springs, CO	1,131.2	764.2	911.7	33	32
33	Portland, OR	1,106.9	757.8	902.7	35	33
34	Nashville-Davidson, TN	1,131.9	744.4	899.7	32	35
35	Virginia Beach, VA	1,106.3	767.0	888.2	36	31
36	Dallas, TX	1,123.0	708.1	881.6	34	38
37	Chicago, IL	1,072.6	720.7	868.1	41	36
38	Omaha, NB	1,082.3	714.3	859.5	38	37
39	El Paso, TX	1,079.3	697.5	854.4	39	40
40	Long Beach, CA	1,051.5	707.6	853.5	42	39
41	Phoenix, AZ	1,076.4	687.5	852.2	40	42
42	Denver, CO	1,085.8	661.5	841.9	37	46
43	Austin, TX	1,014.9	693.5	826.5	45	41
44	Oakland, CA	1,009.3	677.5	822.8	46	43
45	Boston, MA	1,030.8	666.2	820.9	43	45
46	Los Angeles, CA	985.7	667.3	806.5	47	44
47	Minneapolis, MN	1,016.3	643.3	799.5	44	47
48	San Diego, CA	927.1	640.8	762.0	49	48
49	New York, NY	922.6	630.3	748.9	50	49
50	Seattle, WA	931.4	579.2	729.5	48	51
51	San Jose, CA	846.0	602.8	708.9	52	50
52	San Francisco, CA	889.0	544.5	699.3	51	53
53	Honolulu, HI	817.9	547.8	669.9	53	52
	City Average	1,208.1	790.2	964.2		
	United States, 2004	955.1	680.1	801.0		
	2010 Goal			---		

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 1.10: Heart Disease Mortality Rate by Gender, 2004

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	Las Vegas, NV	619.0	340.4	465.0	1	1
2	Miami, FL	504.9	293.6	388.2	2	4
3	Sacramento, CA	492.3	303.9	383.4	3	3
4	Detroit, MI	458.6	307.0	370.0	5	2
5	Cleveland, OH	474.5	286.3	362.8	4	5
6	Tucson, AZ	451.0	260.9	340.8	6	6
7	Memphis, TN	408.1	238.6	304.7	7	8
8	Fresno, CA	396.8	238.1	301.0	8	9
9	New York, NY	361.6	259.5	300.6	12	7
10	Baltimore, MD	385.6	220.5	287.2	9	14
11	Long Beach, CA	367.0	228.3	285.1	11	11
12	St. Louis, MO	374.7	226.9	284.7	10	12
13	Arlington, TX	340.7	230.1	279.0	20	10
14	Washington, DC	348.6	224.6	273.7	16	13
15	Houston, TX	356.2	216.3	273.2	14	16
16	Fort Worth, TX	356.0	210.4	270.2	15	21
17	Pittsburgh, PA	357.4	207.7	268.4	13	22
18	Oklahoma City, OK	348.2	212.7	266.5	17	18
19	Philadelphia, PA	347.1	213.0	265.9	18	17
20	San Antonio, TX	334.7	217.5	265.8	23	15
21	Tulsa, OK	341.0	212.2	263.6	19	19
22	Jacksonville, FL	334.1	211.7	262.3	24	20
23	Chicago, IL	338.3	203.1	258.3	21	23
24	Los Angeles, CA	314.9	202.1	250.8	29	24
25	Columbus, OH	329.3	200.6	250.4	25	25
26	Cincinnati, OH	335.3	191.9	248.8	22	29
27	Mesa, AZ	307.8	196.4	243.8	32	26
28	Milwaukee, WI	318.2	191.1	243.6	28	30
29	New Orleans, LA	311.9	192.3	243.5	30	28
30	Dallas, TX	320.9	183.0	239.8	27	33
31	Nashville-Davidson, TN	306.8	193.5	239.7	33	27
32	Indianapolis, IN	321.0	185.0	238.6	26	31
33	Atlanta, GA	292.5	183.9	230.2	38	32
34	Wichita, KS	310.1	167.1	227.0	31	39
35	Virginia Beach, VA	302.3	180.9	226.8	35	34
36	Kansas City, MO	305.4	171.5	224.8	34	36
37	Phoenix, AZ	285.4	168.5	215.8	39	37
38	Albuquerque, NM	299.4	157.2	214.5	37	43
39	El Paso, TX	279.5	166.8	212.9	40	40
40	Oakland, CA	263.4	172.5	211.9	43	35
41	San Diego, CA	277.5	163.0	210.5	41	41
42	Charlotte, NC	301.0	154.3	210.1	36	44
43	Portland, OR	259.6	167.8	204.1	44	38
44	Omaha, NB	265.7	162.9	203.3	42	42
45	Austin, TX	257.4	146.6	188.7	45	46
46	Boston, MA	250.2	136.3	184.6	46	47
47	San Jose, CA	223.7	151.6	184.0	52	45
48	Colorado Springs, CO	244.2	133.7	177.5	48	48
48	Honolulu, HI	233.4	132.5	177.5	50	49
50	Denver, CO	246.4	128.9	175.4	47	51
51	San Francisco, CA	231.3	131.0	174.5	51	50
52	Seattle, WA	235.3	127.2	171.7	49	52
53	Minneapolis, MN	192.3	102.0	140.7	53	53
	City Average	330.5	198.2	252.6		
	United States, 2004	---	---	217.5		
	2010 Goal			---		

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 1.11: All Cancer Mortality Rate by Gender, 2004

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	Las Vegas, NV	401.4	322.1	354.6	1	1
2	Sacramento, CA	399.9	276.0	324.2	2	2
3	Tucson, AZ	398.7	253.0	311.1	3	3
4	Miami, FL	333.5	204.1	258.5	7	8
5	Cleveland, OH	339.9	207.2	258.1	4	6
6	Cincinnati, OH	310.0	223.6	254.6	8	4
7	Columbus, OH	336.4	194.1	247.4	5	11
8	Fresno, CA	299.1	213.6	246.0	13	5
9	New Orleans, LA	335.0	186.9	244.1	6	19
10	Jacksonville, FL	304.4	201.1	240.7	12	9
11	Arlington, TX	296.0	207.1	238.2	16	7
12	St. Louis, MO	308.6	189.3	234.4	9	17
13	Indianapolis, IN	298.1	193.6	233.4	15	12
14	Philadelphia, PA	287.2	200.1	232.2	20	10
15	Baltimore, MD	298.6	190.1	231.0	14	15
16	Detroit, MI	306.2	182.4	230.4	10	20
17	Milwaukee, WI	304.6	181.6	227.3	11	21
17	Pittsburgh, PA	290.7	190.0	227.3	19	16
19	Memphis, TN	282.9	192.4	226.0	22	13
20	Fort Worth, TX	294.4	175.2	222.0	17	26
21	Wichita, KS	277.9	187.3	221.9	23	18
22	Houston, TX	283.2	173.1	217.3	21	32
23	Virginia Beach, VA	291.4	178.1	215.8	18	23
24	Charlotte, NC	263.2	191.0	214.9	31	14
25	Albuquerque, NM	273.5	175.2	213.9	25	26
26	Kansas City, MO	269.7	180.6	212.0	27	22
27	Portland, OR	270.2	174.1	211.4	26	30
28	Atlanta, GA	276.4	174.8	211.3	24	29
29	Mesa, AZ	254.9	175.2	207.5	34	26
29	San Antonio, TX	265.0	171.2	207.5	29	34
31	Omaha, NB	256.7	175.6	206.2	32	25
32	Boston, MA	263.9	172.3	205.7	30	33
33	Washington, DC	268.3	167.5	205.6	28	36
34	Chicago, IL	251.2	177.1	204.8	39	24
35	Colorado Springs, CO	252.9	173.6	201.2	37	31
36	Nashville-Davidson, TN	249.9	170.0	199.7	40	35
37	Minneapolis, MN	253.4	165.4	198.6	36	38
38	Austin, TX	255.5	158.3	196.4	33	42
39	Dallas, TX	252.6	160.7	195.7	38	40
40	Oklahoma City, OK	236.6	167.2	194.2	44	37
41	Oakland, CA	237.7	162.9	193.6	43	39
42	Long Beach, CA	242.1	157.3	191.6	41	43
43	Tulsa, OK	253.5	153.5	190.6	35	46
44	Denver, CO	238.4	153.5	185.8	42	46
45	El Paso, TX	227.8	155.5	183.7	45	44
46	Los Angeles, CA	216.8	160.1	182.3	49	41
47	Seattle, WA	221.7	154.1	180.6	47	45
48	San Diego, CA	218.0	153.4	178.3	48	48
49	Phoenix, AZ	222.6	149.5	177.4	46	50
50	San Francisco, CA	210.5	151.9	175.3	52	49
51	San Jose, CA	212.0	149.2	174.5	50	51
52	New York, NY	210.9	146.1	170.2	51	52
53	Honolulu, HI	191.5	119.9	150.9	53	53
	City Average	275.4	181.5	217.3		
	United States, 2004	---	---	184.6		
	2010 Goal			158.6		

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 1.12: Lung Cancer Mortality Rate by Gender, 2004

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	Las Vegas, NV	120.6	94.7	106.9	1	1
2	Tucson, AZ	117.3	69.6	89.5	2	3
3	Columbus, OH	116.9	61.5	83.7	3	6
4	Cleveland, OH	115.9	58.0	81.0	4	8
5	Sacramento, CA	92.6	69.9	79.3	17	2
6	Indianapolis, IN	99.2	62.4	77.6	10	5
7	St. Louis, MO	103.1	57.8	75.5	7	9
8	Cincinnati, OH	88.2	67.6	75.0	20	4
9	Jacksonville, FL	98.4	57.2	73.6	11	11
10	Virginia Beach, VA	105.1	56.1	73.1	5	12
11	Arlington, TX	102.5	54.5	72.4	8	14
12	Pittsburgh, PA	91.6	57.8	71.9	18	9
12	Wichita, KS	100.3	52.4	71.9	9	19
14	Baltimore, MD	95.8	54.3	70.6	12	15
15	Kansas City, MO	93.4	53.8	68.7	15	16
16	New Orleans, LA	103.6	43.8	67.5	6	27
17	Philadelphia, PA	86.9	55.2	67.4	22	13
18	Detroit, MI	95.8	47.4	67.0	12	24
19	Nashville-Davidson, TN	86.4	53.2	66.5	23	17
20	Fresno, CA	78.2	58.1	66.2	30	7
21	Charlotte, NC	84.8	52.6	65.5	25	18
22	Fort Worth, TX	90.1	47.4	65.1	19	24
22	Milwaukee, WI	92.7	48.8	65.1	16	22
24	Memphis, TN	94.4	42.7	62.7	14	30
24	Oklahoma City, OK	80.7	51.3	62.7	28	20
26	Omaha, NB	81.2	49.1	61.6	27	21
27	Tulsa, OK	85.5	43.7	60.2	24	28
28	Portland, OR	74.3	48.6	59.6	32	23
29	Houston, TX	81.4	42.5	59.4	26	31
30	Miami, FL	87.0	31.8	55.7	21	49
31	Minneapolis, MN	70.8	44.4	54.9	38	26
32	Chicago, IL	74.1	40.9	54.1	33	32
33	Boston, MA	75.3	40.1	53.3	31	33
34	Colorado Springs, CO	78.6	36.5	51.8	29	41
35	Mesa, AZ	63.4	43.2	51.7	41	29
36	Atlanta, GA	71.5	38.5	51.5	36	37
37	Austin, TX	72.8	36.6	51.0	35	40
38	Washington, DC	73.9	34.8	50.6	34	43
39	Dallas, TX	70.9	36.1	50.3	37	42
40	Phoenix, AZ	64.0	38.9	49.1	40	36
41	San Antonio, TX	66.5	37.5	49.0	39	39
42	Albuquerque, NM	63.3	39.2	48.9	43	34
43	Long Beach, CA	63.4	34.0	47.2	41	46
44	Seattle, WA	58.6	39.0	46.8	45	35
45	San Diego, CA	55.3	38.4	45.5	47	38
46	Denver, CO	60.3	33.8	44.3	44	48
47	Oakland, CA	57.6	34.0	44.0	46	46
48	San Francisco, CA	55.1	34.1	43.4	48	44
49	San Jose, CA	52.7	34.1	41.8	51	44
50	Los Angeles, CA	53.1	30.5	40.1	50	50
51	New York, NY	54.5	28.3	38.6	49	51
52	Honolulu, HI	50.8	26.9	37.4	52	53
53	El Paso, TX	42.0	27.7	33.8	53	52
	City Average	81.0	46.6	60.4		
	United States, 2004	---	---	52.9		
	2010 Goal			43.3		

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 1.13: Female Breast Cancer Mortality Rate, 2004

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	Las Vegas, NV	---	53.3	---	---	
2	Sacramento, CA	---	42.3	---	---	
3	Miami, FL	---	41.8	---	---	
4	Tucson, AZ	---	41.7	---	---	
5	Cleveland, OH	---	38.3	---	---	
6	Cincinnati, OH	---	36.4	---	---	
7	Colorado Springs, CO	---	36.1	---	---	
8	Memphis, TN	---	35.3	---	---	
8	New Orleans, LA	---	35.3	---	---	
10	Mesa, AZ	---	34.7	---	---	
11	Baltimore, MD	---	33.2	---	---	
12	Philadelphia, PA	---	31.7	---	---	
13	Wichita, KS	---	31.2	---	---	
14	Detroit, MI	---	30.7	---	---	
14	Fresno, CA	---	30.7	---	---	
16	Jacksonville, FL	---	30.6	---	---	
17	Charlotte, NC	---	30.3	---	---	
18	Chicago, IL	---	29.9	---	---	
18	Houston, TX	---	29.9	---	---	
20	Omaha, NB	---	29.7	---	---	
21	Albuquerque, NM	---	29.6	---	---	
22	Atlanta, GA	---	29.4	---	---	
23	El Paso, TX	---	29.0	---	---	
24	St. Louis, MO	---	28.8	---	---	
25	Fort Worth, TX	---	28.4	---	---	
25	Los Angeles, CA	---	28.4	---	---	
27	Columbus, OH	---	28.1	---	---	
28	Pittsburgh, PA	---	27.5	---	---	
29	Austin, TX	---	27.4	---	---	
30	San Antonio, TX	---	27.3	---	---	
31	Kansas City, MO	---	27.2	---	---	
32	Washington, DC	---	27.1	---	---	
33	New York, NY	---	26.8	---	---	
34	Boston, MA	---	26.7	---	---	
35	Arlington, TX	---	26.4	---	---	
36	Long Beach, CA	---	25.3	---	---	
37	Oklahoma City, OK	---	24.8	---	---	
38	Dallas, TX	---	24.6	---	---	
38	Virginia Beach, VA	---	24.6	---	---	
40	San Francisco, CA	---	24.5	---	---	
41	Oakland, CA	---	24.0	---	---	
41	Tulsa, OK	---	24.0	---	---	
43	Denver, CO	---	23.5	---	---	
44	Seattle, WA	---	23.3	---	---	
45	Portland, OR	---	23.1	---	---	
45	San Diego, CA	---	23.1	---	---	
47	Nashville-Davidson, TN	---	22.9	---	---	
48	Milwaukee, WI	---	22.4	---	---	
48	Phoenix, AZ	---	22.4	---	---	
50	San Jose, CA	---	21.5	---	---	
51	Indianapolis, IN	---	20.1	---	---	
52	Minneapolis, MN	---	19.1	---	---	
53	Honolulu, HI	---	14.9	---	---	
	City Average	---	28.9	---		
	United States, 2004	---	---	---		
	2010 Goal			21.3		

† Per 100,000 female population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 1.14: Motor Vehicle Injury Mortality Rate by Gender, 2004

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	Las Vegas, NV	49.8	18.2	33.9	2	1
2	Miami, FL	50.9	14.1	32.5	1	3
3	Tucson, AZ	29.2	17.5	23.1	7	2
4	Sacramento, CA	34.4	12.9	23.0	4	6
5	Fresno, CA	30.6	14.1	22.4	5	3
6	Albuquerque, NM	36.5	9.7	22.2	3	11
7	Jacksonville, FL	27.0	13.0	19.6	9	5
8	Phoenix, AZ	27.5	11.8	19.5	8	7
9	Mesa, AZ	26.9	---	17.7	10	---
10	Memphis, TN	29.6	7.0	17.3	6	21
11	San Antonio, TX	26.3	9.1	17.1	11	15
12	Nashville-Davidson, TN	25.2	8.2	16.3	13	17
13	Houston, TX	24.9	7.9	16.1	14	19
14	Dallas, TX	22.0	9.6	15.8	18	12
15	El Paso, TX	22.1	9.0	15.2	17	16
15	Oklahoma City, OK	22.3	8.1	15.2	16	18
17	Fort Worth, TX	25.4	---	15.1	12	---
18	Arlington, TX	18.2	---	15.0	26	---
19	Atlanta, GA	18.6	10.2	14.5	24	9
20	Tulsa, OK	18.0	10.2	14.3	27	9
21	Detroit, MI	23.2	6.9	14.2	15	23
21	Wichita, KS	19.8	---	14.2	22	---
23	St. Louis, MO	21.9	---	14.1	19	---
24	Milwaukee, WI	15.4	11.8	13.7	32	7
25	Indianapolis, IN	21.5	7.0	13.6	21	21
26	New Orleans, LA	21.9	---	13.4	19	---
27	Austin, TX	17.4	9.6	13.2	29	12
28	Kansas City, MO	17.7	---	12.8	28	---
29	Oakland, CA	18.4	---	12.7	25	---
30	Denver, CO	19.7	---	12.5	23	---
31	Colorado Springs, CO	14.7	---	12.2	35	---
32	Cincinnati, OH	15.5	---	12.0	31	---
33	Long Beach, CA	13.2	9.4	11.2	41	14
34	Charlotte, NC	16.9	---	11.1	30	---
35	Portland, OR	14.3	7.7	10.9	38	20
36	Los Angeles, CA	15.1	6.6	10.7	33	24
37	San Diego, CA	14.9	5.1	10.0	34	28
38	Philadelphia, PA	14.6	5.8	9.8	36	25
39	Baltimore, MD	14.4	---	9.5	37	---
40	Chicago, IL	13.7	5.3	9.3	39	26
41	Columbus, OH	12.8	5.2	8.8	42	27
42	Pittsburgh, PA	---	---	8.1	---	---
42	San Jose, CA	12.3	---	8.1	44	---
44	Omaha, NB	---	---	7.7	---	---
44	Virginia Beach, VA	10.0	---	7.7	46	---
44	Washington, DC	13.5	---	7.7	40	---
47	Cleveland, OH	12.6	---	7.3	43	---
48	Minneapolis, MN	11.8	---	7.1	45	---
49	Seattle, WA	9.4	---	6.8	47	---
50	San Francisco, CA	6.7	4.9	5.8	49	29
51	Honolulu, HI	---	---	5.7	---	---
52	New York, NY	7.1	3.0	4.9	48	30
53	Boston, MA	---	---	4.8	---	---
	City Average	20.5	9.3	13.5		
	United States, 2004	---	---	14.8		
	2010 Goal			8.0		

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 1.15: Homicide Rate by Gender, 2004

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	New Orleans, LA	91.7	8.4	47.9	1	4
2	Baltimore, MD	73.5	8.7	39.5	2	3
3	Detroit, MI	68.5	8.9	36.8	3	2
4	Washington, DC	51.4	---	27.7	4	---
5	St. Louis, MO	45.0	---	25.4	5	---
6	Miami, FL	36.0	---	22.5	7	---
7	Atlanta, GA	35.1	---	21.9	8	---
8	Philadelphia, PA	39.2	5.3	21.4	6	7
9	Las Vegas, NV	31.3	---	19.9	9	---
10	Memphis, TN	31.0	---	17.6	11	---
10	Oakland, CA	31.2	---	17.6	10	---
10	Sacramento, CA	27.8	---	17.6	13	---
13	Kansas City, MO	25.8	9.6	17.5	16	1
14	Dallas, TX	26.5	5.4	16.1	14	5
15	Tucson, AZ	25.7	---	16.0	17	---
16	Cleveland, OH	28.2	---	15.9	12	---
17	Cincinnati, OH	26.4	---	15.8	15	---
18	Chicago, IL	24.9	4.2	14.5	18	9
19	Jacksonville, FL	23.7	5.4	14.3	20	5
20	Denver, CO	21.7	---	14.2	25	---
21	Houston, TX	23.5	4.2	14.0	21	9
22	Phoenix, AZ	22.8	4.2	13.9	23	9
23	Los Angeles, CA	23.8	2.9	13.5	19	13
24	Milwaukee, WI	23.1	---	13.4	22	---
25	Tulsa, OK	17.9	---	12.9	30	---
26	Indianapolis, IN	20.9	4.7	12.7	26	8
27	Long Beach, CA	22.5	---	12.5	24	---
28	Columbus, OH	20.0	---	12.3	27	---
29	Pittsburgh, PA	18.7	---	12.1	29	---
30	Fresno, CA	15.4	---	12.0	33	---
31	Charlotte, NC	19.6	---	11.7	28	---
32	Minneapolis, MN	17.0	---	10.5	31	---
33	Oklahoma City, OK	16.0	---	10.2	32	---
34	Fort Worth, TX	14.4	---	9.8	37	---
35	Nashville-Davidson, TN	14.7	---	9.6	36	---
36	Wichita, KS	12.5	---	8.7	39	---
37	San Francisco, CA	15.1	---	8.6	35	---
38	Boston, MA	15.2	---	8.3	34	---
39	Albuquerque, NM	11.4	---	8.2	41	---
39	San Antonio, TX	12.7	4.0	8.2	38	12
41	New York, NY	11.8	2.0	6.7	40	14
42	Mesa, AZ	9.2	---	6.0	42	---
43	San Diego, CA	8.0	---	5.4	43	---
44	Portland, OR	6.9	---	4.7	44	---
45	Seattle, WA	6.8	---	4.4	45	---
45	Virginia Beach, VA	---	---	4.4	---	---
47	Austin, TX	6.0	---	4.0	47	---
48	San Jose, CA	6.3	---	3.5	46	---
---	Arlington, TX	---	---	---	---	---
---	Colorado Springs, CO	---	---	---	---	---
---	El Paso, TX	---	---	---	---	---
---	Honolulu, HI	---	---	---	---	---
---	Omaha, NB	---	---	---	---	---
	City Average	25.0	5.6	14.6		
	United States, 2004	---	---	5.6		
	2010 Goal			2.8		

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 1.16: Firearm-Related Mortality Rate by Gender, 2004

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	New Orleans, LA	100.2	8.7	51.6	1	1
2	Detroit, MI	64.0	6.7	33.5	3	3
2	Las Vegas, NV	58.9	8.4	33.5	4	2
4	Baltimore, MD	64.7	---	32.0	2	---
5	St. Louis, MO	48.3	---	26.2	5	---
6	Miami, FL	41.9	---	25.2	9	---
7	Tucson, AZ	44.5	---	24.3	6	---
8	Washington, DC	43.6	---	22.3	7	---
9	Philadelphia, PA	42.6	3.4	21.8	8	8
10	Sacramento, CA	39.0	---	20.9	10	---
11	Atlanta, GA	34.2	---	20.8	13	---
12	Phoenix, AZ	34.7	4.6	19.5	12	7
13	Kansas City, MO	34.2	---	19.4	13	---
14	Memphis, TN	36.0	---	19.0	11	---
15	Colorado Springs, CO	34.1	---	18.6	15	---
15	Tulsa, OK	32.7	---	18.6	17	---
17	Jacksonville, FL	33.3	---	18.1	16	---
18	Fresno, CA	28.3	---	17.4	24	---
19	Dallas, TX	28.9	5.0	17.2	23	4
20	Houston, TX	29.5	4.8	17.0	20	6
21	Charlotte, NC	29.2	---	16.8	21	---
22	Albuquerque, NM	31.8	---	16.7	19	---
23	Cincinnati, OH	28.3	---	16.5	24	---
24	Indianapolis, IN	29.0	4.9	16.2	22	5
25	Oakland, CA	27.7	---	15.8	26	---
26	Nashville-Davidson, TN	26.9	---	15.4	31	---
27	Long Beach, CA	32.1	---	15.0	18	---
28	Pittsburgh, PA	27.4	---	14.9	27	---
29	Milwaukee, WI	27.4	---	14.7	27	---
30	Denver, CO	24.9	---	14.5	33	---
30	Mesa, AZ	27.0	---	14.5	30	---
32	Cleveland, OH	27.4	---	14.2	27	---
33	Los Angeles, CA	25.5	2.1	13.8	32	9
34	Oklahoma City, OK	24.1	---	13.4	34	---
34	Wichita, KS	22.3	---	13.4	37	---
36	Columbus, OH	23.4	---	13.1	35	---
37	Chicago, IL	23.2	1.8	12.2	36	10
38	Fort Worth, TX	17.5	---	11.3	42	---
39	Minneapolis, MN	19.7	---	10.8	38	---
40	Virginia Beach, VA	18.4	---	10.5	39	---
41	San Antonio, TX	17.8	---	9.4	40	---
42	Portland, OR	17.6	---	9.2	41	---
43	San Francisco, CA	16.6	---	8.6	43	---
44	Austin, TX	14.4	---	7.7	45	---
45	Omaha, NB	15.0	---	7.2	44	---
46	Boston, MA	14.1	---	7.1	46	---
47	Arlington, TX	---	---	7.0	---	---
48	Seattle, WA	11.8	---	6.9	47	---
49	San Diego, CA	10.8	---	6.6	48	---
50	San Jose, CA	9.9	---	5.3	51	---
51	El Paso, TX	10.2	---	5.2	49	---
52	New York, NY	10.0	0.6	5.1	50	11
---	Honolulu, HI	---	---	---	---	---
	City Average	30.1	4.6	16.3		
	United States, 2004	---	---	9.8		
	2010 Goal			3.6		

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 1.17: Suicide Rate by Gender, 2004

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	Las Vegas, NV	55.5	15.0	34.5	1	1
2	Colorado Springs, CO	45.0	---	26.1	2	---
3	Tucson, AZ	39.7	12.3	25.0	3	2
4	Sacramento, CA	36.6	10.9	22.7	5	3
5	Albuquerque, NM	37.8	---	21.0	4	---
6	Mesa, AZ	32.0	---	19.6	6	---
7	Miami, FL	26.6	---	17.1	9	---
8	Denver, CO	23.4	10.0	16.2	13	5
9	Jacksonville, FL	28.1	5.9	15.6	7	11
10	Pittsburgh, PA	26.2	---	15.2	11	---
10	Wichita, KS	25.6	---	15.2	12	---
12	Portland, OR	21.4	10.1	15.1	19	4
13	Fresno, CA	27.4	---	14.8	8	---
14	Phoenix, AZ	23.4	7.0	14.7	13	9
15	Tulsa, OK	26.4	---	14.5	10	---
16	Milwaukee, WI	21.6	7.8	14.2	17	7
17	Oklahoma City, OK	22.3	---	14.1	16	---
18	Atlanta, GA	21.3	---	13.8	20	---
19	Austin, TX	21.1	---	13.6	21	---
20	Cincinnati, OH	16.8	---	13.3	34	---
21	Charlotte, NC	20.9	---	13.2	22	---
22	St. Louis, MO	18.9	---	13.0	25	---
23	Indianapolis, IN	18.5	8.6	12.9	28	6
24	Virginia Beach, VA	21.6	---	12.8	17	---
25	Nashville-Davidson, TN	20.8	---	12.6	23	---
26	Cleveland, OH	19.7	---	12.2	24	---
26	Seattle, WA	18.3	---	12.2	29	---
28	Kansas City, MO	22.9	---	12.1	15	---
29	Houston, TX	17.9	6.5	12.0	31	10
30	San Francisco, CA	18.3	5.1	11.6	29	13
31	Fort Worth, TX	16.0	---	10.9	37	---
31	Honolulu, HI	13.5	---	10.9	45	---
33	Columbus, OH	17.3	---	10.8	33	---
34	Philadelphia, PA	18.8	4.3	10.7	26	15
35	Omaha, NB	16.8	---	10.5	34	---
36	San Diego, CA	14.0	7.2	10.4	43	8
37	Dallas, TX	15.5	5.2	10.3	39	12
38	San Antonio, TX	17.6	3.8	10.2	32	16
39	Arlington, TX	15.4	---	9.4	40	---
40	Long Beach, CA	18.6	---	9.3	27	---
41	San Jose, CA	14.0	4.8	9.2	43	14
42	New Orleans, LA	15.8	---	8.9	38	---
43	Minneapolis, MN	15.1	---	8.8	42	---
44	Memphis, TN	15.2	---	8.6	41	---
45	Oakland, CA	12.6	---	8.4	46	---
46	El Paso, TX	16.6	---	8.3	36	---
47	Los Angeles, CA	11.9	3.0	7.1	47	17
48	Chicago, IL	10.5	2.7	6.3	50	18
49	Detroit, MI	10.8	---	6.1	49	---
50	New York, NY	9.9	2.7	6.0	51	18
51	Baltimore, MD	11.9	---	5.6	47	---
51	Washington, DC	9.7	---	5.6	52	---
53	Boston, MA	6.9	---	4.2	53	---
	City Average	20.8	7.0	12.8		
	United States, 2004	---	---	10.7		
	2010 Goal			4.8		

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 1.18: HIV-Related Mortality Rate by Gender, 2004

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	Miami, FL	79.4	37.9	58.4	1	1
2	Baltimore, MD	68.8	35.0	50.5	2	2
3	Atlanta, GA	57.5	26.1	42.1	3	4
4	Washington, DC	57.3	27.1	41.1	4	3
5	New Orleans, LA	41.0	15.3	27.2	5	5
6	San Francisco, CA	38.0	---	21.7	6	---
7	New York, NY	25.5	12.1	18.2	7	7
8	Memphis, TN	24.3	12.6	18.0	8	6
9	Philadelphia, PA	24.3	9.1	16.1	8	9
10	Charlotte, NC	21.8	9.4	15.3	12	8
11	Houston, TX	20.4	8.0	14.1	14	10
11	Nashville-Davidson, TN	22.1	7.1	14.1	11	13
13	Dallas, TX	23.3	3.8	13.4	10	15
14	Detroit, MI	16.9	7.7	12.0	19	12
15	Long Beach, CA	21.1	---	11.1	13	---
16	Jacksonville, FL	14.5	7.8	11.0	23	11
17	St. Louis, MO	19.5	---	10.3	15	---
18	Denver, CO	19.1	---	10.0	16	---
19	Oakland, CA	17.0	---	9.9	18	---
20	Boston, MA	15.3	---	9.7	21	---
20	Chicago, IL	14.3	5.5	9.7	24	14
22	Fort Worth, TX	14.7	---	9.6	22	---
23	Kansas City, MO	17.5	---	9.4	17	---
24	Los Angeles, CA	16.0	2.0	8.9	20	16
25	Las Vegas, NV	13.5	---	8.2	26	---
26	Cleveland, OH	11.5	---	7.9	30	---
27	Seattle, WA	13.3	---	7.8	27	---
28	San Diego, CA	13.9	---	7.6	25	---
29	Sacramento, CA	11.6	---	7.0	29	---
30	San Antonio, TX	11.9	---	6.8	28	---
31	El Paso, TX	11.0	---	6.2	31	---
32	Austin, TX	9.3	---	5.8	34	---
33	Milwaukee, WI	9.1	---	5.6	35	---
33	Phoenix, AZ	9.9	---	5.6	32	---
35	Indianapolis, IN	9.7	---	5.5	33	---
36	Tucson, AZ	---	---	5.3	---	---
37	Oklahoma City, OK	8.8	---	4.9	36	---
38	Portland, OR	8.0	---	4.4	37	---
39	Columbus, OH	---	---	3.5	---	---
40	San Jose, CA	---	---	2.3	---	---
---	Albuquerque, NM	---	---	---	---	---
---	Arlington, TX	---	---	---	---	---
---	Cincinnati, OH	---	---	---	---	---
---	Colorado Springs, CO	---	---	---	---	---
---	Fresno, CA	---	---	---	---	---
---	Honolulu, HI	---	---	---	---	---
---	Mesa, AZ	---	---	---	---	---
---	Minneapolis, MN	---	---	---	---	---
---	Omaha, NB	---	---	---	---	---
---	Pittsburgh, PA	---	---	---	---	---
---	Tulsa, OK	---	---	---	---	---
---	Virginia Beach, VA	---	---	---	---	---
---	Wichita, KS	---	---	---	---	---
	City Average	22.5	14.2	13.9		
	United States, 2004	---	---	4.4		
	2010 Goal			0.7		

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 1.19: Pneumonia and Influenza Mortality Rate by Gender, 2005

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	Sacramento, CA	58.5	38.8	45.7	2	1
2	Tucson, AZ	58.6	30.4	41.2	1	4
3	Las Vegas, NV	52.0	30.0	39.6	3	5
4	New York, NY	47.4	30.9	37.1	4	2
5	Fresno, CA	42.3	30.5	34.7	5	3
6	Los Angeles, CA	40.9	29.3	33.7	6	6
7	San Francisco, CA	37.8	21.3	28.3	7	15
8	Miami, FL	36.7	22.7	28.0	10	12
9	Boston, MA	33.4	23.7	27.1	15	8
10	San Jose, CA	30.9	24.5	27.0	17	7
11	Baltimore, MD	37.1	20.9	26.9	8	17
12	Oakland, CA	32.7	23.3	26.7	16	9
13	Columbus, OH	37.1	22.0	26.5	8	13
13	Jacksonville, FL	34.5	22.9	26.5	13	10
15	Virginia Beach, VA	35.0	21.1	25.9	12	16
16	Memphis, TN	36.5	20.6	25.8	11	18
17	Long Beach, CA	23.9	22.9	23.3	32	10
18	Detroit, MI	29.8	18.7	22.9	19	21
19	Chicago, IL	30.6	17.2	22.4	18	28
19	Phoenix, AZ	29.8	18.6	22.4	19	23
21	St. Louis, MO	33.7	16.9	22.1	14	29
22	Denver, CO	24.6	19.5	21.9	29	19
23	Tulsa, OK	25.5	18.8	21.5	27	20
24	Albuquerque, NM	27.2	18.3	21.4	24	25
24	Oklahoma City, OK	27.6	18.7	21.4	22	21
26	Nashville-Davidson, TN	28.9	16.4	21.0	21	31
27	Omaha, NB	21.3	21.4	20.7	39	14
28	Houston, TX	22.9	18.0	20.0	35	26
29	Cincinnati, OH	26.8	16.9	19.5	25	29
30	Indianapolis, IN	20.7	18.5	19.3	42	24
31	Colorado Springs, CO	21.2	17.5	19.1	40	27
31	Mesa, AZ	24.1	15.7	19.1	31	32
33	Pittsburgh, PA	26.3	14.3	18.7	26	37
34	Atlanta, GA	27.4	13.1	18.4	23	43
35	Arlington, TX	---	---	17.8	---	---
36	Honolulu, HI	21.1	14.6	17.5	41	36
37	El Paso, TX	19.3	15.7	17.2	44	32
38	Charlotte, NC	23.0	13.9	17.1	34	39
39	Milwaukee, WI	23.4	13.8	17.0	33	40
40	San Diego, CA	22.4	13.4	16.8	36	41
41	New Orleans, LA	18.5	15.0	16.7	47	34
42	Cleveland, OH	20.3	13.4	16.2	43	41
42	Dallas, TX	24.6	11.1	16.2	29	49
42	Philadelphia, PA	21.9	13.0	16.2	38	44
42	Washington, DC	19.3	14.9	16.2	44	35
46	Fort Worth, TX	25.1	11.3	15.9	28	48
47	San Antonio, TX	19.2	12.6	15.3	46	46
48	Wichita, KS	17.9	14.3	15.1	49	37
49	Kansas City, MO	17.4	13.0	14.5	51	44
50	Minneapolis, MN	17.9	11.6	13.9	49	47
50	Seattle, WA	22.3	9.0	13.9	37	52
52	Austin, TX	16.8	10.6	13.2	52	51
52	Portland, OR	18.5	10.9	13.2	47	50
	City Average	28.7	18.6	22.2		
	United States, 2004	---	---	20.4		
	2010 Goal			---		

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 1.20: Diabetes Mortality Rate by Gender, 2005

Rank	City*	Rate† Male	Rate† Female	Rate† Total	Rank‡ Male	Rank‡ Female
1	New Orleans, LA	77.9	60.5	66.3	1	1
2	San Antonio, TX	55.3	46.1	49.8	4	2
3	El Paso, TX	57.5	38.3	45.8	2	4
4	Sacramento, CA	55.0	34.0	42.5	5	10
5	Cincinnati, OH	56.8	35.0	42.2	3	7
6	Fresno, CA	51.3	34.2	41.2	7	9
7	Tucson, AZ	42.4	39.1	40.7	11	3
8	Miami, FL	52.0	31.9	39.8	6	14
8	Washington, DC	45.5	36.1	39.8	9	6
10	Columbus, OH	48.7	32.7	38.9	8	13
11	Baltimore, MD	41.4	36.4	38.5	12	5
12	Jacksonville, FL	39.2	34.5	37.1	15	8
13	St. Louis, MO	37.7	33.4	35.6	20	12
14	Fort Worth, TX	38.0	33.7	35.0	18	11
15	Memphis, TN	40.9	31.9	34.8	14	14
16	Portland, OR	41.0	28.8	34.1	13	19
17	Milwaukee, WI	44.3	26.5	33.3	10	24
18	Detroit, MI	36.7	29.2	32.4	22	18
19	Nashville-Davidson, TN	37.5	28.8	32.1	21	19
20	Houston, TX	33.5	30.5	31.9	28	17
21	Cleveland, OH	31.0	31.0	31.4	36	16
22	Wichita, KS	35.5	27.3	30.5	25	23
23	Los Angeles, CA	35.9	26.3	30.4	24	25
24	Oakland, CA	36.3	25.7	30.1	23	27
25	Albuquerque, NM	38.0	23.3	30.0	18	33
26	Austin, TX	33.8	27.9	29.9	27	21
27	Indianapolis, IN	38.1	23.1	28.9	17	35
28	Chicago, IL	32.8	25.0	28.4	29	30
29	San Jose, CA	32.0	25.8	28.0	31	26
30	Omaha, NB	32.1	25.3	27.7	30	28
31	Arlington, TX	38.2	21.2	27.6	16	40
32	Tulsa, OK	29.4	25.3	27.3	37	28
33	Long Beach, CA	25.7	27.7	26.7	45	22
34	Philadelphia, PA	31.3	22.9	26.6	34	36
35	Oklahoma City, OK	31.5	24.5	26.2	33	31
36	Kansas City, MO	28.5	24.0	25.9	40	32
37	Charlotte, NC	31.8	20.8	25.8	32	42
38	Dallas, TX	28.9	22.9	25.2	39	36
39	Seattle, WA	31.1	19.6	24.6	35	45
40	Pittsburgh, PA	34.5	18.0	24.2	26	49
41	Las Vegas, NV	25.8	22.1	24.1	44	38
41	Mesa, AZ	27.3	21.9	24.1	41	39
43	Minneapolis, MN	24.3	23.2	23.0	47	34
44	Phoenix, AZ	26.4	20.1	22.9	43	44
45	New York, NY	27.3	19.6	22.8	41	45
46	San Diego, CA	25.4	18.7	21.7	46	48
47	Boston, MA	23.6	19.6	21.6	48	45
48	Denver, CO	29.2	15.7	21.5	38	50
49	Virginia Beach, VA	22.3	20.3	21.4	49	43
50	Atlanta, GA	19.1	21.1	20.4	51	41
51	San Francisco, CA	20.0	13.7	17.0	50	52
52	Colorado Springs, CO	17.8	15.5	16.2	52	51
53	Honolulu, HI	17.2	10.3	13.5	53	53
	City Average	35.7	27.0	30.5		
	United States, 2004	---	---	24.4		
	2010 Goal			46.0		

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 1.21: Infant Mortality Rate, 2003

Rank	City*	Rate†
1	Memphis, TN	17.3
2	Detroit, MI	16.4
3	Pittsburgh, PA	14.5
4	Baltimore, MD	12.8
5	St. Louis, MO	12.7
6	Tucson, AZ	12.1
7	Milwaukee, WI	11.4
8	New Orleans, LA	11.3
9	Philadelphia, PA	10.6
10	Washington, DC	10.5
11	Cincinnati, OH	10.3
11	Oklahoma City, OK	10.3
13	Jacksonville, FL	10.2
14	Chicago, IL	10.0
14	Cleveland, OH	10.0
16	Columbus, OH	9.8
17	Indianapolis, IN	9.4
18	Fort Worth, TX	8.8
19	Kansas City, MO	8.3
20	Dallas, TX	8.1
21	Honolulu, HI	8.0
22	San Antonio, TX	7.5
23	Nashville-Davidson, TN	7.4
24	Omaha, NB	7.3
25	Charlotte, NC	7.2
25	Colorado Springs, CO	7.2
27	Fresno, CA	7.0
27	Long Beach, CA	7.0
29	Denver, CO	6.9
29	Houston, TX	6.9
31	Phoenix, AZ	6.8
32	Virginia Beach, VA	6.7
33	Oakland, CA	6.5
34	Wichita, KS	6.3
35	Arlington, TX	6.2
35	Austin, TX	6.2
35	New York, NY	6.2
38	Boston, MA	6.1
39	Mesa, AZ	6.0
40	Sacramento, CA	5.9
41	Seattle, WA	5.6
42	Los Angeles, CA	5.5
43	Minneapolis, MN	5.4
44	Miami, FL	5.0
45	Albuquerque, NM	4.5
45	San Diego, CA	4.5
45	Tulsa, OK	4.5
48	San Jose, CA	4.0
49	El Paso, TX	3.9
49	Portland, OR	3.9
51	Las Vegas, NV	3.7
52	San Francisco, CA	3.1
---	Atlanta, GA	---
	City Average	8.0
	United States, 2004	6.8
	2010 Goal	4.5

† Rate per 1,000 live births.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 1.22: Fertility Rate, 2003

Rank	City*	Rate†
1	Miami, FL	182.9
2	Las Vegas, NV	173.0
3	Tulsa, OK	138.0
4	Sacramento, CA	129.9
5	Fresno, CA	101.5
6	El Paso, TX	99.6
7	Houston, TX	97.7
8	Mesa, AZ	97.1
9	Fort Worth, TX	91.8
10	Atlanta, GA	90.1
11	Denver, CO	88.5
12	San Antonio, TX	85.8
13	Phoenix, AZ	85.3
14	Wichita, KS	84.9
15	Dallas, TX	83.7
16	Charlotte, NC	82.2
17	Albuquerque, NM	81.7
18	Colorado Springs, CO	79.5
19	Omaha, NB	77.9
20	Milwaukee, WI	77.8
21	Arlington, TX	77.3
22	Indianapolis, IN	76.2
23	San Jose, CA	76.0
24	Oklahoma City, OK	73.6
25	Austin, TX	73.2
26	Long Beach, CA	72.2
27	Los Angeles, CA	72.0
28	Kansas City, MO	71.5
29	Memphis, TN	71.4
30	Cincinnati, OH	71.1
31	Cleveland, OH	70.4
32	Portland, OR	69.1
33	Chicago, IL	68.5
34	Jacksonville, FL	68.2
35	San Diego, CA	65.6
36	St. Louis, MO	65.0
37	Minneapolis, MN	64.8
38	Detroit, MI	64.7
39	Oakland, CA	64.5
40	Honolulu, HI	63.6
41	Philadelphia, PA	63.0
41	Virginia Beach, VA	63.0
43	Nashville-Davidson, TN	62.7
44	New York, NY	62.5
45	Baltimore, MD	62.2
46	New Orleans, LA	60.1
47	Columbus, OH	57.9
48	Tucson, AZ	57.2
49	Washington, DC	53.0
50	Boston, MA	47.6
51	Pittsburgh, PA	47.1
52	Seattle, WA	46.2
53	San Francisco, CA	45.7
	City Average	78.4
	United States, 2003	66.1
	2010 Goal	---

† Rate per 1,000 women age 15-44 calculated using 2000 U.S. Census figures as the denominiator.
‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 1.23: Percent Low Birthweight, 2003

Rank	City*	Rate†
1	Detroit, MI	13.5
1	New Orleans, LA	13.5
3	Baltimore, MD	13.2
4	Memphis, TN	12.0
5	Philadelphia, PA	11.7
6	Cleveland, OH	11.4
6	St. Louis, MO	11.4
8	Cincinnati, OH	11.2
8	Pittsburgh, PA	11.2
10	Washington, DC	10.9
11	Atlanta, GA	10.4
12	Colorado Springs, CO	10.3
12	Miami, FL	10.3
14	Chicago, IL	10.1
15	Columbus, OH	9.8
15	Jacksonville, FL	9.8
15	Milwaukee, WI	9.8
18	Nashville-Davidson, TN	9.5
19	Denver, CO	9.3
20	Albuquerque, NM	9.1
20	Charlotte, NC	9.1
22	Boston, MA	8.9
22	San Antonio, TX	8.9
24	Indianapolis, IN	8.8
25	Honolulu, HI	8.6
26	New York, NY	8.5
27	Fort Worth, TX	8.4
27	Oklahoma City, OK	8.4
29	Kansas City, MO	8.3
29	Tucson, AZ	8.3
29	Wichita, KS	8.3
32	Dallas, TX	8.2
32	Houston, TX	8.2
34	Las Vegas, NV	8.1
35	Arlington, TX	8.0
36	El Paso, TX	7.9
37	Omaha, NB	7.8
38	Tulsa, OK	7.7
39	Virginia Beach, VA	7.6
40	Minneapolis, MN	7.5
41	Long Beach, CA	7.4
41	Oakland, CA	7.4
43	San Francisco, CA	7.3
44	Los Angeles, CA	7.2
45	Austin, TX	7.1
45	Fresno, CA	7.1
45	Phoenix, AZ	7.1
48	Sacramento, CA	6.9
49	San Diego, CA	6.7
50	Seattle, WA	6.6
51	Portland, OR	6.5
52	San Jose, CA	6.3
53	Mesa, AZ	6.2
	City Average	8.9
	United States, 2003	7.9
	2010 Goal	5.0

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 1.24: Percent of Mothers Under Age Twenty, 2003

Rank	City*	Rate†
1	Baltimore, MD	18.3
2	Cleveland, OH	17.8
2	Memphis, TN	17.8
4	St. Louis, MO	17.7
5	Detroit, MI	17.6
6	New Orleans, LA	17.5
7	Milwaukee, WI	17.4
8	Cincinnati, OH	16.6
9	El Paso, TX	16.1
10	Philadelphia, PA	16.0
11	Fresno, CA	15.5
12	Phoenix, AZ	15.3
12	San Antonio, TX	15.3
14	Dallas, TX	15.0
15	Fort Worth, TX	14.7
16	Oklahoma City, OK	14.6
17	Albuquerque, NM	13.9
17	Tucson, AZ	13.9
19	Tulsa, OK	13.8
20	Chicago, IL	13.6
21	Kansas City, MO	13.3
22	Indianapolis, IN	13.1
23	Houston, TX	13.0
24	Jacksonville, FL	12.7
25	Atlanta, GA	12.3
25	Denver, CO	12.3
27	Wichita, KS	12.2
28	Pittsburgh, PA	11.9
29	Columbus, OH	11.7
30	Nashville-Davidson, TN	11.6
31	Sacramento, CA	11.4
31	Washington, DC	11.4
33	Las Vegas, NV	11.0
33	Miami, FL	11.0
35	Arlington, TX	10.8
35	Austin, TX	10.8
37	Mesa, AZ	10.7
38	Colorado Springs, CO	10.5
39	Long Beach, CA	10.4
40	Minneapolis, MN	10.3
41	Los Angeles, CA	10.2
41	Omaha, NB	10.2
43	Oakland, CA	9.8
44	Charlotte, NC	8.7
45	San Diego, CA	7.9
46	Virginia Beach, VA	7.8
47	Boston, MA	7.5
48	New York, NY	7.4
49	Portland, OR	7.0
50	San Jose, CA	6.0
51	Honolulu, HI	5.2
52	San Francisco, CA	4.3
53	Seattle, WA	3.8
	City Average	12.2
	United States, 2003	10.3
	2010 Goal	---

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 1.25: Percent of Mothers who Smoke, 2003

Rank	City*	Percent†
1	Philadelphia, PA	17.7
2	Indianapolis, IN	17.6
3	Cleveland, OH	17.3
4	St. Louis, MO	16.0
5	Columbus, OH	15.7
6	Cincinnati, OH	15.6
7	Oklahoma City, OK	15.1
8	Wichita, KS	14.7
9	Detroit, MI	13.8
10	Omaha, NB	13.2
11	Baltimore, MD	13.1
12	Kansas City, MO	13.0
13	Milwaukee, WI	12.4
14	Portland, OR	11.1
14	Tucson, AZ	11.1
16	Albuquerque, NM	11.0
17	Jacksonville, FL	9.6
18	Colorado Springs, CO	9.5
19	Nashville-Davidson, TN	9.2
20	Las Vegas, NV	8.3
21	Denver, CO	7.0
22	Memphis, TN	6.9
23	Mesa, AZ	6.6
24	Virginia Beach, VA	6.5
25	Charlotte, NC	6.2
25	Chicago, IL	6.2
25	Minneapolis, MN	6.2
28	Phoenix, AZ	5.8
29	Arlington, TX	5.6
30	Tulsa, OK	4.9
31	Fort Worth, TX	4.4
32	Honolulu, HI	4.1
33	Boston, MA	4.0
34	Washington, DC	3.7
35	Austin, TX	3.6
36	San Antonio, TX	3.2
37	Atlanta, GA	3.0
38	Dallas, TX	2.8
39	New Orleans, LA	2.5
40	Houston, TX	2.3
41	El Paso, TX	1.9
41	New York, NY	1.9
43	Miami, FL	0.7
---	Fresno, CA	---
---	Long Beach, CA	---
---	Los Angeles, CA	---
---	Oakland, CA	---
---	Pittsburgh, PA	---
---	Sacramento, CA	---
---	San Diego, CA	---
---	San Francisco, CA	---
---	San Jose, CA	---
---	Seattle, WA	---
	City Average	8.5
	United States, 2003	10.7
	2010 Goal	1.0

‡ Rank of cities for which data are available and numerator used in rate calculation is greater than 20; 1 corresponds to highest rate.

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Section 2

Table 2.1: HIV (not AIDS) Prevalence Rate by Race/Ethnicity**, 2005

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Washington, DC	657.8	636.4	4,344.2	4,268.9	2,177.8	2,951.6
2	Miami, FL	2,846.4	2,768.4	5,826.3	5,444.9	1,350.9	2,407.4
3	Baltimore, MD	368.1	358.6	1,570.0	1,551.4	307.4	1,343.3
4	San Francisco, CA	1,150.5	1,094.1	1,534.2	1,407.8	751.6	792.2
5	Kansas City, MO	486.5	474.9	723.8	701.9	398.6	538.3
6	Denver, CO	651.7	634.0	834.4	776.8	293.7	535.3
7	Mesa, AZ	418.0	410.7	1,695.6	1,432.0	514.8	482.6
8	New York, NY	286.8	275.8	801.3	766.6	482.9	440.8
9	New Orleans, LA	467.1	455.6	410.0	406.7	323.8	412.6
10	Charlotte, NC	143.4	141.2	956.4	940.1	138.2	403.1
11	Dallas, TX	510.7	499.5	628.6	617.7	165.6	402.1
11	Memphis, TN	178.1	174.8	550.6	546.7	129.4	402.1
13	Seattle, WA	407.5	391.3	715.4	618.2	588.8	389.8
14	Boston, MA	326.5	317.2	517.4	480.0	411.3	353.9
15	Houston, TX	282.5	274.9	772.6	760.9	165.1	346.3
16	Chicago, IL	318.0	305.8	500.7	494.0	191.9	342.6
17	Minneapolis, MN	297.8	287.3	616.5	546.5	233.1	326.7
18	Nashville-Davidson, TN	206.7	202.5	586.0	572.2	203.1	296.9
19	Cincinnati, OH	228.4	223.7	337.7	330.2	---	269.0
20	Fort Worth, TX	191.9	187.7	630.9	617.1	138.0	261.3
21	Oakland, CA	274.6	253.0	408.9	391.1	131.5	253.3
22	Los Angeles, CA	285.8	269.2	574.4	546.1	186.2	250.7
23	Milwaukee, WI	135.8	131.8	342.5	333.0	237.3	218.3
24	Cleveland, OH	119.6	115.8	245.5	241.2	368.6	213.6
25	Jacksonville, FL	79.1	77.5	511.7	501.7	104.6	203.9
26	Phoenix, AZ	209.3	204.5	566.2	513.9	122.0	195.6
27	Tucson, AZ	218.8	213.0	464.8	407.8	128.8	194.2
28	Columbus, OH	158.2	154.4	325.9	307.3	246.1	192.3
29	Indianapolis, IN (Marion County)	122.0	120.0	280.1	271.2	159.2	159.7
30	Portland, OR (Multnomah County)	158.9	153.2	273.3	231.8	131.0	150.6
31	Oklahoma City, OK	107.9	103.6	194.8	183.6	58.4	140.7
32	Virginia Beach, VA	69.4	67.6	365.4	348.3	135.1	124.4
33	San Antonio, TX	113.1	110.0	314.3	299.2	111.4	123.5
34	Omaha, NB	69.4	68.3	252.8	238.6	95.2	97.4
35	Fresno, CA (Fresno County)	77.2	74.0	357.4	331.4	65.1	84.4
36	San Jose, CA	94.3	88.6	244.1	214.5	97.8	76.8
37	Albuquerque, NM (Bernalillo County)	78.4	76.3	167.9	144.4	68.1	75.1
38	Colorado Springs, CO (El Paso County)	62.7	---	225.4	---	71.9	71.8
39	Long Beach, CA	66.7	63.1	---	---	42.4	47.9
40	El Paso, TX	---	---	---	---	10.9	9.8
---	Arlington, TX	---	---	---	---	---	---
---	Atlanta, GA	---	---	---	---	---	---
---	Austin, TX	---	---	---	---	---	---
---	Detroit, MI	---	---	---	---	---	---
---	Honolulu, HI (Honolulu County)	---	---	---	---	---	---
---	Las Vegas, NV	---	---	---	---	---	---
---	Philadelphia, PA	---	---	---	---	---	---
---	Pittsburgh, PA	---	---	---	---	---	---
---	Sacramento, CA (Sacramento County)	---	---	---	---	---	---
---	San Diego, CA (San Diego County)	---	---	---	---	---	---
---	St. Louis, MO	---	---	---	---	---	---
---	Tulsa, OK	---	---	---	---	---	---
---	Wichita, KS (Sedgwick County)	---	---	---	---	---	---
	City Average	331.4	327.9	919.9	778.0	295.8	414.5
	United States, 2005						---
	2010 Goal						---

* County data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

† People living with HIV (not AIDS) at the end of 2005, crude rate per 100,000 population using 2000 U.S. Census figures.

For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator used in rate calculation is less than 20 or data not available.

** Race/ethnicity-specific rates may be underestimated for cities that have a large percentage of cases with unknown race/ethnicity. The reader should consider the percent of "Other/Unknown Race/Ethnicity" presented in Table A.4 when comparing race/ethnicity-specific rates across cities. See technical notes for additional information.

Table 2.2: AIDS Prevalence Rate by Race/Ethnicity**, 2005

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Miami, FL	3,555.0	3,457.7	8,312.8	7,768.6	1,876.6	3,353.4
2	Washington, DC	1,242.6	1,202.3	2,624.9	2,579.4	1,187.9	2,015.2
3	Atlanta, GA	1,131.9	1,111.2	1,553.2	1,537.8	817.3	1,346.5
4	San Francisco, CA	1,685.7	1,603.1	2,075.1	1,904.2	1,208.2	1,123.0
5	Baltimore, MD	316.0	307.8	1,356.3	1,340.3	560.5	978.6
6	New York, NY	424.7	408.4	1,383.7	1,323.9	919.3	748.4
7	Philadelphia, PA	319.1	312.1	979.7	960.2	---	630.2
8	Denver, CO	790.6	769.1	924.6	860.6	344.9	629.8
9	Dallas, TX	753.9	737.3	789.0	775.3	264.1	563.4
10	Fort Worth, TX	515.6	504.4	934.7	914.3	195.8	485.5
11	Mesa, AZ	412.5	405.3	1,653.0	1,396.0	550.6	481.4
12	Houston, TX	475.5	462.7	907.0	893.3	268.3	477.6
13	Seattle, WA	485.2	465.9	818.6	707.3	821.0	461.0
14	Boston, MA	334.1	324.5	818.2	759.0	528.9	442.8
15	Oakland, CA	424.7	391.2	712.2	681.2	205.8	408.5
16	New Orleans, LA	558.7	544.9	345.1	342.3	411.4	394.5
17	Chicago, IL	271.4	261.0	540.7	533.5	221.9	345.0
18	Jacksonville, FL	160.4	157.1	751.7	736.9	232.1	330.6
19	Memphis, TN	166.5	163.5	408.8	405.9	150.1	311.6
20	Cleveland, OH	203.6	197.1	355.3	348.9	535.6	302.0
21	Los Angeles, CA	342.5	322.6	609.0	579.0	262.1	300.6
22	Kansas City, MO	276.3	269.7	365.9	354.9	215.7	291.0
23	Nashville-Davidson, TN	203.7	199.5	566.2	552.9	168.6	288.3
24	Detroit, MI	202.2	179.4	295.6	291.5	148.4	270.4
25	Minneapolis, MN	220.8	213.0	487.0	431.7	229.6	250.9
26	Cincinnati, OH	202.6	198.3	303.1	296.3	---	240.3
27	Portland, OR (Multnomah County)	246.7	237.9	360.7	306.0	247.9	234.4
28	Milwaukee, WI	147.6	143.3	325.3	316.2	269.4	221.1
29	Indianapolis, IN (Marion County)	169.4	166.6	380.7	368.7	249.3	220.2
30	San Diego, CA (San Diego County)	209.6	201.2	515.9	456.9	224.8	210.1
31	San Antonio, TX	185.5	180.5	393.2	374.3	188.1	196.7
32	Charlotte, NC	78.9	77.7	413.9	406.8	---	184.3
33	Tucson, AZ	204.4	198.9	419.3	367.9	140.3	184.1
34	Phoenix, AZ	183.2	179.0	437.6	397.2	109.1	167.2
35	Oklahoma City, OK	108.5	104.2	170.1	160.3	64.2	128.2
36	Columbus, OH	111.2	108.5	182.9	172.5	143.1	124.2
37	Sacramento, CA (Sacramento County)	123.7	117.3	293.0	261.1	96.0	121.0
38	San Jose, CA	133.9	125.9	447.5	393.2	145.2	114.3
39	Albuquerque, NM (Bernalillo County)	114.9	111.7	226.3	194.7	110.9	112.1
40	Omaha, NB	76.9	75.7	250.8	236.8	204.1	109.2
41	Virginia Beach, VA	59.9	58.4	268.0	255.5	---	96.9
42	Honolulu, HI (Honolulu County)	---	---	---	---	---	85.1
43	Fresno, CA (Fresno County)	70.2	67.4	325.1	301.5	73.4	78.7
44	Colorado Springs, CO (El Paso County)	41.4	---	132.7	---	56.5	47.2
45	Long Beach, CA	34.7	32.8	---	---	21.8	29.5
46	El Paso, TX	---	---	---	---	10.4	8.9
---	Arlington, TX	---	---	---	---	---	---
---	Austin, TX	---	---	---	---	---	---
---	Las Vegas, NV	---	---	---	---	---	---
---	Pittsburgh, PA	---	---	---	---	---	---
---	St. Louis, MO	---	---	---	---	---	---
---	Tulsa, OK	---	---	---	---	---	---
---	Wichita, KS (Sedgwick County)	---	---	---	---	---	---
	City Average	408.6	403.6	930.8	815.4	358.0	437.9
	United States, 2005						---
	2010 Goal						---

* County data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

† People living with AIDS at the end of 2005, crude rate per 100,000 population using 2000 U.S. Census figures.

For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator used in rate calculation is less than 20 or data not available.

** Race/ethnicity-specific rates may be underestimated for cities that have a large percentage of cases with unknown race/ethnicity. The reader should consider the percent of "Other/Unknown Race/Ethnicity" presented in Table A.7 when comparing race/ethnicity-specific rates across cities. See technical notes for additional information.

Table 2.3: HIV (not AIDS) Incidence Rate by Race/Ethnicity**, 2005

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Miami, FL	892.8	868.4	476.5	445.3	206.8	339.6
2	Baltimore, MD	43.7	42.5	184.9	182.7	---	164.0
3	San Francisco, CA	90.3	85.9	161.6	148.3	105.9	76.0
4	Dallas, TX	75.2	73.6	102.4	100.6	24.6	61.7
5	Memphis, TN	12.5	12.3	64.6	64.2	---	44.8
6	Denver, CO	47.6	46.3	58.4	54.4	32.4	42.0
7	Chicago, IL	31.2	30.0	61.0	60.2	19.0	38.5
8	Charlotte, NC	15.1	14.9	84.3	82.8	---	38.1
9	Fort Worth, TX	24.9	24.4	84.1	82.3	27.0	37.2
10	Jacksonville, FL	13.1	12.8	94.2	92.4	---	37.1
11	Houston, TX	22.6	22.0	77.1	75.9	25.3	36.7
12	New York, NY	17.2	16.6	73.8	70.6	35.6	34.7
13	New Orleans, LA	27.2	26.5	35.3	35.0	---	32.8
14	Seattle, WA	30.1	28.9	64.5	55.7	---	31.8
15	Long Beach, CA	44.5	42.1	---	---	29.7	31.4
16	Kansas City, MO	25.2	24.6	42.4	41.1	---	29.7
17	Boston, MA	20.6	20.0	45.6	42.3	51.7	29.4
18	Los Angeles, CA	---	---	---	---	---	26.1
19	Minneapolis, MN	22.2	21.4	45.6	40.4	---	24.6
20	Cleveland, OH	14.0	13.6	30.2	29.7	---	24.0
21	Nashville-Davidson, TN	16.7	16.4	40.2	39.2	---	22.1
22	Cincinnati, OH	16.1	15.8	29.7	29.0	---	21.7
23	San Antonio, TX	13.2	12.8	69.5	66.2	20.9	21.5
24	Columbus, OH	13.7	13.3	45.2	42.6	---	20.8
25	Oakland, CA	---	---	32.1	30.7	---	20.0
26	Phoenix, AZ	18.0	17.6	54.9	49.8	16.9	18.9
27	Portland, OR (Multnomah County)	17.8	17.2	---	---	---	17.7
28	Tucson, AZ	17.4	17.0	---	---	---	15.8
29	Indianapolis, IN (Marion County)	7.9	7.8	34.3	33.3	---	15.0
30	Milwaukee, WI	8.9	8.6	18.6	18.1	---	12.7
31	Oklahoma City, OK	8.6	8.2	---	---	---	11.5
32	Omaha, NB	---	---	---	---	---	10.8
33	El Paso, TX	---	---	---	---	11.1	9.9
34	Virginia Beach, VA	---	---	27.8	26.5	---	9.4
35	Mesa, AZ	---	---	---	---	---	9.3
36	Albuquerque, NM (Bernalillo County)	---	---	---	---	---	6.1
37	Fresno, CA (Fresno County)	---	---	---	---	6.3	5.8
38	Colorado Springs, CO (El Paso County)	---	---	---	---	---	5.0
---	Arlington, TX	---	---	---	---	---	---
---	Atlanta, GA	---	---	---	---	---	---
---	Austin, TX	---	---	---	---	---	---
---	Detroit, MI	---	---	---	---	---	---
---	Honolulu, HI (Honolulu County)	---	---	---	---	---	---
---	Las Vegas, NV	---	---	---	---	---	---
---	Philadelphia, PA	---	---	---	---	---	---
---	Pittsburgh, PA	---	---	---	---	---	---
---	Sacramento, CA (Sacramento County)	---	---	---	---	---	---
---	San Diego, CA (San Diego County)	---	---	---	---	---	---
---	San Jose, CA	---	---	---	---	---	---
---	St. Louis, MO	---	---	---	---	---	---
---	Tulsa, OK	---	---	---	---	---	---
---	Washington, DC	---	---	---	---	---	---
---	Wichita, KS (Sedgwick County)	---	---	---	---	---	---
	City Average	55.5	53.8	92.9	75.5	43.8	37.7
	United States, 2005						---
	2010 Goal						---

* County data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

† HIV (not AIDS) cases diagnosed in 2005, crude rate per 100,000 population using 2000 U.S. Census figures.

For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator used in rate calculation is less than 20 or data not available.

** Race/ethnicity-specific rates may be underestimated for cities that have a large percentage of cases with unknown race/ethnicity. The reader should consider the percent of "Other/Unknown Race/Ethnicity" presented in Table A.7 when comparing race/ethnicity-specific rates across cities. See technical notes for additional information.

Table 2.4: AIDS Incidence Rate by Race/Ethnicity**, 2005

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Miami, FL	256.4	249.4	850.5	794.9	150.2	301.5
2	Washington, DC	30.2	29.2	192.6	189.3	117.9	133.2
3	Baltimore, MD	20.3	19.8	135.5	133.9	---	94.4
4	Atlanta, GA	38.4	37.7	95.3	94.3	---	72.8
5	San Francisco, CA	68.2	64.8	127.6	117.1	68.5	52.5
6	New York, NY	22.9	22.0	107.6	102.9	58.6	51.1
6	Memphis, TN	17.6	17.3	71.9	71.4	---	51.1
8	Dallas, TX	49.9	48.8	76.1	74.8	30.1	48.0
9	Philadelphia, PA	15.4	15.0	74.3	72.8	---	43.7
10	Houston, TX	20.6	20.0	91.4	90.0	28.6	40.3
10	Long Beach, CA	49.7	47.0	---	---	29.7	40.3
12	New Orleans, LA	32.6	31.8	45.1	44.8	---	39.8
13	Jacksonville, FL	15.1	14.8	84.7	83.1	---	36.3
14	Nashville-Davidson, TN	17.2	16.9	70.8	69.1	---	31.6
15	Chicago, IL	20.8	20.0	49.3	48.6	20.6	30.4
16	Denver, CO	28.8	28.0	46.7	43.5	29.0	30.3
17	Seattle, WA	28.5	27.4	55.9	48.3	---	29.5
18	Detroit, MI	---	---	32.4	31.9	---	29.3
19	Charlotte, NC	9.4	9.3	58.6	57.6	---	27.0
20	Boston, MA	14.4	14.0	52.7	48.9	28.2	24.1
21	Cincinnati, OH	12.1	11.8	35.3	34.5	---	22.0
22	Oakland, CA	---	---	39.2	37.5	---	21.3
23	Indianapolis, IN (Marion County)	12.0	11.8	29.0	28.1	---	16.7
24	San Antonio, TX	14.0	13.6	28.1	26.7	16.2	15.8
25	Fort Worth, TX	---	---	---	---	---	15.5
26	Phoenix, AZ	13.7	13.4	47.1	42.7	13.6	15.4
27	Los Angeles, CA	10.1	9.5	36.8	35.0	16.5	15.0
28	Kansas City, MO	9.4	9.2	24.8	24.1	---	14.3
29	San Diego, CA (San Diego County)	12.7	12.1	26.5	23.5	18.2	13.7
30	Tucson, AZ	12.9	12.5	---	---	14.4	13.6
31	Minneapolis, MN	9.2	8.9	29.4	26.1	---	13.1
32	Columbus, OH	7.8	7.6	24.9	23.5	---	11.9
33	Omaha, NB	7.8	7.7	---	---	---	11.0
34	El Paso, TX	---	---	---	---	12.3	10.6
35	Cleveland, OH	---	---	14.1	13.8	---	9.8
36	Oklahoma City, OK	7.6	7.3	---	---	---	9.7
37	Albuquerque, NM (Bernalillo County)	---	---	---	---	10.7	8.1
38	Mesa, AZ	---	---	---	---	---	6.8
38	Portland, OR (Multnomah County)	6.3	6.1	---	---	---	6.8
40	Sacramento, CA (Sacramento County)	4.8	4.6	22.9	20.4	---	6.5
41	Milwaukee, WI	---	---	11.3	11.0	---	6.2
42	Fresno, CA (Fresno County)	---	---	---	---	6.3	6.0
43	Honolulu, HI (Honolulu County)	---	---	---	---	---	5.3
44	San Jose, CA	---	---	---	---	---	4.2
45	Colorado Springs, CO (El Paso County)	---	---	---	---	---	3.9
---	Arlington, TX	---	---	---	---	---	---
---	Austin, TX	---	---	---	---	---	---
---	Las Vegas, NV	---	---	---	---	---	---
---	Pittsburgh, PA	---	---	---	---	---	---
---	St. Louis, MO	---	---	---	---	---	---
---	Tulsa, OK	---	---	---	---	---	---
---	Virginia Beach, VA	---	---	---	---	---	---
---	Wichita, KS (Sedgwick County)	---	---	---	---	---	---
	City Average	27.2	26.3	98.8	80.1	37.2	33.1
	United States, 2005	5.9		54.1		18.0	13.7
	2010 Goal						---

* County data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

† AIDS cases diagnosed in 2005, crude rate per 100,000 population using 2000 U.S. Census figures.

For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator used in rate calculation is less than 20 or data not available.

** Race/ethnicity-specific rates may be underestimated for cities that have a large percentage of cases with unknown race/ethnicity. The reader should consider the percent of "Other/Unknown Race/Ethnicity" presented in Table A.7 when comparing race/ethnicity-specific rates across cities. See technical notes for additional information.

Table 2.5: Primary and Secondary Syphilis Incidence Rate by Race/Ethnicity**, 2005

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Miami, FL	74.6	72.6	97.0	90.6	26.4	46.3
2	Atlanta, GA (Fulton County)	---	---	---	---	---	38.0
3	San Francisco, CA	48.7	46.3	---	---	36.5	32.1
4	Baltimore, MD	18.4	17.9	35.0	34.6	---	29.9
5	Washington, DC	23.9	23.1	19.7	19.4	---	19.9
6	Memphis, TN	---	---	27.4	27.2	---	19.5
7	Charlotte, NC	10.1	9.9	25.6	25.2	---	14.6
8	Chicago, IL	20.7	19.9	16.1	15.9	5.8	14.4
9	Kansas City, MO	13.0	12.7	18.3	17.7	---	13.8
10	Columbus, OH	10.7	10.5	26.0	24.6	---	13.5
11	Houston, TX	11.1	10.8	20.9	20.6	8.2	11.8
12	Minneapolis, MN	11.7	11.3	---	---	---	11.0
13	Boston, MA	---	---	---	---	---	10.9
13	Dallas, TX	6.1	6.0	29.9	29.3	---	10.9
13	Los Angeles, CA	15.2	14.3	21.1	20.1	8.8	10.9
16	Fort Worth, TX	---	---	---	---	---	10.8
17	San Antonio, TX	---	---	---	---	---	10.7
18	New York, NY	3.3	3.2	9.2	8.8	3.6	7.7
19	San Diego, CA (San Diego County)	7.1	6.8	---	---	7.5	6.9
20	Jacksonville, FL	---	---	18.0	17.6	---	6.7
21	Denver, CO	6.9	6.8	---	---	---	6.3
22	Phoenix, AZ	4.5	4.4	---	---	7.8	5.9
23	Oakland, CA	---	---	---	---	---	5.8
24	Philadelphia, PA	3.9	3.8	8.2	8.0	---	5.7
25	Albuquerque, NM (Bernalillo County)	---	---	---	---	---	5.0
26	San Jose, CA	---	---	---	---	---	4.6
27	Nashville-Davidson, TN	---	---	---	---	---	4.2
28	Oklahoma City, OK	---	---	---	---	---	4.1
28	Portland, OR (Multnomah County)	---	---	---	---	---	4.1
30	Indianapolis, IN (Marion County)	---	---	---	---	---	3.6
---	Arlington, TX	---	---	---	---	---	---
---	Austin, TX	---	---	---	---	---	---
---	Cincinnati, OH	---	---	---	---	---	---
---	Cleveland, OH	---	---	---	---	---	---
---	Colorado Springs, CO (El Paso County)	---	---	---	---	---	---
---	Detroit, MI	---	---	---	---	---	---
---	El Paso, TX	---	---	---	---	---	---
---	Fresno, CA (Fresno County)	---	---	---	---	---	---
---	Honolulu, HI (Honolulu County)	---	---	---	---	---	---
---	Las Vegas, NV	---	---	---	---	---	---
---	Long Beach, CA	---	---	---	---	---	---
---	Mesa, AZ	---	---	---	---	---	---
---	Milwaukee, WI	---	---	---	---	---	---
---	New Orleans, LA	---	---	---	---	---	---
---	Omaha, NB	---	---	---	---	---	---
---	Pittsburgh, PA	---	---	---	---	---	---
---	Sacramento, CA (Sacramento County)	---	---	---	---	---	---
---	Seattle, WA	---	---	---	---	---	---
---	St. Louis, MO	---	---	---	---	---	---
---	Tucson, AZ	---	---	---	---	---	---
---	Tulsa, OK	---	---	---	---	---	---
---	Virginia Beach, VA	---	---	---	---	---	---
---	Wichita, KS (Sedgwick County)	---	---	---	---	---	---
	City Average	17.1	16.5	26.6	25.7	13.1	13.0
	United States, 2005	1.8		9.8		3.3	3.0
	2010 Goal	0.2					---

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
† Crude rate per 100,000 population by year of report using 2000 U.S. Census figures.
‡ Rank of cities for which data are available and meet reliability standards; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available.
** Race/ethnicity-specific rates may be underestimated for cities that have a large percentage of cases with unknown race/ethnicity. The reader should consider the percent of "Other/Unknown Race/Ethnicity" presented in Table A.7 when comparing race/ethnicity-specific rates across cities. See technical notes for additional information.

Table 2.6: Chlamydia Incidence Rate by Race/Ethnicity**, 2005

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Milwaukee, WI	116.6	113.2	1,956.2	1,901.7	552.7	1,565.9
2	Cincinnati, OH	123.1	120.6	734.8	718.4	1,040.2	1,386.7
3	Miami, FL	741.3	721.0	3,413.2	3,189.8	354.9	1,073.7
4	Memphis, TN	53.7	52.7	595.1	590.8	196.7	1,040.9
5	Philadelphia, PA	87.8	85.9	1,364.0	1,336.8	4,045.7	1,027.3
6	Baltimore, MD	288.2	280.8	1,118.2	1,105.0	587.7	979.8
7	Cleveland, OH	190.7	184.6	1,204.9	1,183.5	466.5	972.6
8	Kansas City, MO	203.6	198.7	2,041.3	1,979.7	526.1	959.8
9	Denver, CO	183.0	178.0	1,435.2	1,336.0	972.7	889.2
10	Indianapolis, IN (Marion County)	296.4	291.4	2,144.0	2,076.2	1,297.7	840.0
11	Chicago, IL	102.1	98.2	1,395.7	1,377.0	283.3	789.2
12	Omaha, NB	297.7	293.1	2,385.9	2,252.0	850.4	711.0
13	Minneapolis, MN	187.4	180.8	1,770.0	1,569.0	822.6	669.6
14	Albuquerque, NM (Bernalillo County)	408.6	397.3	802.9	690.7	954.3	662.1
15	Washington, DC	37.7	36.5	430.5	423.0	129.0	643.3
16	Boston, MA	137.2	133.3	1,128.3	1,046.6	678.1	641.4
17	Jacksonville, FL	229.5	224.8	1,465.1	1,436.3	552.4	628.7
18	San Antonio, TX	152.0	147.9	1,108.6	1,055.5	717.5	618.7
19	Fresno, CA (Fresno County)	158.4	151.9	1,511.5	1,401.5	735.7	607.5
20	Oakland, CA	50.0	46.1	669.3	640.2	299.5	604.8
21	Charlotte, NC	120.2	118.4	1,364.6	1,341.4	846.7	591.7
22	Columbus, OH	133.2	130.0	931.4	878.2	475.1	589.2
23	Fort Worth, TX	191.0	186.9	1,417.0	1,386.0	560.3	585.6
24	Sacramento, CA (Sacramento County)	129.6	122.9	1,076.5	959.1	382.9	569.1
25	Oklahoma City, OK	220.0	211.3	1,817.0	1,712.1	607.4	517.1
26	Phoenix, AZ	171.4	167.5	1,135.6	1,030.7	698.7	509.4
27	Nashville-Davidson, TN	139.8	137.0	1,156.3	1,129.0	505.9	494.7
28	New York, NY	19.0	18.2	454.6	434.9	199.1	489.7
29	Houston, TX	107.3	104.4	866.0	853.0	383.5	481.6
30	San Francisco, CA	282.1	268.3	1,425.4	1,307.9	545.2	477.4
31	Colorado Springs, CO (El Paso County)	219.1	---	1,583.7	---	703.8	464.3
32	Atlanta, GA (Fulton County)	---	---	---	---	---	464.1
33	Dallas, TX	65.5	64.0	857.9	843.0	381.2	444.3
34	Portland, OR (Multnomah County)	268.8	259.3	1,664.3	1,411.6	782.1	434.4
35	Wichita, KS (Sedgwick County)	161.9	158.2	1,366.9	1,261.5	618.2	424.6
36	El Paso, TX	142.1	137.4	596.1	550.7	451.1	414.1
37	Mesa, AZ	164.7	161.8	1,109.1	936.7	714.1	394.6
38	San Diego, CA (San Diego County)	86.2	82.7	548.3	485.6	283.8	391.0
39	Los Angeles, CA	103.0	97.0	1,098.8	1,044.7	500.3	382.9
40	Virginia Beach, VA	159.8	155.6	1,036.8	988.2	309.5	373.9
41	San Jose, CA	71.3	67.0	440.8	387.2	289.6	343.5
---	Arlington, TX	---	---	---	---	---	---
---	Austin, TX	---	---	---	---	---	---
---	Detroit, MI	---	---	---	---	---	---
---	Honolulu, HI (Honolulu County)	---	---	---	---	---	---
---	Las Vegas, NV	---	---	---	---	---	---
---	Long Beach, CA	---	---	---	---	---	---
---	New Orleans, LA	---	---	---	---	---	---
---	Pittsburgh, PA	---	---	---	---	---	---
---	Seattle, WA	---	---	---	---	---	---
---	St. Louis, MO	---	---	---	---	---	---
---	Tucson, AZ	---	---	---	---	---	---
---	Tulsa, OK	---	---	---	---	---	---
	City Average	175.0	168.8	1,265.5	1,185.9	657.6	662.2
	United States, 2005	152.1		1,247.0		459.0	332.5
	2010 Goal						---

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
† Crude rate per 100,000 population by year of report using 2000 U.S. Census figures.
‡ Rank of cities for which data are available and meet reliability standards; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available.
** Race/ethnicity-specific rates may be underestimated for cities that have a large percentage of cases with unknown race/ethnicity. The reader should consider the percent of "Other/Unknown Race/Ethnicity" presented in Table A.7 when comparing race/ethnicity-specific rates across cities. See technical notes for additional information.

Table 2.7: Gonorrhea Rate by Race/Ethnicity**, 2005

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Cincinnati, OH	53.5	52.4	706.5	690.8	---	829.5
2	Cleveland, OH	88.9	86.1	939.9	923.2	149.7	683.3
3	Milwaukee, WI	28.8	27.9	1,031.6	1,002.9	94.9	643.6
4	Kansas City, MO	77.0	75.2	1,408.1	1,365.6	111.1	550.6
5	Baltimore, MD	84.8	82.6	737.2	728.4	198.9	534.0
6	Miami, FL	279.7	272.1	1,572.2	1,469.3	134.7	458.2
7	Indianapolis, IN (Marion County)	114.6	112.7	1,388.4	1,344.5	252.3	455.1
8	Memphis, TN	14.3	14.1	364.3	361.7	---	449.9
9	Washington, DC	41.5	40.1	430.5	423.0	48.9	375.1
10	Charlotte, NC	50.7	49.9	998.5	981.5	110.6	367.6
11	Oklahoma City, OK	103.6	99.5	1,623.5	1,529.7	149.9	345.0
12	Chicago, IL	41.0	39.4	694.2	684.9	39.5	341.5
13	Fort Worth, TX	83.3	81.5	1,274.0	1,246.1	85.3	336.3
14	Philadelphia, PA	34.0	33.2	478.1	468.6	1,215.4	333.2
15	Jacksonville, FL	78.3	76.6	873.4	856.2	127.5	318.5
16	Atlanta, GA (Fulton County)	---	---	---	---	---	318.1
17	Minneapolis, MN	101.2	97.6	931.3	825.6	140.5	313.9
18	San Francisco, CA	313.9	298.6	876.0	803.8	299.5	310.7
19	Oakland, CA	34.1	31.4	394.6	377.4	65.2	294.6
20	Columbus, OH	86.4	84.3	824.3	777.2	257.6	293.3
21	Denver, CO	100.3	97.6	814.4	758.1	215.7	277.3
22	Dallas, TX	51.9	50.7	737.5	724.7	62.0	264.3
23	Houston, TX	31.1	30.2	554.3	545.9	64.4	202.3
24	Nashville-Davidson, TN	46.1	45.1	526.1	513.7	149.5	195.8
25	Omaha, NB	57.5	56.6	838.1	791.1	112.3	193.3
26	Sacramento, CA (Sacramento County)	39.6	37.6	514.1	458.0	82.7	186.3
27	San Antonio, TX	50.0	48.6	735.5	700.3	163.7	183.7
28	Fresno, CA (Fresno County)	52.6	50.4	704.9	653.6	157.3	162.6
29	Phoenix, AZ	67.2	65.6	660.3	599.3	151.3	152.5
30	Wichita, KS (Sedgwick County)	35.3	34.5	812.3	749.6	101.7	144.9
31	Boston, MA	53.8	52.3	290.1	269.1	74.0	143.8
32	Portland, OR (Multnomah County)	90.4	87.2	601.2	509.9	272.1	134.1
33	New York, NY	10.5	10.1	161.0	154.0	36.5	132.3
34	Albuquerque, NM (Bernalillo County)	81.0	78.8	394.2	339.1	149.4	118.6
35	Colorado Springs, CO (El Paso County)	39.9	---	694.6	---	172.9	116.3
36	Virginia Beach, VA	28.1	27.4	409.6	390.5	---	111.7
37	Los Angeles, CA	55.7	52.4	552.5	525.3	71.4	109.9
38	San Diego, CA (San Diego County)	20.5	19.6	199.4	176.6	38.1	92.6
39	Mesa, AZ	40.7	39.9	565.2	477.3	104.8	81.7
40	San Jose, CA	19.2	18.1	111.9	98.3	54.1	63.9
41	El Paso, TX	28.0	27.1	336.1	310.5	40.1	51.3
---	Arlington, TX	---	---	---	---	---	---
---	Austin, TX	---	---	---	---	---	---
---	Detroit, MI	---	---	---	---	---	---
---	Honolulu, HI (Honolulu County)	---	---	---	---	---	---
---	Las Vegas, NV	---	---	---	---	---	---
---	Long Beach, CA	---	---	---	---	---	---
---	New Orleans, LA	---	---	---	---	---	---
---	Pittsburgh, PA	---	---	---	---	---	---
---	Seattle, WA	---	---	---	---	---	---
---	St. Louis, MO	---	---	---	---	---	---
---	Tucson, AZ	---	---	---	---	---	---
---	Tulsa, OK	---	---	---	---	---	---
	City Average	67.7	66.3	719.0	682.2	155.6	284.7
	United States, 2005	35.2		626.4		74.8	115.6
	2010 Goal						---

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
† Crude rate per 100,000 population by year of report using 2000 U.S. Census figures.
‡ Rank of cities for which data are available and meet reliability standards; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available.
** Race/ethnicity-specific rates may be underestimated for cities that have a large percentage of cases with unknown race/ethnicity. The reader should consider the percent of "Other/Unknown Race/Ethnicity" presented in Table A.7 when comparing race/ethnicity-specific rates across cities. See technical notes for additional information.

Table 2.8: Tuberculosis Incidence Rate by Race/Ethnicity**, 2005

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Miami, FL	---	---	131.6	123.0	45.7	63.2
2	San Francisco, CA	---	---	---	---	---	17.0
3	Fort Worth, TX	---	---	---	---	---	15.1
4	Minneapolis, MN	---	---	54.4	48.3	---	14.1
5	Memphis, TN	---	---	18.1	18.0	---	12.8
6	Dallas, TX	4.9	4.8	23.9	23.5	11.1	12.4
6	Houston, TX	5.0	4.9	19.7	19.4	16.0	12.4
8	New York, NY	3.3	3.2	15.5	14.9	12.9	12.3
9	Nashville-Davidson, TN	---	---	23.8	23.3	---	11.6
10	Chicago, IL	2.8	2.7	16.2	16.0	10.5	11.4
11	Oakland, CA	---	---	---	---	---	11.3
12	Jacksonville, FL	---	---	22.7	22.3	---	11.0
13	San Diego, CA (San Diego County)	2.0	1.9	---	---	21.4	10.8
13	Seattle, WA	---	---	43.0	37.1	---	10.8
15	Atlanta, GA (Fulton County)	---	---	---	---	---	10.7
16	Sacramento, CA (Sacramento County)	2.8	2.7	16.9	15.1	12.3	10.6
17	Columbus, OH	---	---	22.6	21.3	---	10.5
18	Boston, MA	---	---	20.7	19.2	---	9.7
19	Los Angeles, CA	---	---	15.7	14.9	11.2	9.3
20	Cleveland, OH	---	---	12.8	12.6	---	9.2
21	Fresno, CA (Fresno County)	---	---	---	---	11.4	8.6
22	Charlotte, NC	---	---	13.1	12.9	---	8.5
23	Denver, CO	---	---	---	---	13.1	7.9
24	Philadelphia, PA	---	---	9.0	8.8	---	7.6
24	Phoenix, AZ	---	---	---	---	15.8	7.6
26	Oklahoma City, OK	---	---	---	---	---	6.5
27	San Antonio, TX	---	---	---	---	8.3	6.4
28	Portland, OR (Multnomah County)	---	---	---	---	---	6.1
29	Cincinnati, OH	---	---	---	---	---	6.0
30	Kansas City, MO	---	---	---	---	---	5.4
31	Indianapolis, IN (Marion County)	---	---	---	---	---	5.2
32	Wichita, KS (Sedgwick County)	---	---	---	---	---	4.4
33	Milwaukee, WI	---	---	---	---	---	3.7
---	Albuquerque, NM (Bernalillo County)	---	---	---	---	---	---
---	Arlington, TX	---	---	---	---	---	---
---	Austin, TX	---	---	---	---	---	---
---	Baltimore, MD	---	---	---	---	---	---
---	Colorado Springs, CO (El Paso County)	---	---	---	---	---	---
---	Detroit, MI	---	---	---	---	---	---
---	El Paso, TX	---	---	---	---	---	---
---	Honolulu, HI (Honolulu County)	---	---	---	---	---	---
---	Las Vegas, NV	---	---	---	---	---	---
---	Long Beach, CA	---	---	---	---	---	---
---	Mesa, AZ	---	---	---	---	---	---
---	New Orleans, LA	---	---	---	---	---	---
---	Omaha, NB	---	---	---	---	---	---
---	Pittsburgh, PA	---	---	---	---	---	---
---	San Jose, CA	---	---	---	---	---	---
---	St. Louis, MO	---	---	---	---	---	---
---	Tucson, AZ	---	---	---	---	---	---
---	Tulsa, OK	---	---	---	---	---	---
---	Virginia Beach, VA	---	---	---	---	---	---
---	Washington, DC	---	---	---	---	---	---
	City Average	3.5	3.4	28.2	26.5	15.8	11.2
	United States, 2005	1.3		10.9		9.5	4.8
	2010 Goal						---

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
† Crude rate per 100,000 population by year of report using 2000 U.S. Census figures.
‡ Rank of cities for which data are available and meet reliability standards; 1 corresponds to highest rate.
"---" Numerator used in rate calculation is less than 20 or data not available.
** Race/ethnicity-specific rates may be underestimated for cities that have a large percentage of cases with unknown race/ethnicity. The reader should consider the percent of "Other/Unknown Race/Ethnicity" presented in Table A.7 when comparing race/ethnicity-specific rates across cities. See technical notes for additional information.

Table 2.9: Overall Mortality Rate by Race/Ethnicity, 2004

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Las Vegas, NV	1,710.2	1,685.4	1,912.3	1,836.6	1,371.8	1,660.3
2	Sacramento, CA	1,611.2	1,568.0	1,768.7	1,687.1	1,203.9	1,449.6
3	Tucson, AZ	1,468.4	1,452.2	1,487.9	1,407.1	1,168.7	1,398.2
4	Miami, FL	1,984.5	1,949.5	2,128.8	2,013.7	1,013.2	1,288.4
5	Baltimore, MD	933.4	920.5	1,309.3	1,298.5	384.5	1,139.6
6	Fresno, CA	1,190.8	1,164.4	1,390.4	1,348.4	1,006.2	1,135.0
7	Cleveland, OH	1,061.9	1,043.5	1,273.3	1,259.3	685.6	1,131.0
8	Detroit, MI	966.3	916.7	1,176.6	1,165.4	780.7	1,103.4
9	New Orleans, LA	862.6	850.3	1,319.7	1,308.0	360.3	1,095.1
10	Cincinnati, OH	938.7	930.1	1,351.1	1,333.4	---	1,072.9
11	Jacksonville, FL	1,042.5	1,033.0	1,216.2	1,203.1	775.1	1,061.2
12	Columbus, OH	996.8	986.9	1,314.8	1,277.7	1,023.9	1,051.0
13	Memphis, TN	844.3	837.5	1,262.2	1,255.9	534.9	1,045.7
14	St. Louis, MO	882.6	871.0	1,201.9	1,188.7	552.2	1,013.2
15	Indianapolis, IN	974.8	968.1	1,170.6	1,154.1	631.7	1,009.1
16	Philadelphia, PA	898.7	888.4	1,212.8	1,195.6	889.1	1,006.1
17	Arlington, TX	999.2	989.3	1,590.2	1,533.2	930.8	1,004.5
18	Houston, TX	916.3	904.6	1,318.6	1,305.7	893.6	997.9
19	San Antonio, TX	989.6	977.6	1,308.0	1,281.3	947.2	983.5
20	Albuquerque, NM	900.6	889.9	1,218.0	1,149.3	1,162.9	976.2
21	Atlanta, GA	736.0	728.5	1,141.9	1,134.4	671.3	974.3
22	Charlotte, NC	866.1	861.4	1,300.1	1,287.4	548.2	973.0
23	Fort Worth, TX	919.0	909.8	1,286.8	1,274.0	850.1	969.2
24	Washington, DC	669.1	654.4	1,193.8	1,176.9	196.0	966.4
25	Milwaukee, WI	886.5	878.1	1,237.7	1,220.6	581.4	965.4
26	Pittsburgh, PA	883.3	877.3	1,232.4	1,208.8	---	950.5
26	Wichita, KS	933.7	924.2	1,329.9	1,290.2	983.1	950.5
28	Mesa, AZ	925.4	919.1	1,701.5	1,607.6	1,025.9	943.1
29	Oklahoma City, OK	909.4	890.7	1,278.7	1,242.7	814.6	936.2
30	Tulsa, OK	919.2	894.4	1,281.9	1,242.7	547.1	933.6
31	Kansas City, MO	829.1	819.5	1,199.1	1,181.0	849.6	912.6
32	Colorado Springs, CO	902.5	893.4	1,205.3	1,123.3	1,030.2	911.7
33	Portland, OR	910.2	897.1	1,183.2	1,114.7	603.0	902.7
34	Nashville-Davidson, TN	843.8	837.0	1,188.8	1,175.7	331.8	899.7
35	Virginia Beach, VA	868.7	861.2	1,228.5	1,207.7	854.4	888.2
36	Dallas, TX	768.3	761.0	1,256.1	1,243.3	763.2	881.6
37	Chicago, IL	756.0	738.5	1,176.0	1,164.3	611.1	868.1
38	Omaha, NB	819.1	814.8	1,252.4	1,225.3	769.6	859.5
39	El Paso, TX	954.2	939.2	1,175.8	1,148.5	811.4	854.4
40	Long Beach, CA	864.0	847.5	1,343.2	1,294.3	639.5	853.5
41	Phoenix, AZ	810.4	802.6	1,150.5	1,103.5	1,036.1	852.2
42	Denver, CO	803.1	793.4	1,074.1	1,035.0	940.1	841.9
43	Austin, TX	804.2	796.2	1,058.8	1,039.7	829.6	826.5
44	Oakland, CA	709.8	686.4	1,133.7	1,105.8	709.8	822.8
45	Boston, MA	829.6	817.6	1,025.2	970.5	578.5	820.9
46	Los Angeles, CA	768.8	745.6	1,322.6	1,282.4	784.5	806.5
47	Minneapolis, MN	767.1	758.8	1,164.9	1,093.8	523.5	799.5
48	San Diego, CA	760.3	748.4	1,190.5	1,132.4	748.7	762.0
49	New York, NY	713.9	698.7	984.0	951.1	724.6	748.9
50	Seattle, WA	732.7	722.5	1,047.6	980.4	500.2	729.5
51	San Jose, CA	772.1	750.8	970.3	884.7	800.2	708.9
52	San Francisco, CA	737.4	717.7	1,315.5	1,249.5	608.8	699.3
53	Honolulu, HI	749.7	615.7	1,349.9	852.7	1,570.6	669.9
	City Average	930.1	913.7	1,281.4	1,234.8	787.3	964.2
	United States, 2004						801.0
	2010 Goal						---

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 2.10: Heart Disease Mortality Rate by Race/Ethnicity, 2004

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Las Vegas, NV	483.4	477.4	573.8	553.0	338.6	465.0
2	Miami, FL	569.9	560.7	606.9	578.0	325.1	388.2
3	Sacramento, CA	426.6	417.6	446.7	428.5	290.4	383.4
4	Detroit, MI	331.2	316.7	394.5	391.1	242.3	370.0
5	Cleveland, OH	347.0	341.6	402.2	398.2	---	362.8
6	Tucson, AZ	363.0	359.5	306.7	294.7	273.4	340.8
7	Memphis, TN	248.9	247.3	369.0	367.2	---	304.7
8	Fresno, CA	323.8	317.8	396.0	386.8	242.9	301.0
9	New York, NY	306.2	300.6	358.7	347.5	255.0	300.6
10	Baltimore, MD	247.6	244.7	324.2	321.8	---	287.2
11	Long Beach, CA	293.0	288.2	475.4	458.6	199.1	285.1
12	St. Louis, MO	264.8	261.7	316.8	313.6	---	284.7
13	Arlington, TX	283.9	281.4	368.3	357.0	---	279.0
14	Washington, DC	181.9	178.6	333.8	329.5	---	273.7
15	Houston, TX	252.1	249.4	369.8	366.5	226.3	273.2
16	Fort Worth, TX	264.2	261.9	351.8	348.8	199.8	270.2
17	Pittsburgh, PA	253.2	251.7	332.7	326.9	---	268.4
18	Oklahoma City, OK	257.9	253.2	387.0	377.8	---	266.5
19	Philadelphia, PA	253.0	250.5	302.1	298.2	188.6	265.9
20	San Antonio, TX	273.7	271.0	391.2	384.6	244.1	265.8
21	Tulsa, OK	263.8	257.4	353.9	343.5	---	263.6
22	Jacksonville, FL	262.4	260.4	289.3	286.4	---	262.3
23	Chicago, IL	238.5	233.6	333.3	330.1	154.4	258.3
24	Los Angeles, CA	246.7	240.3	405.5	394.5	232.3	250.8
25	Columbus, OH	243.7	241.5	287.7	280.6	---	250.4
26	Cincinnati, OH	219.9	218.2	308.1	304.5	---	248.8
27	Mesa, AZ	241.1	239.8	---	---	280.2	243.8
28	Milwaukee, WI	233.6	232.0	287.6	284.2	100.1	243.6
29	New Orleans, LA	202.0	199.5	287.2	284.6	---	243.5
30	Dallas, TX	206.5	204.8	354.6	351.4	210.4	239.8
31	Nashville-Davidson, TN	220.6	219.1	338.3	334.9	---	239.7
32	Indianapolis, IN	230.3	228.9	288.0	284.7	---	238.6
33	Atlanta, GA	154.6	153.2	280.0	278.2	---	230.2
34	Wichita, KS	225.2	223.3	356.5	348.5	---	227.0
35	Virginia Beach, VA	221.8	220.2	293.9	289.6	---	226.8
36	Kansas City, MO	208.4	206.3	289.3	285.4	---	224.8
37	Phoenix, AZ	210.7	209.0	317.6	307.1	237.9	215.8
38	Albuquerque, NM	200.8	198.9	263.1	250.2	255.1	214.5
39	El Paso, TX	250.2	246.8	326.8	321.7	193.4	212.9
40	Oakland, CA	192.4	187.7	288.7	282.3	162.5	211.9
41	San Diego, CA	209.1	206.6	362.1	346.2	220.3	210.5
42	Charlotte, NC	194.5	193.6	257.7	255.5	---	210.1
43	Portland, OR	204.8	202.5	286.6	272.7	---	204.1
44	Omaha, NB	200.0	199.1	249.5	244.9	---	203.3
45	Austin, TX	185.7	184.0	231.0	227.5	191.6	188.7
46	Boston, MA	196.0	193.3	213.3	202.4	114.7	184.6
47	San Jose, CA	209.2	204.1	221.6	202.1	183.7	184.0
48	Colorado Springs, CO	174.7	173.3	329.4	308.6	186.3	177.5
48	Honolulu, HI	164.2	139.7	---	---	507.4	177.5
50	Denver, CO	176.1	174.4	204.6	198.5	165.0	175.4
51	San Francisco, CA	190.3	185.9	284.3	272.9	149.6	174.5
52	Seattle, WA	175.1	173.2	233.6	220.2	---	171.7
53	Minneapolis, MN	137.4	136.1	230.8	218.1	---	140.7
	City Average	247.5	243.7	330.6	322.4	226.6	252.6
	United States, 2004	---	---	---	---	---	217.5
	2010 Goal						---

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 2.11: All Cancer Mortality Rate by Race/Ethnicity, 2004

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Las Vegas, NV	365.9	361.1	387.9	375.0	245.3	354.6
2	Sacramento, CA	382.2	372.6	333.9	320.1	235.9	324.2
3	Tucson, AZ	336.4	333.0	327.8	314.1	255.8	311.1
4	Miami, FL	376.6	370.0	376.7	356.3	223.0	258.5
5	Cleveland, OH	243.7	239.7	294.0	291.0	106.9	258.1
6	Cincinnati, OH	221.2	219.4	331.9	328.3	---	254.6
7	Columbus, OH	238.1	235.9	307.2	299.9	---	247.4
8	Fresno, CA	267.5	262.1	340.5	331.0	183.3	246.0
9	New Orleans, LA	187.0	184.5	303.0	300.3	---	244.1
10	Jacksonville, FL	243.6	241.5	253.5	251.3	216.4	240.7
11	Arlington, TX	235.1	232.6	396.4	380.6	298.4	238.2
12	St. Louis, MO	209.0	206.5	279.5	276.8	---	234.4
13	Indianapolis, IN	226.9	225.5	274.5	271.5	---	233.4
14	Philadelphia, PA	218.1	215.8	270.1	266.6	196.1	232.2
15	Baltimore, MD	204.3	201.7	260.2	258.2	---	231.0
16	Detroit, MI	200.2	190.1	247.1	244.8	157.2	230.4
17	Milwaukee, WI	212.9	211.2	309.3	305.6	98.5	227.3
17	Pittsburgh, PA	214.3	213.0	289.0	284.1	---	227.3
19	Memphis, TN	170.3	169.1	289.8	288.4	---	226.0
20	Fort Worth, TX	209.3	207.2	307.9	305.4	212.7	222.0
21	Wichita, KS	223.0	221.0	286.3	280.1	219.5	221.9
22	Houston, TX	209.4	206.9	285.8	283.2	165.8	217.3
23	Virginia Beach, VA	215.0	213.5	272.2	268.1	---	215.8
24	Charlotte, NC	193.2	192.2	295.7	293.3	---	214.9
25	Albuquerque, NM	202.4	200.1	271.3	257.7	256.4	213.9
26	Kansas City, MO	199.9	197.7	260.1	256.7	197.8	212.0
27	Portland, OR	211.1	208.2	263.6	250.9	---	211.4
28	Atlanta, GA	191.8	189.8	229.0	227.6	---	211.3
29	Mesa, AZ	205.9	204.5	---	---	193.8	207.5
29	San Antonio, TX	219.0	216.4	257.5	253.2	192.1	207.5
31	Omaha, NB	199.1	198.3	286.6	281.4	---	206.2
32	Boston, MA	213.1	210.0	232.0	219.9	129.7	205.7
33	Washington, DC	160.6	157.3	240.2	237.1	---	205.6
34	Chicago, IL	188.0	183.6	270.4	267.9	133.7	204.8
35	Colorado Springs, CO	201.5	199.7	230.1	216.6	179.4	201.2
36	Nashville-Davidson, TN	195.2	193.8	239.9	237.7	---	199.7
37	Minneapolis, MN	198.9	196.9	237.0	224.0	---	198.6
38	Austin, TX	191.4	189.5	254.6	250.7	194.9	196.4
39	Dallas, TX	174.2	172.7	287.0	284.5	151.0	195.7
40	Oklahoma City, OK	192.6	188.8	259.7	253.9	---	194.2
41	Oakland, CA	166.9	161.8	249.8	244.1	176.9	193.6
42	Long Beach, CA	196.1	192.6	309.4	298.8	120.7	191.6
43	Tulsa, OK	190.8	185.8	250.5	243.4	---	190.6
44	Denver, CO	176.0	174.1	251.1	243.9	209.2	185.8
45	El Paso, TX	209.3	206.1	278.0	271.4	173.1	183.7
46	Los Angeles, CA	180.0	174.5	290.8	282.5	163.7	182.3
47	Seattle, WA	183.8	181.4	247.6	234.8	---	180.6
48	San Diego, CA	183.4	180.6	242.7	232.3	149.7	178.3
49	Phoenix, AZ	172.8	171.2	247.5	239.5	192.7	177.4
50	San Francisco, CA	192.4	187.1	283.0	271.2	128.2	175.3
51	San Jose, CA	194.6	189.3	254.1	233.6	174.2	174.5
52	New York, NY	173.0	169.3	211.0	204.0	150.1	170.2
53	Honolulu, HI	166.1	139.9	---	---	253.0	150.9
	City Average	213.8	210.3	279.5	272.4	186.3	217.3
	United States, 2004	---	---	---	---	---	184.6
	2010 Goal						---

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 2.12: Lung Cancer Mortality Rate by Race/Ethnicity, 2004

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Las Vegas, NV	113.5	112.0	91.2	88.2	71.7	106.9
2	Tucson, AZ	104.8	103.8	---	---	53.0	89.5
3	Columbus, OH	83.6	82.8	95.0	92.9	---	83.7
4	Cleveland, OH	80.2	78.9	88.6	87.7	---	81.0
5	Sacramento, CA	104.0	101.5	66.7	63.9	---	79.3
6	Indianapolis, IN	76.1	75.7	90.4	89.4	---	77.6
7	St. Louis, MO	65.6	64.8	92.5	91.6	---	75.5
8	Cincinnati, OH	60.2	59.7	104.7	103.6	---	75.0
9	Jacksonville, FL	79.4	78.7	63.4	62.9	---	73.6
10	Virginia Beach, VA	77.3	76.8	64.7	63.6	---	73.1
11	Arlington, TX	73.7	72.9	---	---	---	72.4
12	Pittsburgh, PA	68.2	67.8	89.3	87.9	---	71.9
12	Wichita, KS	74.7	74.0	86.5	84.6	---	71.9
14	Baltimore, MD	68.0	67.1	76.0	75.4	---	70.6
15	Kansas City, MO	64.3	63.6	89.4	88.2	---	68.7
16	New Orleans, LA	51.4	50.8	82.4	81.7	---	67.5
17	Philadelphia, PA	62.1	61.4	83.2	82.2	---	67.4
18	Detroit, MI	61.1	58.2	71.2	70.5	---	67.0
19	Nashville-Davidson, TN	67.7	67.2	66.6	66.0	---	66.5
20	Fresno, CA	79.2	77.6	---	---	36.8	66.2
21	Charlotte, NC	62.6	62.3	75.2	74.5	---	65.5
22	Fort Worth, TX	67.5	66.8	88.0	87.3	---	65.1
22	Milwaukee, WI	54.8	54.4	104.3	103.0	---	65.1
24	Memphis, TN	51.8	51.4	76.6	76.2	---	62.7
24	Oklahoma City, OK	64.9	63.6	75.2	73.6	---	62.7
26	Omaha, NB	59.8	59.5	84.1	82.8	---	61.6
27	Tulsa, OK	63.8	62.1	66.0	64.4	---	60.2
28	Portland, OR	59.8	59.0	86.9	82.5	---	59.6
29	Houston, TX	61.0	60.3	79.9	79.2	32.9	59.4
30	Miami, FL	90.3	88.8	78.4	74.2	48.4	55.7
31	Minneapolis, MN	57.6	57.1	---	---	---	54.9
32	Chicago, IL	51.2	50.0	72.4	71.7	28.8	54.1
33	Boston, MA	57.4	56.6	57.7	54.8	---	53.3
34	Colorado Springs, CO	52.5	52.1	---	---	---	51.8
35	Mesa, AZ	53.7	53.4	---	---	---	51.7
36	Atlanta, GA	49.4	48.9	54.9	54.6	---	51.5
37	Austin, TX	53.8	53.3	76.7	75.6	---	51.0
38	Washington, DC	39.4	38.6	59.7	59.0	---	50.6
39	Dallas, TX	44.6	44.2	79.8	79.1	31.4	50.3
40	Phoenix, AZ	51.0	50.5	87.4	84.5	35.2	49.1
41	San Antonio, TX	66.7	65.9	75.2	74.0	27.1	49.0
42	Albuquerque, NM	54.7	54.1	---	---	40.8	48.9
43	Long Beach, CA	51.5	50.5	91.7	88.8	---	47.2
44	Seattle, WA	49.8	49.2	70.0	66.6	---	46.8
45	San Diego, CA	49.4	48.7	54.4	52.1	29.9	45.5
46	Denver, CO	43.1	42.6	67.3	65.5	45.2	44.3
47	Oakland, CA	37.6	36.5	66.9	65.4	---	44.0
48	San Francisco, CA	48.3	47.1	55.7	53.5	---	43.4
49	San Jose, CA	51.8	50.5	---	---	30.2	41.8
50	Los Angeles, CA	41.9	40.6	72.9	70.9	25.7	40.1
51	New York, NY	42.9	42.0	43.4	42.0	26.5	38.6
52	Honolulu, HI	40.7	34.5	---	---	---	37.4
53	El Paso, TX	49.6	48.9	---	---	23.0	33.8
	City Average	62.1	61.1	76.8	75.3	36.7	60.4
	United States, 2004	---	---	---	---	---	52.9
	2010 Goal						---

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 2.13: Female Breast Cancer Mortality Rate by Race/Ethnicity, 2004

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Las Vegas, NV	57.3	56.5	---	---	---	53.3
2	Sacramento, CA	49.9	48.5	---	---	---	42.3
3	Miami, FL	98.6	96.7	75.3	70.5	27.4	41.8
4	Tucson, AZ	43.5	43.1	---	---	---	41.7
5	Cleveland, OH	39.3	38.6	39.6	39.1	---	38.3
6	Cincinnati, OH	32.1	31.8	47.7	47.2	---	36.4
7	Colorado Springs, CO	35.2	34.9	---	---	---	36.1
8	Memphis, TN	21.9	21.8	47.2	46.9	---	35.3
8	New Orleans, LA	18.0	17.7	47.6	47.2	---	35.3
10	Mesa, AZ	32.9	32.7	---	---	---	34.7
11	Baltimore, MD	23.3	23.0	39.9	39.6	---	33.2
12	Philadelphia, PA	33.7	33.3	31.7	31.3	---	31.7
13	Wichita, KS	30.7	30.5	---	---	---	31.2
14	Detroit, MI	---	---	34.4	34.1	---	30.7
14	Fresno, CA	34.9	34.2	---	---	---	30.7
16	Jacksonville, FL	28.7	28.5	40.2	39.8	---	30.6
17	Charlotte, NC	27.2	27.0	41.3	40.9	---	30.3
18	Chicago, IL	25.6	24.9	40.8	40.4	14.8	29.9
18	Houston, TX	28.8	28.4	41.3	40.9	19.6	29.9
20	Omaha, NB	28.0	27.9	---	---	---	29.7
21	Albuquerque, NM	31.7	31.2	---	---	30.2	29.6
22	Atlanta, GA	34.2	33.8	29.0	28.8	---	29.4
23	El Paso, TX	40.1	39.4	---	---	25.1	29.0
24	St. Louis, MO	27.3	27.0	31.6	31.2	---	28.8
25	Fort Worth, TX	24.4	24.1	---	---	---	28.4
25	Los Angeles, CA	31.4	30.4	47.1	45.6	18.5	28.4
27	Columbus, OH	24.0	23.7	44.6	43.5	---	28.1
28	Pittsburgh, PA	26.1	25.9	---	---	---	27.5
29	Austin, TX	31.3	30.9	---	---	---	27.4
30	San Antonio, TX	30.8	30.4	---	---	24.4	27.3
31	Kansas City, MO	27.1	26.8	---	---	---	27.2
32	Washington, DC	28.1	27.5	29.6	29.2	---	27.1
33	New York, NY	28.7	28.1	32.7	31.6	20.0	26.8
34	Boston, MA	28.8	28.3	30.4	28.7	---	26.7
35	Arlington, TX	27.7	27.3	---	---	---	26.4
36	Long Beach, CA	22.5	22.1	---	---	---	25.3
37	Oklahoma City, OK	23.4	22.9	---	---	---	24.8
38	Dallas, TX	21.4	21.2	39.8	39.4	---	24.6
38	Virginia Beach, VA	23.4	23.2	---	---	---	24.6
40	San Francisco, CA	32.1	31.2	59.5	56.6	---	24.5
41	Oakland, CA	---	---	30.5	29.7	---	24.0
41	Tulsa, OK	19.2	18.6	---	---	---	24.0
43	Denver, CO	24.4	24.2	---	---	---	23.5
44	Seattle, WA	23.5	23.2	---	---	---	23.3
45	Portland, OR	23.1	22.7	---	---	---	23.1
45	San Diego, CA	23.6	23.2	---	---	24.2	23.1
47	Nashville-Davidson, TN	20.6	20.4	---	---	---	22.9
48	Milwaukee, WI	22.8	22.6	27.3	27.0	---	22.4
48	Phoenix, AZ	22.0	21.7	---	---	---	22.4
50	San Jose, CA	25.9	25.2	---	---	---	21.5
51	Indianapolis, IN	20.0	19.9	---	---	---	20.1
52	Minneapolis, MN	19.9	19.7	---	---	---	19.1
53	Honolulu, HI	---	---	---	---	---	14.9
	City Average	30.0	29.5	40.4	39.5	22.7	28.9
	United States, 2004	---	---	---	---	---	---
	2010 Goal						---

† Per 100,000 female population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 2.14: Motor Vehicle Injury Mortality Rate by Race/Ethnicity, 2004

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Las Vegas, NV	33.2	32.2	---	---	37.1	33.9
2	Miami, FL	---	---	47.6	44.5	28.6	32.5
3	Tucson, AZ	23.2	22.7	---	---	24.4	23.1
4	Sacramento, CA	21.8	20.7	---	---	23.6	23.0
5	Fresno, CA	22.6	21.7	---	---	22.0	22.4
6	Albuquerque, NM	17.7	17.4	---	---	27.6	22.2
7	Jacksonville, FL	20.3	20.0	18.2	18.0	---	19.6
8	Phoenix, AZ	14.5	14.2	---	---	31.3	19.5
9	Mesa, AZ	16.6	16.4	---	---	---	17.7
10	Memphis, TN	17.3	17.0	16.6	16.5	---	17.3
11	San Antonio, TX	15.3	14.9	33.6	32.4	17.7	17.1
12	Nashville-Davidson, TN	15.6	15.4	15.4	15.1	---	16.3
13	Houston, TX	14.2	13.8	15.4	15.2	23.8	16.1
14	Dallas, TX	10.2	10.0	14.8	14.6	24.5	15.8
15	El Paso, TX	18.9	18.3	---	---	14.3	15.2
15	Oklahoma City, OK	12.5	12.1	---	---	---	15.2
17	Fort Worth, TX	13.0	12.8	---	---	26.1	15.1
18	Arlington, TX	11.2	11.0	---	---	---	15.0
19	Atlanta, GA	---	---	14.6	14.5	---	14.5
20	Tulsa, OK	13.8	13.1	---	---	---	14.3
21	Detroit, MI	---	---	14.2	14.0	---	14.2
21	Wichita, KS	16.0	15.7	---	---	---	14.2
23	St. Louis, MO	15.9	15.5	12.4	12.1	---	14.1
24	Milwaukee, WI	10.0	9.8	20.5	20.1	---	13.7
25	Indianapolis, IN	13.5	13.4	13.6	13.3	---	13.6
26	New Orleans, LA	---	---	14.1	14.0	---	13.4
27	Austin, TX	11.0	10.8	---	---	17.7	13.2
28	Kansas City, MO	13.2	12.9	---	---	---	12.8
29	Oakland, CA	---	---	15.3	14.7	---	12.7
30	Denver, CO	11.6	11.4	---	---	16.0	12.5
31	Colorado Springs, CO	12.0	11.7	---	---	---	12.2
32	Cincinnati, OH	---	---	14.3	14.1	---	12.0
33	Long Beach, CA	13.0	12.4	---	---	---	11.2
34	Charlotte, NC	---	---	19.8	19.5	---	11.1
35	Portland, OR	10.6	10.2	---	---	---	10.9
36	Los Angeles, CA	10.3	9.7	17.2	16.4	10.9	10.7
37	San Diego, CA	9.2	8.8	---	---	11.7	10.0
38	Philadelphia, PA	11.4	11.1	8.5	8.3	---	9.8
39	Baltimore, MD	9.6	9.4	9.8	9.7	---	9.5
40	Chicago, IL	7.9	7.6	12.4	12.2	8.5	9.3
41	Columbus, OH	8.7	8.6	---	---	---	8.8
42	Pittsburgh, PA	---	---	---	---	---	8.1
42	San Jose, CA	10.0	9.4	---	---	13.6	8.1
44	Omaha, NB	8.0	7.9	---	---	---	7.7
44	Virginia Beach, VA	7.1	7.0	---	---	---	7.7
44	Washington, DC	---	---	8.8	8.7	---	7.7
47	Cleveland, OH	---	---	---	---	---	7.3
48	Minneapolis, MN	---	---	---	---	---	7.1
49	Seattle, WA	6.2	6.0	---	---	---	6.8
50	San Francisco, CA	---	---	---	---	---	5.8
51	Honolulu, HI	---	---	---	---	---	5.7
52	New York, NY	4.8	4.6	5.5	5.3	4.4	4.9
53	Boston, MA	---	---	---	---	---	4.8
	City Average	13.6	13.3	16.5	16.1	20.2	13.5
	United States, 2004	---	---	---	---	---	14.8
	2010 Goal						---

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 2.15: Homicide Rate by Race/Ethnicity, 2004

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	New Orleans, LA	---	---	68.0	68.0	---	47.9
2	Baltimore, MD	---	---	55.9	55.9	---	39.5
3	Detroit, MI	---	---	41.2	41.2	---	36.8
4	Washington, DC	---	---	50.1	50.1	---	27.7
5	St. Louis, MO	---	---	46.0	46.0	---	25.4
6	Miami, FL	---	---	62.9	62.9	8.8	22.5
7	Atlanta, GA	---	---	33.5	33.5	---	21.9
8	Philadelphia, PA	5.6	5.5	39.7	39.7	18.9	21.4
9	Las Vegas, NV	11.0	10.6	57.3	57.3	24.0	19.9
10	Memphis, TN	---	---	23.7	23.7	---	17.6
10	Oakland, CA	---	---	39.1	39.1	---	17.6
10	Sacramento, CA	14.0	13.0	31.1	31.1	---	17.6
13	Kansas City, MO	---	---	41.3	41.3	---	17.5
14	Dallas, TX	5.3	5.2	31.6	31.6	15.5	16.1
15	Tucson, AZ	10.5	10.3	---	---	21.7	16.0
16	Cleveland, OH	---	---	22.3	22.3	---	15.9
17	Cincinnati, OH	---	---	31.7	31.7	---	15.8
18	Chicago, IL	3.5	3.3	31.1	31.1	9.3	14.5
19	Jacksonville, FL	6.1	6.0	33.6	33.6	---	14.3
20	Denver, CO	9.1	8.8	---	---	19.1	14.2
21	Houston, TX	5.1	4.9	25.8	25.8	15.1	14.0
22	Phoenix, AZ	6.9	6.8	30.4	30.4	23.9	13.9
23	Los Angeles, CA	3.9	3.6	49.8	49.8	13.3	13.5
24	Milwaukee, WI	---	---	22.1	22.1	---	13.4
25	Tulsa, OK	8.5	8.2	35.7	35.7	---	12.9
26	Indianapolis, IN	4.9	4.8	32.5	32.5	---	12.7
27	Long Beach, CA	---	---	31.3	31.3	11.9	12.5
28	Columbus, OH	5.6	5.5	29.1	29.1	---	12.3
29	Pittsburgh, PA	---	---	36.8	36.8	---	12.1
30	Fresno, CA	---	---	---	---	14.6	12.0
31	Charlotte, NC	---	---	25.0	25.0	---	11.7
32	Minneapolis, MN	---	---	37.2	37.2	---	10.5
33	Oklahoma City, OK	6.5	6.2	---	---	---	10.2
34	Fort Worth, TX	---	---	19.4	19.4	---	9.8
35	Nashville-Davidson, TN	---	---	23.2	23.2	---	9.6
36	Wichita, KS	---	---	---	---	---	8.7
37	San Francisco, CA	---	---	65.1	65.1	---	8.6
38	Boston, MA	---	---	24.8	24.8	---	8.3
39	Albuquerque, NM	---	---	---	---	11.3	8.2
39	San Antonio, TX	---	---	---	---	10.2	8.2
41	New York, NY	2.4	2.3	15.4	15.4	6.4	6.7
42	Mesa, AZ	---	---	---	---	---	6.0
43	San Diego, CA	---	---	27.5	27.5	7.6	5.4
44	Portland, OR	---	---	---	---	---	4.7
45	Seattle, WA	---	---	---	---	---	4.4
45	Virginia Beach, VA	---	---	---	---	---	4.4
47	Austin, TX	---	---	---	---	---	4.0
48	San Jose, CA	---	---	---	---	---	3.5
---	Arlington, TX	---	---	---	---	---	---
---	Colorado Springs, CO	---	---	---	---	---	---
---	El Paso, TX	---	---	---	---	---	---
---	Honolulu, HI	---	---	---	---	---	---
---	Omaha, NB	---	---	---	---	---	---
	City Average	6.8	6.6	36.3	36.3	14.5	14.6
	United States, 2004	---	---	---	---	---	5.6
	2010 Goal						---

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 2.16: Firearm-Related Mortality Rate by Race/Ethnicity, 2004

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	New Orleans, LA	16.2	15.9	70.1	69.6	---	51.6
2	Detroit, MI	---	---	38.2	37.8	---	33.5
2	Las Vegas, NV	30.8	30.0	57.0	54.1	25.4	33.5
4	Baltimore, MD	---	---	48.5	48.0	---	32.0
5	St. Louis, MO	---	---	43.2	42.5	---	26.2
6	Miami, FL	---	---	56.3	52.4	12.8	25.2
7	Tucson, AZ	21.4	21.1	---	---	23.9	24.3
8	Washington, DC	---	---	42.1	41.3	---	22.3
9	Philadelphia, PA	8.6	8.5	38.6	37.8	18.1	21.8
10	Sacramento, CA	18.9	17.9	---	---	25.6	20.9
11	Atlanta, GA	---	---	28.6	28.3	---	20.8
12	Phoenix, AZ	14.7	14.5	34.1	31.9	27.2	19.5
13	Kansas City, MO	10.3	10.1	39.1	38.1	---	19.4
14	Memphis, TN	12.6	12.4	21.7	21.6	---	19.0
15	Colorado Springs, CO	17.5	17.2	---	---	---	18.6
15	Tulsa, OK	17.3	16.7	34.1	32.5	---	18.6
17	Jacksonville, FL	14.3	14.1	27.8	27.4	---	18.1
18	Fresno, CA	13.9	13.5	---	---	14.2	17.4
19	Dallas, TX	11.0	10.8	26.1	25.7	15.1	17.2
20	Houston, TX	13.8	13.5	23.0	22.7	15.2	17.0
21	Charlotte, NC	13.5	13.3	25.1	24.7	---	16.8
22	Albuquerque, NM	15.2	14.9	---	---	17.8	16.7
23	Cincinnati, OH	---	---	30.4	29.7	---	16.5
24	Indianapolis, IN	11.1	11.0	27.9	27.3	---	16.2
25	Oakland, CA	---	---	35.3	33.6	---	15.8
26	Nashville-Davidson, TN	12.0	11.8	24.2	23.7	---	15.4
27	Long Beach, CA	10.2	10.0	---	---	11.6	15.0
28	Pittsburgh, PA	8.5	8.4	37.2	36.1	---	14.9
29	Milwaukee, WI	9.9	9.7	21.7	21.2	---	14.7
30	Denver, CO	12.1	11.8	---	---	14.0	14.5
30	Mesa, AZ	13.0	12.9	---	---	---	14.5
32	Cleveland, OH	10.9	10.6	17.7	17.4	---	14.2
33	Los Angeles, CA	6.0	5.7	48.2	45.7	12.3	13.8
34	Oklahoma City, OK	11.3	11.0	---	---	---	13.4
34	Wichita, KS	9.2	9.1	52.6	50.2	---	13.4
36	Columbus, OH	9.3	9.2	25.9	24.6	---	13.1
37	Chicago, IL	4.8	4.6	24.3	23.9	8.3	12.2
38	Fort Worth, TX	9.5	9.4	18.4	18.1	---	11.3
39	Minneapolis, MN	---	---	32.0	28.2	---	10.8
40	Virginia Beach, VA	10.8	10.6	---	---	---	10.5
41	San Antonio, TX	9.9	9.7	---	---	8.7	9.4
42	Portland, OR	8.5	8.2	---	---	---	9.2
43	San Francisco, CA	---	---	64.7	57.7	---	8.6
44	Austin, TX	8.1	8.0	---	---	---	7.7
45	Omaha, NB	---	---	---	---	---	7.2
46	Boston, MA	---	---	25.1	22.9	---	7.1
47	Arlington, TX	---	---	---	---	---	7.0
48	Seattle, WA	6.1	5.9	---	---	---	6.9
49	San Diego, CA	4.5	4.4	21.7	19.8	7.0	6.6
50	San Jose, CA	---	---	---	---	---	5.3
51	El Paso, TX	---	---	---	---	---	5.2
52	New York, NY	2.5	2.4	12.1	11.5	4.4	5.1
---	Honolulu, HI	---	---	---	---	---	---
	City Average	11.8	11.6	34.5	33.2	15.4	16.3
	United States, 2004	---	---	---	---	---	9.8
	2010 Goal						---

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 2.17: Suicide Rate by Race/Ethnicity, 2004

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Las Vegas, NV	42.4	41.4	---	---	---	34.5
2	Colorado Springs, CO	27.1	26.6	---	---	---	26.1
3	Tucson, AZ	31.6	31.1	---	---	14.4	25.0
4	Sacramento, CA	29.7	28.3	---	---	---	22.7
5	Albuquerque, NM	22.3	21.8	---	---	20.5	21.0
6	Mesa, AZ	19.4	19.1	---	---	---	19.6
7	Miami, FL	60.7	59.2	---	---	12.4	17.1
8	Denver, CO	21.5	21.1	---	---	---	16.2
9	Jacksonville, FL	20.2	19.9	---	---	---	15.6
10	Pittsburgh, PA	17.3	17.1	---	---	---	15.2
10	Wichita, KS	16.4	16.1	---	---	---	15.2
12	Portland, OR	17.3	16.9	---	---	---	15.1
13	Fresno, CA	23.5	22.6	---	---	---	14.8
14	Phoenix, AZ	17.4	17.2	---	---	11.3	14.7
15	Tulsa, OK	18.1	17.5	---	---	---	14.5
16	Milwaukee, WI	18.9	18.5	---	---	---	14.2
17	Oklahoma City, OK	16.3	15.8	---	---	---	14.1
18	Atlanta, GA	22.6	22.3	9.8	9.7	---	13.8
19	Austin, TX	17.3	17.0	---	---	---	13.6
20	Cincinnati, OH	14.4	14.2	---	---	---	13.3
21	Charlotte, NC	16.5	16.3	---	---	---	13.2
22	St. Louis, MO	17.2	16.8	---	---	---	13.0
23	Indianapolis, IN	15.9	15.7	---	---	---	12.9
24	Virginia Beach, VA	14.7	14.5	---	---	---	12.8
25	Nashville-Davidson, TN	15.5	15.3	---	---	---	12.6
26	Cleveland, OH	18.2	17.8	---	---	---	12.2
26	Seattle, WA	13.7	13.3	---	---	---	12.2
28	Kansas City, MO	14.2	14.0	---	---	---	12.1
29	Houston, TX	20.2	19.8	4.7	4.6	8.4	12.0
30	San Francisco, CA	16.3	15.7	---	---	---	11.6
31	Fort Worth, TX	16.4	16.1	---	---	---	10.9
31	Honolulu, HI	---	---	---	---	---	10.9
33	Columbus, OH	11.6	11.4	---	---	---	10.8
34	Philadelphia, PA	13.7	13.5	6.8	6.7	---	10.7
35	Omaha, NB	12.2	12.1	---	---	---	10.5
36	San Diego, CA	13.7	13.3	---	---	---	10.4
37	Dallas, TX	14.6	14.4	---	---	6.6	10.3
38	San Antonio, TX	16.3	16.0	---	---	6.4	10.2
39	Arlington, TX	12.6	12.4	---	---	---	9.4
40	Long Beach, CA	15.0	14.5	---	---	---	9.3
41	San Jose, CA	12.1	11.6	---	---	---	9.2
42	New Orleans, LA	14.8	14.5	---	---	---	8.9
43	Minneapolis, MN	9.0	8.8	---	---	---	8.8
44	Memphis, TN	12.9	12.7	5.3	5.3	---	8.6
45	Oakland, CA	---	---	---	---	---	8.4
46	El Paso, TX	16.1	15.7	---	---	5.6	8.3
47	Los Angeles, CA	9.6	9.2	6.4	6.1	4.1	7.1
48	Chicago, IL	10.4	10.1	3.7	3.6	5.2	6.3
49	Detroit, MI	---	---	5.4	5.3	---	6.1
50	New York, NY	8.0	7.7	4.7	4.5	4.4	6.0
51	Baltimore, MD	---	---	5.3	5.2	---	5.6
51	Washington, DC	---	---	---	---	---	5.6
53	Boston, MA	---	---	---	---	---	4.2
	City Average	18.2	17.8	5.8	5.7	9.0	12.8
	United States, 2004	---	---	---	---	---	10.7
	2010 Goal						---

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 2.18: HIV-Related Mortality Rate by Race/Ethnicity, 2004

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Miami, FL	48.8	47.6 1	191.2	76.6	25.8	58.4
2	Baltimore, MD	---	---	75.0	74.2	---	50.5
3	Atlanta, GA	17.5	17.3	60.0	59.5	---	42.1
4	Washington, DC	---	---	65.6	64.4	---	41.1
5	New Orleans, LA	16.7	16.4	34.7	34.4	---	27.2
6	San Francisco, CA	26.9	26.0	65.7	62.1	22.8	21.7
7	New York, NY	7.0	6.8	42.7	40.9	22.0	18.2
8	Memphis, TN	---	---	28.4	28.3	---	18.0
9	Philadelphia, PA	4.2	4.1	29.9	29.3	23.9	16.1
10	Charlotte, NC	---	---	43.4	42.9	---	15.3
11	Houston, TX	6.5	6.3	38.3	37.9	7.0	14.1
11	Nashville-Davidson, TN	6.6	6.5	39.4	39.0	---	14.1
13	Dallas, TX	13.0	12.8	20.6	20.3	10.5	13.4
14	Detroit, MI	---	---	13.7	13.5	---	12.0
15	Long Beach, CA	11.1	10.8	---	---	---	11.1
16	Jacksonville, FL	---	---	35.9	35.5	---	11.0
17	St. Louis, MO	---	---	15.0	14.8	---	10.3
18	Denver, CO	10.9	10.8	---	---	---	10.0
19	Oakland, CA	---	---	17.5	16.9	---	9.9
20	Boston, MA	---	---	21.7	20.3	---	9.7
20	Chicago, IL	3.5	3.3	19.7	19.5	6.3	9.7
22	Fort Worth, TX	---	---	27.8	27.5	---	9.6
23	Kansas City, MO	---	---	18.1	17.7	---	9.4
24	Los Angeles, CA	8.2	7.8	22.6	21.7	8.5	8.9
25	Las Vegas, NV	---	---	---	---	---	8.2
26	Cleveland, OH	---	---	10.4	10.3	---	7.9
27	Seattle, WA	7.4	7.2	---	---	---	7.8
28	San Diego, CA	7.7	7.5	---	---	---	7.6
29	Sacramento, CA	---	---	---	---	---	7.0
30	San Antonio, TX	5.1	5.0	---	---	6.8	6.8
31	El Paso, TX	---	---	---	---	7.4	6.2
32	Austin, TX	---	---	---	---	---	5.8
33	Milwaukee, WI	---	---	---	---	---	5.6
33	Phoenix, AZ	4.8	4.7	---	---	---	5.6
35	Indianapolis, IN	---	---	14.9	14.7	---	5.5
36	Tucson, AZ	---	---	---	---	---	5.3
37	Oklahoma City, OK	---	---	---	---	---	4.9
38	Portland, OR	5.1	4.9	---	---	---	4.4
39	Columbus, OH	---	---	---	---	---	3.5
40	San Jose, CA	---	---	---	---	---	2.3
---	Albuquerque, NM	---	---	---	---	---	---
---	Arlington, TX	---	---	---	---	---	---
---	Cincinnati, OH	---	---	---	---	---	---
---	Colorado Springs, CO	---	---	---	---	---	---
---	Fresno, CA	---	---	---	---	---	---
---	Honolulu, HI	---	---	---	---	---	---
---	Mesa, AZ	---	---	---	---	---	---
---	Minneapolis, MN	---	---	---	---	---	---
---	Omaha, NB	---	---	---	---	---	---
---	Pittsburgh, PA	---	---	---	---	---	---
---	Tulsa, OK	---	---	---	---	---	---
---	Virginia Beach, VA	---	---	---	---	---	---
---	Wichita, KS	---	---	---	---	---	---
	City Average	11.7	9.3	39.7	34.3	14.1	13.9
	United States, 2004	---	---	---	---	---	4.4
	2010 Goal						---

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 2.19: Pneumonia and Influenza Mortality Rate by Race/Ethnicity, 2004

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Sacramento, CA	49.1	48.0	---	---	---	45.7
2	Tucson, AZ	44.6	44.2	---	---	31.9	41.2
3	Las Vegas, NV	39.3	38.8	---	---	---	39.6
4	New York, NY	34.9	34.2	45.3	43.9	42.1	37.1
5	Fresno, CA	36.8	36.2	---	---	35.0	34.7
6	Los Angeles, CA	31.5	30.7	45.1	43.9	37.9	33.7
7	San Francisco, CA	31.8	31.0	39.2	37.7	---	28.3
8	Miami, FL	43.7	43.0	36.9	34.7	22.6	28.0
9	Boston, MA	31.5	31.1	---	---	---	27.1
10	San Jose, CA	24.4	23.8	---	---	40.8	27.0
11	Baltimore, MD	29.0	28.7	27.2	27.0	---	26.9
12	Oakland, CA	34.9	34.1	21.1	20.6	---	26.7
13	Columbus, OH	27.0	26.8	24.8	24.2	---	26.5
13	Jacksonville, FL	25.8	25.6	33.2	32.8	---	26.5
15	Virginia Beach, VA	27.2	27.0	---	---	---	25.9
16	Memphis, TN	25.9	25.7	26.3	26.2	---	25.8
17	Long Beach, CA	25.0	24.6	---	---	---	23.3
18	Detroit, MI	19.6	18.8	24.1	23.9	---	22.9
19	Chicago, IL	19.4	19.0	28.0	27.7	19.3	22.4
19	Phoenix, AZ	22.8	22.6	---	---	21.6	22.4
21	St. Louis, MO	23.9	23.7	19.3	19.1	---	22.1
22	Denver, CO	23.6	23.4	---	---	---	21.9
23	Tulsa, OK	23.4	22.9	---	---	---	21.5
24	Albuquerque, NM	19.7	19.6	---	---	26.6	21.4
24	Oklahoma City, OK	23.2	22.8	---	---	---	21.4
26	Nashville-Davidson, TN	20.3	20.2	23.9	23.6	---	21.0
27	Omaha, NB	21.2	21.1	---	---	---	20.7
28	Houston, TX	15.6	15.5	31.9	31.6	16.7	20.0
29	Cincinnati, OH	16.7	16.5	26.3	26.0	---	19.5
30	Indianapolis, IN	20.3	20.1	---	---	---	19.3
31	Colorado Springs, CO	18.9	18.8	---	---	---	19.1
31	Mesa, AZ	18.6	18.5	---	---	---	19.1
33	Pittsburgh, PA	17.9	17.8	---	---	---	18.7
34	Atlanta, GA	14.8	14.7	20.5	20.4	---	18.4
35	Arlington, TX	17.3	17.2	---	---	---	17.8
36	Honolulu, HI	---	---	---	---	---	17.5
37	El Paso, TX	20.6	20.2	---	---	16.3	17.2
38	Charlotte, NC	16.6	16.6	---	---	---	17.1
39	Milwaukee, WI	15.8	15.7	19.7	19.5	---	17.0
40	San Diego, CA	15.5	15.3	---	---	21.9	16.8
41	New Orleans, LA	17.2	17.0	16.0	15.9	---	16.7
42	Cleveland, OH	15.0	14.8	18.8	18.7	---	16.2
42	Dallas, TX	14.1	14.0	25.3	25.0	---	16.2
42	Philadelphia, PA	14.2	14.1	20.1	19.8	---	16.2
42	Washington, DC	---	---	20.0	19.8	---	16.2
46	Fort Worth, TX	15.6	15.5	---	---	---	15.9
47	San Antonio, TX	15.4	15.2	---	---	14.9	15.3
48	Wichita, KS	15.9	15.8	---	---	---	15.1
49	Kansas City, MO	15.1	15.0	---	---	---	14.5
50	Minneapolis, MN	13.9	13.7	---	---	---	13.9
50	Seattle, WA	15.1	15.0	---	---	---	13.9
52	Austin, TX	12.6	12.5	---	---	---	13.2
52	Portland, OR	13.8	13.7	---	---	---	13.2
	City Average	22.9	22.6	27.0	26.5	26.7	22.2
	United States, 2004	---	---	---	---	---	20.4
	2010 Goal						---

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 2.20: Diabetes Mortality Rate by Race/Ethnicity, 2004

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	New Orleans, LA	29.0	28.7	99.8	98.9	---	66.3
2	San Antonio, TX	35.1	34.7	60.1	59.1	66.4	49.8
3	El Paso, TX	29.5	29.1	---	---	55.0	45.8
4	Sacramento, CA	37.0	36.1	80.1	76.8	54.0	42.5
5	Cincinnati, OH	27.2	27.0	72.4	71.6	---	42.2
6	Fresno, CA	30.1	29.5	---	---	74.3	41.2
7	Tucson, AZ	34.5	34.1	---	---	61.8	40.7
8	Miami, FL	51.2	50.4	86.4	82.3	31.1	39.8
8	Washington, DC	16.6	16.3	54.0	53.3	---	39.8
10	Columbus, OH	26.6	26.3	84.5	82.5	---	38.9
11	Baltimore, MD	28.6	28.3	49.1	48.7	---	38.5
12	Jacksonville, FL	29.9	29.6	65.9	65.3	---	37.1
13	St. Louis, MO	23.9	23.6	53.3	52.8	---	35.6
14	Fort Worth, TX	27.7	27.4	58.5	58.0	62.2	35.0
15	Memphis, TN	19.5	19.3	54.7	54.5	---	34.8
16	Portland, OR	32.6	32.2	84.4	80.2	---	34.1
17	Milwaukee, WI	22.5	22.3	69.1	68.3	---	33.3
18	Detroit, MI	23.6	22.0	36.6	36.2	---	32.4
19	Nashville-Davidson, TN	22.9	22.7	72.4	71.8	---	32.1
20	Houston, TX	18.9	18.7	51.6	51.2	52.6	31.9
21	Cleveland, OH	21.1	20.8	44.2	43.7	---	31.4
22	Wichita, KS	25.6	25.4	---	---	---	30.5
23	Los Angeles, CA	21.3	20.7	54.4	52.8	47.7	30.4
24	Oakland, CA	---	---	51.5	50.3	---	30.1
25	Albuquerque, NM	21.8	21.6	---	---	51.1	30.0
26	Austin, TX	18.4	18.3	50.2	49.5	72.4	29.9
27	Indianapolis, IN	24.3	24.1	49.9	49.4	---	28.9
28	Chicago, IL	20.1	19.7	41.1	40.8	37.4	28.4
29	San Jose, CA	23.2	22.6	---	---	56.1	28.0
30	Omaha, NB	20.3	20.2	101.9	100.1	---	27.7
31	Arlington, TX	27.0	26.7	---	---	---	27.6
32	Tulsa, OK	20.3	19.8	102.5	99.9	---	27.3
33	Long Beach, CA	19.5	19.1	---	---	53.2	26.7
34	Philadelphia, PA	19.1	18.9	39.6	39.1	---	26.6
35	Oklahoma City, OK	21.5	21.0	58.2	57.0	---	26.2
36	Kansas City, MO	17.3	17.1	51.1	50.4	---	25.9
37	Charlotte, NC	19.3	19.2	48.4	48.0	---	25.8
38	Dallas, TX	14.3	14.2	54.4	53.9	34.4	25.2
39	Seattle, WA	20.5	20.3	74.2	70.5	---	24.6
40	Pittsburgh, PA	19.3	19.1	44.7	43.9	---	24.2
41	Las Vegas, NV	19.9	19.7	---	---	---	24.1
41	Mesa, AZ	21.8	21.7	---	---	---	24.1
43	Minneapolis, MN	18.7	18.5	---	---	---	23.0
44	Phoenix, AZ	17.7	17.5	---	---	54.4	22.9
45	New York, NY	14.4	14.1	46.3	44.8	31.2	22.8
46	San Diego, CA	16.0	15.7	47.1	45.1	42.7	21.7
47	Boston, MA	18.9	18.7	42.0	39.9	---	21.6
48	Denver, CO	14.9	14.8	51.3	49.8	32.6	21.5
49	Virginia Beach, VA	18.0	17.9	---	---	---	21.4
50	Atlanta, GA	---	---	31.8	31.6	---	20.4
51	San Francisco, CA	13.1	12.8	52.8	50.7	---	17.0
52	Colorado Springs, CO	14.6	14.4	---	---	---	16.2
53	Honolulu, HI	---	---	---	---	---	13.5
	City Average	23.0	22.7	59.8	58.5	51.1	30.5
	United States, 2004	---	---	---	---	---	24.4
	2010 Goal						---

† Per 100,000 population using 2000 U.S. Census figures; age adjusted to the year 2000 standard population. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 2.21: Infant Mortality Rate by Race/Ethnicity*, 2003

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Memphis, TN	---		22.1		---	17.3
2	Detroit, MI	---		18.1		---	16.4
3	Pittsburgh, PA	---		26.1		---	14.5
4	Baltimore, MD	---		18.0		---	12.8
5	St. Louis, MO	---		15.8		---	12.7
6	Tucson, AZ	6.5		---		39.0	12.1
7	Milwaukee, WI	6.0		16.0		9.4	11.4
8	New Orleans, LA	---		12.2		---	11.3
9	Philadelphia, PA	7.5		14.0		5.8	10.6
10	Washington, DC	---		13.7		---	10.5
11	Cincinnati, OH	---		15.0		---	10.3
11	Oklahoma City, OK	10.0		16.6		---	10.3
13	Jacksonville, FL	7.3		16.2		---	10.2
14	Chicago, IL	6.0		17.0		5.9	10.0
14	Cleveland, OH	---		13.1		---	10.0
16	Columbus, OH	6.4		14.9		---	9.8
17	Indianapolis, IN	7.9		15.4		---	9.4
18	Fort Worth, TX	7.4		17.9		6.2	8.8
19	Kansas City, MO	6.5		12.6		---	8.3
20	Dallas, TX	5.9		14.4		6.7	8.1
21	Honolulu, HI	---		---		---	8.0
22	San Antonio, TX	6.0		16.8		7.3	7.5
23	Nashville-Davidson, TN	---		12.0		---	7.4
24	Omaha, NB	5.3		---		---	7.3
25	Charlotte, NC	4.0		12.7		---	7.2
25	Colorado Springs, CO	5.7		---		---	7.2
27	Fresno, CA	9.3		---		5.8	7.0
27	Long Beach, CA	---		---		6.9	7.0
29	Denver, CO	---		---		7.2	6.9
29	Houston, TX	7.0		11.7		5.1	6.9
31	Phoenix, AZ	4.9		---		7.6	6.8
32	Virginia Beach, VA	6.1		---		---	6.7
33	Oakland, CA	---		13.2		---	6.5
34	Wichita, KS	4.9		---		---	6.3
35	Arlington, TX	7.6		---		---	6.2
35	Austin, TX	---		---		6.3	6.2
35	New York, NY	4.2		10.3		4.8	6.2
38	Boston, MA	---		13.0		---	6.1
39	Mesa, AZ	---		---		8.0	6.0
40	Sacramento, CA	---		11.5		5.7	5.9
41	Seattle, WA	---		---		---	5.6
42	Los Angeles, CA	5.7		11.2		4.8	5.5
43	Minneapolis, MN	---		---		---	5.4
44	Miami, FL	---		4.2		---	5.0
45	Albuquerque, NM	---		---		4.6	4.5
45	San Diego, CA	4.5		---		5.3	4.5
45	Tulsa, OK	6.0		---		---	4.5
48	San Jose, CA	---		---		5.3	4.0
49	El Paso, TX	---		---		3.6	3.9
49	Portland, OR	---		---		---	3.9
51	Las Vegas, NV	3.9		---		---	3.7
52	San Francisco, CA	---		---		---	3.1
---	Atlanta, GA	---		---		---	---
	City Average	6.3		14.7		7.7	8.0
	United States, 2004	5.7		---		5.6	6.8
	2010 Goal						4.5

† Per 1,000 live births.
* Rates based on race/ethnicity categories employed in 1990 census.
"---" Numerator less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 2.22: Fertility Rate by Race/Ethnicity, 2003

Rank	City*	Rate† NH White		NH Black		Hispanic	Total
1	Miami, FL	137.6	132.9	326.8	305.7	146.8	182.9
2	Las Vegas, NV	130.2	125.7	178.5	168.9	258.4	173.0
3	Tulsa, OK	87.4	83.3	24.8	23.6	926.9	138.0
4	Sacramento, CA	116.7	108.9	117.6	108.8	185.0	129.9
5	Fresno, CA	69.3	66.1	95.7	90.9	134.5	101.5
6	El Paso, TX	55.4	53.4	69.9	65.0	110.0	99.6
7	Houston, TX	60.1	58.5	76.2	75.1	142.4	97.7
8	Mesa, AZ	76.2	74.9	97.6	87.3	163.8	97.1
9	Fort Worth, TX	68.3	66.9	78.4	77.1	139.8	91.8
10	Atlanta, GA	75.1	73.6	75.6	74.8	408.5	90.1
11	Denver, CO	59.4	57.7	77.4	72.0	145.5	88.5
12	San Antonio, TX	68.1	66.1	73.1	70.2	97.6	85.8
13	Phoenix, AZ	46.5	45.5	80.8	74.6	147.6	85.3
14	Wichita, KS	77.2	75.4	93.4	88.9	139.9	84.9
15	Dallas, TX	50.4	49.3	65.9	64.8	131.9	83.7
16	Charlotte, NC	71.4	70.4	73.7	72.7	208.0	82.2
17	Albuquerque, NM	60.0	58.1	73.7	63.9	107.3	81.7
18	Colorado Springs, CO	71.7	69.7	90.6	81.0	136.1	79.5
19	Omaha, NB	66.4	65.5	87.8	84.2	182.0	77.9
20	Milwaukee, WI	56.1	54.6	88.0	86.1	125.1	77.8
21	Arlington, TX	56.9	55.6	77.6	75.3	143.6	77.3
22	Indianapolis, IN	66.0	65.1	80.3	78.6	237.6	76.2
23	San Jose, CA	53.3	50.0	55.4	49.3	103.2	76.0
24	Oklahoma City, OK	59.1	56.8	79.1	75.5	167.4	73.6
25	Austin, TX	51.6	50.4	61.9	59.4	119.4	73.2
26	Long Beach, CA	48.8	45.8	57.7	54.9	104.6	72.2
27	Los Angeles, CA	45.3	42.3	59.7	56.6	97.8	72.0
28	Kansas City, MO	61.7	60.4	73.0	71.1	152.5	71.5
29	Memphis, TN	48.6	47.7	76.3	75.8	215.3	71.4
30	Cincinnati, OH	62.2	61.1	80.8	79.2	171.8	71.1
31	Cleveland, OH	60.8	59.1	77.7	76.5	80.8	70.4
32	Portland, OR	60.3	58.0	82.7	71.7	161.2	69.1
33	Chicago, IL	48.4	46.6	67.6	66.6	99.0	68.5
34	Jacksonville, FL	60.6	59.5	79.2	78.1	98.1	68.2
35	San Diego, CA	48.3	46.0	61.4	55.8	102.1	65.6
36	St. Louis, MO	50.6	49.2	77.2	76.0	111.0	65.0
37	Minneapolis, MN	45.4	44.0	100.3	89.9	163.0	64.8
38	Detroit, MI	70.7	62.5	61.6	60.8	128.9	64.7
39	Oakland, CA	58.8	53.8	50.2	47.8	104.8	64.5
40	Honolulu, HI	74.6	46.7	106.0	80.5	111.7	63.6
41	Philadelphia, PA	44.1	43.1	72.6	71.1	106.3	63.0
41	Virginia Beach, VA	61.2	59.8	66.7	64.6	89.2	63.0
43	Nashville-Davidson, TN	50.7	49.8	67.4	66.3	212.6	62.7
44	New York, NY	57.7	55.3	60.7	57.9	72.0	62.5
45	Baltimore, MD	59.0	57.4	63.1	62.4	120.5	62.2
46	New Orleans, LA	43.2	42.1	67.7	67.2	41.4	60.1
47	Columbus, OH	46.0	45.1	83.5	79.6	188.1	57.9
48	Tucson, AZ	59.6	58.0	268.6	239.7	28.6	57.2
49	Washington, DC	40.5	39.2	59.4	58.2	81.3	53.0
50	Boston, MA	35.9	34.9	69.1	63.4	73.6	47.6
51	Pittsburgh, PA	39.9	39.3	64.7	62.9	74.5	47.1
52	Seattle, WA	43.1	41.3	68.4	58.2	71.3	46.2
53	San Francisco, CA	38.4	36.5	54.8	49.3	68.2	45.7
	City Average	61.4	58.8	84.5	79.5	149.8	78.4
	United States, 2003	---	---	---	---	---	66.1
	2010 Goal						---

† Per 1,000 women aged 15-44. Rates based on 2000 U.S. Census figures. For the Non-Hispanic (NH) racial group described above, § Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

"---" Numerator less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 2.23: Percent Low Birthweight by Race/Ethnicity*, 2003

Rank	City*	Rate† NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
1	Detroit, MI	10.9		14.7		5.5	13.5
1	New Orleans, LA	7.5		15.1		---	13.5
3	Baltimore, MD	9.4		15.4		6.4	13.2
4	Memphis, TN	6.6		14.4		5.0	12.0
5	Philadelphia, PA	7.6		14.9		10.3	11.7
6	Cleveland, OH	8.9		13.2		10.1	11.4
6	St. Louis, MO	7.4		13.9		---	11.4
8	Cincinnati, OH	8.5		14.2		---	11.2
8	Pittsburgh, PA	8.8		15.6		---	11.2
10	Washington, DC	6.1		13.8		7.6	10.9
11	Atlanta, GA	8.1		13.6		5.9	10.4
12	Colorado Springs, CO	9.9		15.1		9.3	10.3
12	Miami, FL	10.5		13.9		7.5	10.3
14	Chicago, IL	7.5		15.6		6.6	10.1
15	Columbus, OH	8.2		13.6		5.1	9.8
15	Jacksonville, FL	7.7		13.4		6.9	9.8
15	Milwaukee, WI	6.6		13.8		6.2	9.8
18	Nashville-Davidson, TN	7.9		13.9		6.5	9.5
19	Denver, CO	8.9		17.3		8.1	9.3
20	Albuquerque, NM	9.1		13.7		9.1	9.1
20	Charlotte, NC	7.0		13.6		6.9	9.1
22	Boston, MA	6.5		13.1		7.3	8.9
22	San Antonio, TX	8.1		14.7		8.7	8.9
24	Indianapolis, IN	7.9		12.5		4.7	8.8
25	Honolulu, HI	6.4		15.3		7.3	8.6
26	New York, NY	6.5		12.1		7.7	8.5
27	Fort Worth, TX	7.3		14.8		6.7	8.4
27	Oklahoma City, OK	8.2		13.7		5.7	8.4
29	Kansas City, MO	7.2		11.5		5.3	8.3
29	Tucson, AZ	7.7		13.4		5.1	8.3
29	Wichita, KS	7.5		13.7		7.0	8.3
32	Dallas, TX	7.4		14.2		6.2	8.2
32	Houston, TX	7.4		13.9		6.4	8.2
34	Las Vegas, NV	7.4		13.6		7.0	8.1
35	Arlington, TX	7.4		13.2		6.1	8.0
36	El Paso, TX	9.1		14.7		7.6	7.9
37	Omaha, NB	7.0		12.0		6.2	7.8
38	Tulsa, OK	7.9		11.8		7.1	7.7
39	Virginia Beach, VA	6.6		10.9		7.9	7.6
40	Minneapolis, MN	6.3		11.3		4.5	7.5
41	Long Beach, CA	6.6		10.7		6.6	7.4
41	Oakland, CA	5.6		13.6		4.4	7.4
43	San Francisco, CA	6.2		15.3		7.5	7.3
44	Los Angeles, CA	6.9		13.8		6.3	7.2
45	Austin, TX	6.2		12.8		7.0	7.1
45	Fresno, CA	6.6		11.2		6.4	7.1
45	Phoenix, AZ	6.7		12.9		6.9	7.1
48	Sacramento, CA	6.1		10.7		5.9	6.9
49	San Diego, CA	6.1		10.7		6.0	6.7
50	Seattle, WA	5.9		10.1		5.8	6.6
51	Portland, OR	6.2		12.5		5.0	6.5
52	San Jose, CA	6.2		12.3		5.7	6.3
53	Mesa, AZ	5.9		12.8		6.1	6.2
	City Average	7.4		13.4		6.7	8.9
	United States, 2003	7.0		13.6		6.7	7.9
	2010 Goal						5.0

* Rates based on race/ethnicity categories employed in 1990 census.
"---" Numerator less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 2.24: Percent of Mothers Under Age Twenty by Race/Ethnicity*, 2003

Rank	City*	Percent† NH White	NH Black	Hispanic	Total
1	Baltimore, MD	8.9	23.1	13.8	18.3
2	Cleveland, OH	11.2	21.7	19.9	17.8
2	Memphis, TN	8.2	21.4	15.3	17.8
4	St. Louis, MO	7.0	24.2	13.3	17.7
5	Detroit, MI	12.8	18.6	14.3	17.6
6	New Orleans, LA	2.7	21.5	---	17.5
7	Milwaukee, WI	6.9	24.4	18.0	17.4
8	Cincinnati, OH	8.9	24.4	15.9	16.6
9	El Paso, TX	8.4	13.5	17.0	16.1
10	Philadelphia, PA	7.5	20.1	22.1	16.0
11	Fresno, CA	7.7	22.0	17.3	15.5
12	Phoenix, AZ	8.7	21.5	18.3	15.3
12	San Antonio, TX	6.3	16.6	18.4	15.3
14	Dallas, TX	5.6	21.0	16.3	15.0
15	Fort Worth, TX	7.7	21.5	17.7	14.7
16	Oklahoma City, OK	11.7	21.2	17.6	14.6
17	Albuquerque, NM	6.3	15.7	18.7	13.9
17	Tucson, AZ	10.4	20.4	17.2	13.9
19	Tulsa, OK	8.8	15.1	17.5	13.8
20	Chicago, IL	2.8	21.6	13.8	13.6
21	Kansas City, MO	8.0	20.7	15.8	13.3
22	Indianapolis, IN	10.3	20.3	12.2	13.1
23	Houston, TX	6.1	16.3	14.9	13.0
24	Jacksonville, FL	9.2	19.1	12.1	12.7
25	Atlanta, GA	1.4	18.7	13.4	12.3
25	Denver, CO	4.3	17.0	17.4	12.3
27	Wichita, KS	10.5	18.3	15.5	12.2
28	Pittsburgh, PA	6.4	22.3	---	11.9
29	Columbus, OH	9.6	15.8	12.7	11.7
30	Nashville-Davidson, TN	7.7	17.2	15.8	11.6
31	Sacramento, CA	6.7	17.7	14.1	11.4
31	Washington, DC	---	16.3	10.6	11.4
33	Las Vegas, NV	7.3	16.7	14.2	11.0
33	Miami, FL	9.6	16.5	7.3	11.0
35	Arlington, TX	8.4	12.9	14.1	10.8
35	Austin, TX	3.7	16.7	16.5	10.8
37	Mesa, AZ	7.5	13.0	15.6	10.7
38	Colorado Springs, CO	7.2	15.3	19.5	10.5
39	Long Beach, CA	4.0	12.8	12.6	10.4
40	Minneapolis, MN	3.1	16.5	13.1	10.3
41	Los Angeles, CA	2.2	13.5	12.8	10.2
41	Omaha, NB	6.4	22.4	13.0	10.2
43	Oakland, CA	2.8	14.1	12.9	9.8
44	Charlotte, NC	3.3	15.1	12.0	8.7
45	San Diego, CA	3.1	12.2	12.7	7.9
46	Virginia Beach, VA	6.1	13.4	10.5	7.8
47	Boston, MA	2.8	10.8	13.0	7.5
48	New York, NY	2.0	10.4	12.2	7.4
49	Portland, OR	5.1	16.2	12.6	7.0
50	San Jose, CA	2.5	---	11.3	6.0
51	Honolulu, HI	3.6	---	9.8	5.2
52	San Francisco, CA	0.8	15.0	10.1	4.3
53	Seattle, WA	1.7	10.5	11.3	3.8
	City Average	6.4	17.7	14.6	12.2
	United States, 2003	7.5	17.4	14.3	10.3
	2010 Goal				---

* Rates based on race/ethnicity categories employed in 1990 census.
"---" Numerator less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 2.25: Percent of Mothers who Smoke by Race/Ethnicity*, 2003

Rank	City*	Percent† NH White	NH Black	Hispanic	Total
1	Philadelphia, PA	---	---	---	17.7
2	Indianapolis, IN	23.2	14.5	1.2	17.6
3	Cleveland, OH	26.8	13.0	12.9	17.3
4	St. Louis, MO	17.4	16.5	---	16.0
5	Columbus, OH	19.3	14.4	3.0	15.7
6	Cincinnati, OH	19.8	13.2	---	15.6
7	Oklahoma City, OK	21.6	14.6	3.4	15.1
8	Wichita, KS	18.1	15.7	3.3	14.7
9	Detroit, MI	20.0	14.5	3.6	13.8
10	Omaha, NB	15.9	15.2	3.2	13.2
11	Baltimore, MD	16.7	12.5	---	13.1
12	Kansas City, MO	15.9	13.4	3.9	13.0
13	Milwaukee, WI	13.6	15.6	5.1	12.4
14	Portland, OR	12.7	19.3	3.8	11.1
14	Tucson, AZ	14.2	10.4	---	11.1
16	Albuquerque, NM	14.3	17.4	9.4	11.0
17	Jacksonville, FL	14.4	4.6	4.5	9.6
18	Colorado Springs, CO	10.9	10.1	5.9	9.5
19	Nashville-Davidson, TN	12.7	8.6	---	9.2
20	Las Vegas, NV	13.5	13.2	2.0	8.3
21	Denver, CO	8.7	11.7	5.3	7.0
22	Memphis, TN	13.4	5.9	---	6.9
23	Mesa, AZ	9.6	---	2.6	6.6
24	Virginia Beach, VA	8.0	4.1	---	6.5
25	Charlotte, NC	7.1	8.6	---	6.2
25	Chicago, IL	5.1	12.9	1.3	6.2
25	Minneapolis, MN	5.1	9.3	---	6.2
28	Phoenix, AZ	13.2	10.3	2.1	5.8
29	Arlington, TX	10.6	4.3	1.5	5.6
30	Tulsa, OK	8.1	8.7	2.2	4.9
31	Fort Worth, TX	8.4	4.6	1.6	4.4
32	Honolulu, HI	3.9	---	7.8	4.1
33	Boston, MA	4.6	5.2	2.2	4.0
34	Washington, DC	---	5.9	---	3.7
35	Austin, TX	5.7	7.4	1.7	3.6
36	San Antonio, TX	6.3	5.5	2.0	3.2
37	Atlanta, GA	2.3	4.7	---	3.0
38	Dallas, TX	7.2	4.2	0.8	2.8
39	New Orleans, LA	5.3	2.0	---	2.5
40	Houston, TX	6.2	3.9	0.7	2.3
41	El Paso, TX	6.4	---	1.4	1.9
41	New York, NY	1.7	3.1	1.6	1.9
43	Miami, FL	2.1	0.7	0.6	0.7
---	Fresno, CA	---	---	---	---
---	Long Beach, CA	---	---	---	---
---	Los Angeles, CA	---	---	---	---
---	Oakland, CA	---	---	---	---
---	Pittsburgh, PA	---	---	---	---
---	Sacramento, CA	---	---	---	---
---	San Diego, CA	---	---	---	---
---	San Francisco, CA	---	---	---	---
---	San Jose, CA	---	---	---	---
---	Seattle, WA	---	---	---	---
	City Average	11.5	9.7	3.4	8.5
	United States, 2003	14.3	8.3	2.7	10.7
	2010 Goal				1.0

* Percent based on race/ethnicity categories employed in 1990 census.
"---" Numerator less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Section 3

Table 3.1: HIV (not AIDS) Prevalence Rate, 1998 – 2005

City*	Annual Rate† 1998	1999	2000	2001	2002	2003	2004	2005	Percent Change 1998-2005
Albuquerque, NM	72.3	73.5	74.2	71.9	72.0	72.8	74.2	75.1	3.8
Arlington, TX	---	---	---	---	---	---	---	---	---
Atlanta, GA	---	---	---	---	---	---	---	---	---
Austin, TX	---	---	---	---	---	---	---	---	---
Baltimore, MD	733.4	852.5	967.1	1,056.0	1,131.4	1,183.0	1,253.5	1,343.3	83.2
Boston, MA	176.7	200.3	225.9	250.9	277.9	300.9	326.9	353.9	100.3
Charlotte, NC	288.8	299.5	307.3	326.4	343.0	362.8	385.0	403.1	39.6
Chicago, IL	---	109.4	144.8	184.9	226.6	264.1	305.0	342.6	---
Cincinnati, OH	195.1	212.0	218.5	233.6	240.0	249.0	256.3	269.0	37.9
Cleveland, OH	139.9	152.8	160.1	175.2	180.0	190.2	201.9	213.6	52.7
Colorado Springs, CO	---	---	---	---	---	---	68.5	71.8	---
Columbus, OH	118.0	125.1	132.4	142.4	154.5	165.2	177.8	192.3	62.9
Dallas, TX	---	60.9	113.4	166.2	233.2	283.4	341.2	402.1	---
Denver, CO	429.0	437.9	446.1	461.6	481.9	500.9	517.3	535.3	24.8
Detroit, MI	---	---	---	---	---	---	---	---	---
El Paso, TX	---	6.5	5.7	11.9	12.2	9.6	9.6	9.8	---
Fort Worth, TX	---	40.0	82.7	108.3	143.3	193.6	224.1	261.3	---
Fresno, CA	43.1	46.5	48.8	54.4	63.2	72.9	79.1	84.4	96.1
Honolulu, HI	---	---	---	---	---	---	---	---	---
Houston, TX	---	240.6	264.6	289.4	314.3	326.7	335.0	346.3	---
Indianapolis, IN	125.9	128.1	134.1	139.6	142.3	147.7	155.2	159.7	26.8
Jacksonville, FL	25.0	42.1	65.3	94.1	121.3	150.2	179.4	203.9	716.4
Kansas City, MO	415.0	429.7	439.4	455.7	475.8	495.8	517.5	538.3	29.7
Las Vegas, NV	---	---	---	---	---	---	---	---	---
Long Beach, CA	---	---	---	---	57.2	121.3	58.9	47.9	---
Los Angeles, CA	---	---	---	---	---	---	---	250.7	---
Memphis, TN	180.5	207.5	233.8	262.7	296.6	327.9	361.6	402.1	122.7
Mesa, AZ	---	---	---	---	---	---	447.6	482.6	---
Miami, FL	422.4	701.7	956.2	1,234.3	1,554.6	1,840.7	2,134.8	2,407.4	470.0
Milwaukee, WI	188.1	191.9	198.0	199.3	206.5	208.6	213.4	218.3	16.0
Minneapolis, MN	281.9	299.7	312.6	327.2	339.5	348.1	326.4	326.7	15.9
Nashville-Davidson, TN	177.3	191.6	205.7	222.8	240.6	259.9	277.4	296.9	67.5
New Orleans, LA	463.3	488.2	509.6	521.0	530.7	537.7	552.1	412.6	-10.9
New York, NY	---	---	373.7	416.2	438.3	439.0	439.7	440.8	---
Oakland, CA	---	---	---	---	---	---	255.3	253.3	---
Oklahoma City, OK	79.6	89.3	96.2	103.5	113.4	122.5	129.4	140.7	76.7
Omaha, NB	43.3	50.9	57.4	69.7	75.9	80.3	86.7	97.4	125.1
Philadelphia, PA	---	---	---	---	---	---	---	---	---
Phoenix, AZ	---	---	---	---	---	---	185.8	195.6	---
Pittsburgh, PA	---	---	---	---	---	---	---	---	---
Portland, OR	113.7	117.1	120.7	127.9	135.1	142.0	144.1	150.6	32.4
Sacramento, CA	---	---	---	---	---	---	---	---	---
San Antonio, TX	---	37.6	45.3	58.6	71.4	85.7	103.4	123.5	---
San Diego, CA	---	---	---	---	---	---	---	---	---
San Francisco, CA	---	---	---	---	641.5	697.3	749.7	792.2	---
San Jose, CA	---	---	---	---	33.9	54.6	61.5	76.8	---
Seattle, WA	272.9	292.6	314.5	332.6	349.9	361.4	379.0	389.8	42.8
St. Louis, MO	---	---	---	---	---	---	---	---	---
Tucson, AZ	---	---	---	---	---	---	195.4	194.2	---
Tulsa, OK	---	---	---	---	---	---	---	---	---
Virginia Beach, VA	71.8	79.1	85.4	91.2	99.9	105.8	114.5	124.4	73.4
Washington, DC	---	---	---	---	---	---	2,410.4	2,951.6	---
Wichita, KS	---	---	---	---	---	---	---	---	---

Year 2010 Goal: NA

† People living with HIV (not AIDS) at the end of respective year, crude rate per 100,000 population. Population figures for 2000-2005 rates were calculated using 2000 U.S. Census figures, 1998-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data.
* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

Table 3.2: AIDS Prevalence Rate, 1998 – 2005

City*	Annual Rate† 1998	1999	2000	2001	2002	2003	2004	2005	Percent Change 1998-2005
Albuquerque, NM	80.1	84.2	86.8	92.9	95.2	100.8	107.2	112.1	39.9
Arlington, TX	---	---	---	---	---	---	---	---	---
Atlanta, GA	965.4	1011.1	1,062.0	1,124.2	1,191.2	1,255.8	1,319.2	1,346.5	39.5
Austin, TX	---	---	---	---	---	---	---	---	---
Baltimore, MD	655.3	717.7	764.6	812.4	848.3	883.2	931.4	978.6	49.3
Boston, MA	328.5	349.8	370.0	383.3	399.7	415.9	429.9	442.8	34.8
Charlotte, NC	89.4	94.1	96.7	111.3	131.1	153.8	166.4	184.3	106.1
Chicago, IL	210.4	226.3	244.5	262.9	283.7	302.6	321.3	345.0	64.0
Cincinnati, OH	155.0	164.7	173.0	182.6	195.9	212.2	221.9	240.3	55.0
Cleveland, OH	179.7	195.5	212.6	225.8	243.9	266.1	282.6	302.0	68.1
Colorado Springs, CO	---	---	---	---	---	---	44.3	47.2	---
Columbus, OH	65.0	69.9	75.5	83.3	90.4	103.3	113.8	124.2	91.2
Dallas, TX	287.5	317.4	344.5	386.2	425.1	470.1	518.4	563.4	95.9
Denver, CO	456.6	479.0	502.9	526.7	553.2	578.8	602.2	629.8	37.9
Detroit, MI	171.8	185.6	201.8	210.5	222.4	238.4	253.7	270.4	57.3
El Paso, TX	16.1	10.2	9.9	15.4	9.2	13.5	10.1	8.9	-44.9
Fort Worth, TX	352.2	366.7	388.1	406.8	429.2	456.3	470.0	485.5	37.8
Fresno, CA	51.2	55.5	57.4	62.3	69.7	73.6	75.1	78.7	53.6
Honolulu, HI	40.1	45.8	51.2	57.4	65.9	73.7	80.5	85.1	112.4
Houston, TX	319.6	332.7	346.2	365.8	394.4	420.9	449.4	477.6	49.4
Indianapolis, IN	109.7	120.3	129.8	140.2	152.9	166.8	178.7	220.2	100.7
Jacksonville, FL	226.7	251.1	271.2	289.4	304.2	317.3	326.7	330.6	45.8
Kansas City, MO	227.1	239.5	242.6	252.7	263.8	275.8	284.5	291.0	28.2
Las Vegas, NV	---	---	---	---	---	---	---	---	---
Long Beach, CA	28.0	33.4	33.6	33.4	77.6	80.2	44.9	29.5	5.2
Los Angeles, CA	211.1	226.4	241.0	254.9	270.5	283.5	291.3	300.6	42.4
Memphis, TN	263.1	274.9	291.6	302.6	308.4	313.8	315.5	311.6	18.5
Mesa, AZ	---	---	---	---	---	---	426.6	481.4	---
Miami, FL	2361.5	2617.3	2,813.2	2,965.5	3,119.2	3,209.4	3,283.0	3,353.4	42.0
Milwaukee, WI	155.0	164.7	175.0	185.8	194.0	203.9	214.1	221.1	42.6
Minneapolis, MN	195.8	204.0	213.8	220.3	225.0	237.6	243.1	250.9	28.1
Nashville-Davidson, TN	256.8	264.5	275.8	275.3	280.2	284.3	283.7	288.3	12.3
New Orleans, LA	370.7	402.6	431.8	463.4	498.5	522.8	563.7	394.5	6.4
New York, NY	529.3	556.8	598.2	635.5	662.2	697.2	721.8	748.4	41.4
Oakland, CA	514.2	491.2	473.6	456.6	444.6	432.6	420.3	408.5	-20.5
Oklahoma City, OK	61.3	67.7	75.9	88.9	100.6	111.2	119.7	128.2	109.1
Omaha, NB	60.8	66.0	72.0	77.7	85.6	95.9	103.8	109.2	79.6
Philadelphia, PA	358.3	415.0	454.0	488.6	523.4	563.1	598.0	630.2	75.9
Phoenix, AZ	---	---	---	---	---	---	148.6	167.2	---
Pittsburgh, PA	---	---	---	---	---	---	---	---	---
Portland, OR	168.2	176.4	184.4	192.9	201.5	210.3	223.0	234.4	39.3
Sacramento, CA	87.3	91.0	94.9	100.4	105.7	111.2	116.2	121.0	38.7
San Antonio, TX	158.4	165.5	168.6	178.4	184.7	189.5	195.3	196.7	24.2
San Diego, CA	143.6	151.3	159.2	168.2	178.9	190.0	200.1	210.1	46.3
San Francisco, CA	967.3	989.5	1,008.6	1,032.1	1,054.0	1,083.3	1,101.7	1,123.0	16.1
San Jose, CA	62.2	71.0	77.0	83.7	95.1	104.0	106.6	114.3	83.8
Seattle, WA	332.4	347.9	370.1	388.2	406.1	425.1	443.0	461.0	38.7
St. Louis, MO	---	---	---	---	---	---	---	---	---
Tucson, AZ	---	---	---	---	---	---	173.0	184.1	---
Tulsa, OK	---	---	---	---	---	---	---	---	---
Virginia Beach, VA	46.3	54.4	59.7	69.4	79.5	83.2	89.8	96.9	109.2
Washington, DC	926.4	1056.7	1,220.5	1,378.7	1,542.5	1,709.4	1,887.7	2,015.2	117.5
Wichita, KS	---	---	---	---	---	---	---	---	---

Year 2010 Goal: NA

† People living with AIDS at the end of respective year, crude rate per 100,000 population. Population figures for 2000-2005 rates were calculated using 2000 U.S. Census figures, 1998-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data.

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

Table 3.3: AIDS Incidence Rate, 1998 – 2005

City*	Annual Rate† 1998	1999	2000	2001	2002	2003	2004	2005	Percent Change 1998-2005
Albuquerque, NM	9.6	8.8	7.9	10.1	7.9	10.8	9.2	8.1	-16.0
Arlington, TX	---	---	---	---	---	---	---	---	---
Atlanta, GA	141.0	122.5	118.1	120.5	111.7	114.1	110.5	72.8	-48.4
Austin, TX	---	---	---	---	---	---	---	---	---
Baltimore, MD	124.6	125.8	106.0	122.6	111.5	112.4	108.0	94.4	-24.2
Boston, MA	49.9	37.0	36.3	30.0	31.4	29.2	25.5	24.1	-51.7
Charlotte, NC	23.1	17.8	15.3	23.5	33.3	36.2	25.1	27.0	17.1
Chicago, IL	30.2	32.3	34.4	33.8	37.1	33.0	27.8	30.4	0.6
Cincinnati, OH	16.0	20.4	16.9	17.8	20.2	20.2	15.4	22.0	37.4
Cleveland, OH	18.9	20.8	19.6	15.5	16.9	15.5	9.0	9.8	-47.9
Colorado Springs, CO	---	---	---	---	---	---	---	3.9	---
Columbus, OH	11.0	11.8	9.7	13.4	12.1	18.6	15.3	11.9	9.1
Dallas, TX	46.9	43.6	40.0	50.7	47.2	51.2	53.8	48.0	2.2
Denver, CO	30.3	30.7	31.4	27.2	28.3	27.6	25.4	30.3	0.0
Detroit, MI	32.7	30.7	33.5	25.6	27.2	28.0	26.6	29.3	-10.3
El Paso, TX	21.2	14.5	12.8	19.3	11.5	16.9	11.9	10.6	-49.7
Fort Worth, TX	27.2	21.0	28.2	18.7	22.4	27.1	13.7	15.5	-42.9
Fresno, CA	9.5	8.7	7.0	7.9	8.4	6.3	3.8	6.0	-36.6
Honolulu, HI	15.6	13.2	13.8	12.0	11.0	7.9	7.1	5.3	-66.2
Houston, TX	41.8	37.8	39.8	39.1	43.0	41.1	43.7	40.3	-3.5
Indianapolis, IN	16.3	17.7	15.2	17.2	20.0	18.8	17.7	16.7	2.8
Jacksonville, FL	30.3	36.6	32.1	32.4	30.2	31.9	38.1	36.3	19.8
Kansas City, MO	18.4	23.6	16.5	18.6	16.3	17.4	17.0	14.3	-22.6
Las Vegas, NV	---	---	---	---	---	---	---	---	---
Long Beach, CA	43.0	47.4	48.3	42.7	48.5	44.0	47.5	40.3	-6.3
Los Angeles, CA	28.9	27.6	25.8	24.4	25.0	21.9	15.6	15.0	-48.0
Memphis, TN	48.4	39.2	38.9	39.5	49.4	39.1	38.9	51.1	5.6
Mesa, AZ	7.3	6.5	5.8	6.3	5.8	7.6	7.3	6.8	-6.8
Miami, FL	396.9	320.6	331.3	318.6	281.1	283.1	354.5	301.5	-24.0
Milwaukee, WI	11.6	10.0	12.6	11.4	10.6	7.9	8.9	6.2	-46.7
Minneapolis, MN	12.9	18.9	19.9	13.9	18.3	14.9	20.9	13.1	0.9
Nashville-Davidson, TN	28.3	28.0	28.6	24.6	29.8	34.7	30.4	31.6	11.7
New Orleans, LA	64.2	59.6	57.6	60.7	59.6	55.5	54.9	39.8	-38.0
New York, NY	71.7	67.6	80.2	69.1	57.9	65.6	53.8	51.1	-28.7
Oakland, CA	39.4	35.1	34.3	34.0	34.8	34.3	25.5	21.3	-46.0
Oklahoma City, OK	13.2	11.0	12.4	16.4	13.6	12.1	9.9	9.7	-26.7
Omaha, NB	8.5	9.7	11.3	10.5	11.8	10.8	10.3	11.0	29.8
Philadelphia, PA	58.5	81.0	62.8	59.0	60.6	56.4	52.7	43.7	-25.3
Phoenix, AZ	17.6	14.8	14.1	14.4	16.4	14.3	15.7	15.4	-12.7
Pittsburgh, PA	---	---	---	---	---	---	---	---	---
Portland, OR	13.5	12.4	11.5	7.9	8.0	7.7	7.9	6.8	-49.5
Sacramento, CA	11.4	11.0	9.6	9.4	8.5	8.3	7.4	6.5	-43.3
San Antonio, TX	10.2	18.0	13.1	18.0	14.6	14.6	16.6	15.8	55.0
San Diego, CA	18.2	16.0	16.2	15.5	16.0	15.3	14.6	13.7	-24.5
San Francisco, CA	90.5	75.3	70.7	64.5	62.7	67.6	57.0	52.5	-42.0
San Jose, CA	9.3	10.0	7.5	6.8	9.2	8.0	3.9	4.2	-54.4
Seattle, WA	36.1	28.3	40.3	31.6	32.8	36.0	30.7	29.5	-18.3
St. Louis, MO	---	---	---	---	---	---	---	---	---
Tucson, AZ	19.6	16.3	15.4	16.4	15.0	18.5	13.1	13.6	-31.0
Tulsa, OK	---	---	---	---	---	---	---	---	---
Virginia Beach, VA	9.4	11.6	9.2	9.6	7.8	5.9	8.0	---	---
Washington, DC	202.6	158.4	146.7	149.6	195.3	172.2	159.2	133.2	-34.2
Wichita, KS	---	---	---	---	---	---	---	---	---

Year 2010 Goal: NA

† AIDS cases diagnosed in 2005, crude rate per 100,000 population. Population figures for 2000-2005 rates were calculated using 2000 U.S. Census figures, 1998-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data.
* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapolis, Portland, Sacramento, San Diego, and Wichita.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

Table 3.4: Primary and Secondary Syphilis Incidence Rate, 1998 – 2005

City*	Annual Rate† 1998	1999	2000	2001	2002	2003	2004	2005	Percent Change 1998-2005
Albuquerque, NM	---	---	---	---	3.8	6.3	7.4	5.0	---
Arlington, TX	---	---	---	---	---	---	---	---	---
Atlanta, GA	23.0	26.6	26.7	25.1	31.7	37.6	37.6	38.0	65.4
Austin, TX	---	---	---	---	---	---	---	---	---
Baltimore, MD	69.7	38.0	33.6	24.7	18.7	24.0	32.3	29.9	-57.0
Boston, MA	4.3	---	3.6	---	8.0	10.2	8.8	10.9	154.3
Charlotte, NC	---	---	7.2	5.7	4.4	---	8.5	14.6	---
Chicago, IL	10.8	9.8	10.1	10.9	12.2	9.2	10.3	14.4	33.7
Cincinnati, OH	---	---	---	---	---	---	---	---	---
Cleveland, OH	5.2	---	---	---	---	---	---	---	---
Colorado Springs, CO	---	---	---	---	---	---	---	---	---
Columbus, OH	8.5	5.7	5.8	8.2	12.8	15.0	12.9	13.5	58.7
Dallas, TX	9.3	9.8	6.5	8.2	11.8	10.3	11.2	10.9	16.5
Denver, CO	---	---	---	---	9.0	6.5	8.3	6.3	---
Detroit, MI	---	---	---	---	---	---	---	---	---
El Paso, TX	---	---	---	---	---	---	---	---	---
Fort Worth, TX	---	---	---	3.9	12.0	9.7	6.7	10.8	---
Fresno, CA	4.8	---	---	---	---	---	---	---	---
Honolulu, HI	---	---	---	---	---	---	---	---	---
Houston, TX	4.7	3.5	3.7	4.7	5.5	9.0	9.9	11.8	151.8
Indianapolis, IN	3.4	47.3	34.9	15.0	4.3	2.8	3.4	3.6	5.3
Jacksonville, FL	---	---	3.3	5.2	---	2.9	9.5	6.7	---
Kansas City, MO	---	---	---	---	---	---	5.2	13.8	---
Las Vegas, NV	---	---	---	---	---	---	---	---	---
Long Beach, CA	---	---	---	---	---	---	---	---	---
Los Angeles, CA	1.9	1.3	2.4	3.3	6.3	8.1	7.7	10.9	468.1
Memphis, TN	39.8	39.4	36.8	30.8	13.2	11.5	12.5	19.5	-50.9
Mesa, AZ	---	---	---	---	---	---	---	---	---
Miami, FL	8.6	22.7	34.8	51.0	63.7	53.5	58.8	46.3	440.2
Milwaukee, WI	9.5	5.5	7.2	---	---	---	---	---	---
Minneapolis, MN	---	---	---	6.0	9.1	5.5	---	11.0	---
Nashville-Davidson, TN	38.1	44.6	35.1	13.3	4.6	3.7	---	4.2	-88.9
New Orleans, LA	---	---	---	---	---	---	---	---	---
New York, NY	1.0	1.6	1.5	3.5	5.4	6.6	7.8	7.7	685.1
Oakland, CA	---	---	---	---	6.0	---	7.0	5.8	---
Oklahoma City, OK	13.0	20.4	13.8	6.7	10.1	9.5	---	4.1	-68.1
Omaha, NB	---	---	---	---	---	---	---	---	---
Philadelphia, PA	5.8	4.5	4.4	5.0	4.7	6.5	4.7	5.7	-1.6
Phoenix, AZ	12.5	12.9	10.4	9.8	8.3	7.8	4.9	5.9	-52.6
Pittsburgh, PA	---	---	---	---	---	---	---	---	---
Portland, OR	---	---	---	---	3.2	4.8	---	4.1	---
Sacramento, CA	---	---	---	---	---	---	---	---	---
San Antonio, TX	2.3	2.7	5.8	6.2	3.8	4.5	9.4	10.7	371.9
San Diego, CA	0.8	0.9	1.0	1.0	1.4	3.9	4.8	6.9	719.4
San Francisco, CA	3.4	3.8	6.8	17.6	40.7	43.1	44.9	32.1	842.9
San Jose, CA	---	---	---	---	---	3.7	4.2	4.6	---
Seattle, WA	---	---	---	---	---	---	---	---	---
St. Louis, MO	---	---	---	---	---	---	---	---	---
Tucson, AZ	---	---	---	---	---	---	---	---	---
Tulsa, OK	---	---	---	---	---	---	---	---	---
Virginia Beach, VA	---	---	---	---	---	---	---	---	---
Washington, DC	14.0	7.8	6.5	7.3	10.1	8.4	12.1	19.9	42.2
Wichita, KS	---	---	---	---	---	---	---	---	---

Year 2010 Goal: 0.2

† Crude rate per 100,000 population by year of report. Population figures for 2000-2005 rates were calculated using 2000 U.S. Census figures, 1998-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data.
* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

Table 3.5: Chlamydia Incidence Rate, 1998 – 2005

City*	Annual Rate† 1998	1999	2000	2001	2002	2003	2004	2005	Percent Change 1998-2005
Albuquerque, NM	---	301.7	399.5	539.3	609.3	595.5	792.0	662.1	---
Arlington, TX	---	---	---	---	---	---	---	---	---
Atlanta, GA	677.8	687.2	709.1	718.6	746.6	713.6	679.0	464.1	-31.5
Austin, TX	---	---	---	---	---	---	---	---	---
Baltimore, MD	853.2	803.1	828.8	822.8	957.5	998.8	1,023.0	979.8	14.8
Boston, MA	428.0	433.9	502.4	478.0	519.4	568.5	626.5	641.4	49.9
Charlotte, NC	---	---	358.3	366.3	523.8	557.7	584.7	591.7	---
Chicago, IL	593.0	628.6	683.4	774.2	852.0	810.3	747.6	789.2	33.1
Cincinnati, OH	1283.2	929.4	1,364.7	1,403.0	1,342.3	1,296.2	1,386.7	1,386.7	8.1
Cleveland, OH	761.2	738.8	876.7	979.5	1,050.6	1,140.9	1,023.4	972.6	27.8
Colorado Springs, CO	322.8	365.0	378.2	404.3	397.0	374.1	433.3	464.3	43.8
Columbus, OH	555.7	572.6	630.8	666.2	664.7	576.4	554.2	589.2	6.0
Dallas, TX	551.1	563.9	578.1	602.0	541.0	516.8	436.1	444.3	-19.4
Denver, CO	633.1	659.1	656.6	886.5	958.3	778.2	832.6	889.2	40.5
Detroit, MI	---	---	---	---	---	---	---	---	---
El Paso, TX	298.7	313.2	364.2	373.5	368.8	375.4	394.2	414.1	38.6
Fort Worth, TX	567.9	493.8	552.1	530.4	481.2	571.9	555.6	585.6	3.1
Fresno, CA	396.3	438.8	463.2	527.4	603.6	592.3	608.8	607.5	53.3
Honolulu, HI	---	---	---	---	---	---	---	---	---
Houston, TX	576.8	495.6	580.7	502.2	516.8	475.8	510.2	481.6	-16.5
Indianapolis, IN	693.3	618.9	695.0	791.9	810.4	752.5	720.0	840.0	21.2
Jacksonville, FL	268.3	373.4	475.9	482.7	533.7	620.7	597.6	628.7	134.4
Kansas City, MO	617.2	699.7	754.2	526.6	658.4	842.5	993.1	959.8	55.5
Las Vegas, NV	---	---	---	---	---	---	---	---	---
Long Beach, CA	---	---	---	---	---	---	---	---	---
Los Angeles, CA	215.0	267.7	287.2	304.2	350.5	378.6	375.2	382.9	78.1
Memphis, TN	155.3	230.4	302.1	631.0	641.9	765.0	959.1	1,040.9	570.4
Mesa, AZ	218.7	218.7	231.6	272.5	277.3	263.1	257.1	394.6	80.4
Miami, FL	964.3	1105.1	836.5	1,048.4	1,299.7	1,222.4	1,360.9	1,073.7	11.3
Milwaukee, WI	1283.6	1388.0	1,164.5	1,401.6	1,447.5	1,399.6	1,485.7	1,565.9	22.0
Minneapolis, MN	654.0	652.1	665.7	655.0	706.2	703.6	654.4	669.6	2.4
Nashville-Davidson, TN	359.1	392.7	421.7	366.0	378.5	465.5	467.5	494.7	37.8
New Orleans, LA	---	---	---	---	---	---	---	---	---
New York, NY	328.0	337.4	326.8	370.2	415.5	434.3	426.9	489.7	49.3
Oakland, CA	455.9	499.2	643.6	675.1	552.5	604.3	614.5	604.8	32.7
Oklahoma City, OK	369.2	390.0	415.5	495.7	517.7	470.0	524.6	517.1	40.1
Omaha, NB	381.6	479.9	496.7	438.2	589.2	630.8	707.4	711.0	86.3
Philadelphia, PA	766.3	826.2	891.8	891.0	1,001.9	1,170.6	1,100.5	1,027.3	34.1
Phoenix, AZ	356.8	375.6	362.7	397.7	427.6	368.5	502.4	509.4	42.7
Pittsburgh, PA	---	---	---	---	---	---	---	---	---
Portland, OR	329.8	309.9	349.1	356.6	348.5	353.2	397.1	434.4	31.7
Sacramento, CA	338.0	367.1	380.0	362.4	385.5	433.0	509.0	569.1	68.4
San Antonio, TX	522.0	490.9	493.3	481.3	482.9	540.3	583.2	618.7	18.5
San Diego, CA	255.0	272.5	306.9	325.8	363.4	364.2	384.6	391.0	53.3
San Francisco, CA	337.8	352.4	398.5	386.1	428.5	431.3	471.7	477.4	41.3
San Jose, CA	132.6	343.0	276.4	239.8	246.0	242.8	334.1	343.5	159.1
Seattle, WA	---	---	---	---	---	---	---	---	---
St. Louis, MO	---	---	---	---	---	---	---	---	---
Tucson, AZ	---	---	---	---	---	---	---	---	---
Tulsa, OK	---	---	---	---	---	---	---	---	---
Virginia Beach, VA	159.3	144.5	158.5	254.9	266.0	309.9	308.0	373.9	134.6
Washington, DC	550.4	473.0	558.2	576.2	582.3	547.5	612.5	643.3	16.9
Wichita, KS	319.3	356.7	337.4	341.6	372.1	419.5	416.7	424.6	33.0

Year 2010 Goal: NA

† Crude rate per 100,000 population by year of report. Population figures for 2000-2005 rates were calculated using 2000 U.S. Census figures, 1998-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data.

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita.

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

Table 3.6: Gonorrhea Rate, 1998 – 2005

City*	Annual Rate† 1998	1999	2000	2001	2002	2003	2004	2005	Percent Change 1998-2005
Albuquerque, NM	---	84.4	122.7	115.9	145.7	112.6	111.6	118.6	---
Arlington, TX	---	---	---	---	---	---	---	---	---
Atlanta, GA	722.0	744.9	1,255.4	504.3	504.3	463.2	353.3	318.1	-55.9
Austin, TX	---	---	---	---	---	---	---	---	---
Baltimore, MD	1050.6	930.4	848.3	765.6	743.1	612.6	608.0	534.0	-49.2
Boston, MA	168.1	143.4	192.1	222.5	223.2	188.6	164.1	143.8	-14.5
Charlotte, NC	---	---	343.5	388.3	404.6	402.3	367.2	367.6	---
Chicago, IL	492.7	525.1	513.5	494.7	477.0	418.5	378.6	341.5	-30.7
Cincinnati, OH	1014.5	723.1	936.7	969.6	1,041.7	995.5	829.5	829.5	-18.2
Cleveland, OH	623.4	723.2	770.7	799.1	866.6	810.0	673.1	683.3	9.6
Colorado Springs, CO	78.2	86.4	58.4	69.3	68.7	68.5	86.3	116.3	48.7
Columbus, OH	442.0	450.6	506.4	481.4	430.9	375.1	363.6	293.3	-33.6
Dallas, TX	497.4	490.2	458.6	379.9	321.4	272.3	231.0	264.3	-46.9
Denver, CO	239.1	253.4	337.9	350.3	393.6	279.3	283.4	277.3	16.0
Detroit, MI	---	---	---	---	---	---	---	---	---
El Paso, TX	43.1	24.5	29.3	45.1	53.8	46.1	42.0	51.3	19.1
Fort Worth, TX	481.7	395.8	388.3	312.1	257.9	283.3	307.7	336.3	-30.2
Fresno, CA	70.0	80.5	89.6	98.2	136.2	144.0	144.5	162.6	132.2
Honolulu, HI	---	---	---	---	---	---	---	---	---
Houston, TX	369.8	288.9	286.7	261.6	243.1	199.9	209.9	202.3	-45.3
Indianapolis, IN	461.9	424.9	412.7	408.3	432.4	366.1	391.2	455.1	-1.5
Jacksonville, FL	345.5	410.5	494.8	371.3	393.5	322.3	276.6	318.5	-7.8
Kansas City, MO	514.4	511.5	627.8	454.8	558.7	536.1	581.4	550.6	7.0
Las Vegas, NV	---	---	---	---	---	---	---	---	---
Long Beach, CA	---	---	---	---	---	---	---	---	---
Los Angeles, CA	66.5	65.6	72.9	77.6	80.0	86.6	101.7	109.9	65.2
Memphis, TN	399.2	439.7	470.2	551.0	513.8	416.6	438.2	449.9	12.7
Mesa, AZ	67.7	57.8	59.3	60.0	53.0	66.1	55.0	81.7	20.8
Miami, FL	711.6	765.5	550.4	541.8	564.7	527.5	521.7	458.2	-35.6
Milwaukee, WI	779.5	851.9	701.7	703.5	759.0	632.7	505.9	643.6	-17.4
Minneapolis, MN	402.4	397.7	403.5	327.0	346.0	344.2	264.0	313.9	-22.0
Nashville-Davidson, TN	322.1	318.4	421.8	285.1	247.2	261.8	214.3	195.8	-39.2
New Orleans, LA	---	---	---	---	---	---	---	---	---
New York, NY	152.0	153.9	145.7	157.5	160.0	168.2	135.6	132.3	-13.0
Oakland, CA	258.5	268.3	297.1	354.7	299.4	244.1	255.8	294.6	14.0
Oklahoma City, OK	295.1	288.1	293.2	320.5	305.1	270.5	327.0	345.0	16.9
Omaha, NB	233.1	263.6	297.2	235.6	294.1	298.5	202.3	193.3	-17.1
Philadelphia, PA	475.4	508.2	537.9	529.8	478.5	377.7	342.7	333.2	-29.9
Phoenix, AZ	195.7	194.5	171.5	148.4	152.6	145.6	157.8	152.5	-22.1
Pittsburgh, PA	---	---	---	---	---	---	---	---	---
Portland, OR	81.9	82.9	103.3	112.5	84.5	82.7	109.9	134.1	63.7
Sacramento, CA	130.4	102.2	106.9	95.5	117.9	142.1	159.8	186.3	42.8
San Antonio, TX	165.6	177.5	193.9	178.9	164.0	183.7	171.7	183.7	11.0
San Diego, CA	57.8	56.1	63.9	66.6	75.6	70.1	84.4	92.6	60.3
San Francisco, CA	239.7	210.2	277.8	259.8	271.3	231.1	277.2	310.7	29.6
San Jose, CA	17.6	45.1	32.6	34.2	28.3	40.7	73.0	63.9	263.4
Seattle, WA	---	---	---	---	---	---	---	---	---
St. Louis, MO	---	---	---	---	---	---	---	---	---
Tucson, AZ	---	---	---	---	---	---	---	---	---
Tulsa, OK	---	---	---	---	---	---	---	---	---
Virginia Beach, VA	104.6	105.5	102.8	139.4	140.4	143.4	112.2	111.7	6.8
Washington, DC	779.8	614.9	473.2	504.8	469.7	433.0	451.4	375.1	-51.9
Wichita, KS	169.2	175.1	153.2	189.0	190.8	195.0	159.4	144.9	-14.4

Year 2010 Goal: 19.0

† Crude rate per 100,000 population by year of report. Population figures for 2000-2005 rates were calculated using 2000 U.S. Census figures, 1998-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data.
* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

Table 3.7: Tuberculosis Incidence Rate, 1998 – 2005

City*	Annual Rate† 1998	1999	2000	2001	2002	2003	2004	2005	Percent Change 1998-2005
Albuquerque, NM	---	---	---	---	---	---	---	---	---
Arlington, TX	---	---	---	---	---	---	---	---	---
Atlanta, GA	16.5	18.1	20.3	14.1	14.1	14.7	14.2	10.7	-35.6
Austin, TX	---	---	---	---	---	---	---	---	---
Baltimore, MD	---	---	---	---	---	---	---	---	---
Boston, MA	15.2	13.1	13.9	12.7	11.4	10.9	11.9	9.7	-36.4
Charlotte, NC	10.8	13.9	11.8	7.2	8.1	8.3	8.7	8.5	-21.5
Chicago, IL	16.3	16.1	13.7	13.0	13.2	11.7	10.6	11.4	-30.5
Cincinnati, OH	---	6.0	6.6	---	---	---	6.6	6.0	---
Cleveland, OH	9.1	14.8	13.6	9.2	8.8	7.3	5.4	9.2	0.9
Colorado Springs, CO	---	---	---	---	---	---	---	---	---
Columbus, OH	5.8	7.4	10.0	9.0	7.3	6.9	6.9	10.5	82.9
Dallas, TX	17.7	14.2	11.9	16.1	14.5	15.3	15.6	12.4	-30.0
Denver, CO	6.4	7.5	7.8	9.2	7.0	6.9	9.2	7.9	24.8
Detroit, MI	---	---	---	---	---	---	---	---	---
El Paso, TX	---	---	---	---	---	---	---	---	---
Fort Worth, TX	16.9	14.5	12.2	14.0	13.8	13.5	12.5	15.1	-10.3
Fresno, CA	14.8	12.7	11.4	12.1	12.4	14.4	12.8	8.6	-41.6
Honolulu, HI	---	---	---	---	---	---	---	---	---
Houston, TX	16.7	17.2	14.1	14.7	14.9	15.6	15.8	12.4	-25.4
Indianapolis, IN	4.7	3.7	5.1	5.0	4.2	7.0	5.5	5.2	10.8
Jacksonville, FL	14.7	13.1	14.7	12.6	9.9	9.5	11.0	11.0	-25.3
Kansas City, MO	9.1	9.5	9.5	7.2	6.3	5.9	4.8	5.4	-40.3
Las Vegas, NV	---	---	---	---	---	---	---	---	---
Long Beach, CA	---	---	---	---	---	---	---	---	---
Los Angeles, CA	14.6	13.6	11.7	11.2	10.4	10.0	10.2	9.3	-36.7
Memphis, TN	16.9	14.4	11.2	11.4	11.2	11.7	11.7	12.8	-24.2
Mesa, AZ	---	---	---	---	---	---	5.0	---	---
Miami, FL	79.4	75.7	77.0	79.2	71.2	65.9	74.8	63.2	-20.5
Milwaukee, WI	6.3	7.8	6.2	4.7	5.9	3.4	4.5	3.7	-41.6
Minneapolis, MN	16.6	22.3	20.9	26.4	21.2	20.4	16.5	14.1	-15.2
Nashville-Davidson, TN	13.4	10.7	14.2	11.8	11.6	10.9	9.5	11.6	-13.7
New Orleans, LA	---	---	---	---	---	---	---	---	---
New York, NY	19.8	18.4	16.6	15.7	13.5	14.2	12.8	12.3	-38.0
Oakland, CA	25.2	28.8	25.0	17.8	24.5	15.8	13.3	11.3	-55.3
Oklahoma City, OK	10.2	12.0	10.1	9.5	10.3	8.5	8.7	6.5	-35.8
Omaha, NB	6.9	---	---	6.7	6.4	---	---	---	---
Philadelphia, PA	11.6	12.1	11.1	9.5	9.7	7.9	8.5	7.6	-34.4
Phoenix, AZ	7.5	7.6	7.9	7.6	8.1	10.0	7.9	7.6	1.3
Pittsburgh, PA	---	---	---	---	---	---	---	---	---
Portland, OR	11.2	8.4	6.2	6.4	6.5	5.3	7.1	6.1	-45.8
Sacramento, CA	9.0	8.6	10.8	9.0	9.1	12.3	13.1	10.6	17.6
San Antonio, TX	8.0	8.0	7.3	6.6	6.1	4.5	9.7	6.4	-20.4
San Diego, CA	12.4	10.8	10.5	11.8	11.6	11.2	11.4	10.8	-12.9
San Francisco, CA	27.1	30.5	24.5	23.4	18.8	20.9	17.4	17.0	-37.2
San Jose, CA	---	---	---	---	---	---	---	---	---
Seattle, WA	---	10.2	10.1	10.8	14.0	15.8	11.9	10.8	---
St. Louis, MO	---	---	---	---	---	---	---	---	---
Tucson, AZ	---	---	---	---	---	---	---	---	---
Tulsa, OK	---	---	---	---	---	---	---	---	---
Virginia Beach, VA	---	---	---	---	---	---	---	---	---
Washington, DC	---	---	---	---	---	---	---	---	---
Wichita, KS	5.0	6.7	5.7	7.3	6.2	6.2	---	4.4	-11.2

Year 2010 Goal: 1

† Crude rate per 100,000 population by year of report. Population figures for 2000-2005 rates were calculated using 2000 U.S. Census figures, 1998-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data.

* County data were used instead of city-level data for the following: Albuquerque, Atlanta, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita.

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

Table 3.8: Overall Mortality Rate, 1990 – 2004

City*	Annual Rate†															Percent Change
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	1990-2004
Albuquerque, NM	942.9	972.0	942.8	991.4	996.8	1,016.1	976.8	938.9	912.2	919.0	880.0	947.1	957.6	979.5	976.2	3.5
Arlington, TX	961.0	978.2	906.4	954.1	931.0	926.5	922.0	900.3	878.4	882.9	884.8	895.5	959.1	903.7	1,004.5	4.5
Atlanta, GA	1,379.0	1,379.0	1,367.4	1,439.1	1,392.1	1,402.0	1,331.7	1,273.9	1,254.1	1,226.9	1,229.2	1,175.6	1,088.0	1,017.1	974.3	-29.3
Austin, TX	878.6	876.2	882.0	928.7	901.6	886.4	824.0	846.9	815.5	844.8	838.6	832.6	838.0	840.3	826.5	-5.9
Baltimore, MD	1,339.1	1,312.2	1,333.6	1,398.2	1,403.2	1,408.3	1,392.6	1,328.3	1,300.4	1,360.8	1,305.8	1,260.6	1,223.6	1,222.1	1,139.6	-14.9
Boston, MA	1,061.2	1,008.9	1,025.0	1,057.4	977.1	977.7	929.6	904.0	895.9	891.5	889.8	898.5	873.4	857.9	820.9	-22.6
Charlotte, NC	1,002.1	1,018.5	1,001.3	1,034.5	1,007.0	1,052.0	1,030.0	981.1	975.6	980.3	994.9	950.0	990.9	1,001.6	973.0	-2.9
Chicago, IL	1,154.7	1,155.2	1,123.2	1,163.5	1,129.7	1,147.0	1,071.6	1,019.6	1,001.1	1,034.5	983.7	966.1	949.5	918.5	868.1	-24.8
Cincinnati, OH	1,098.2	1,112.1	1,108.7	1,157.5	1,097.8	1,171.9	1,116.2	1,123.4	1,084.5	1,129.4	1,108.2	1,106.6	1,106.4	1,028.2	1,072.9	-2.3
Cleveland, OH	1,270.7	1,243.3	1,206.2	1,265.2	1,271.4	1,268.4	1,207.8	1,205.5	1,165.7	1,178.9	1,194.9	1,139.3	1,130.3	1,081.3	1,131.0	-11.0
Colorado Springs, CO	920.9	954.3	857.7	883.5	877.6	894.6	889.4	914.5	864.7	870.7	863.2	886.2	916.4	979.5	911.7	-1.0
Columbus, OH	1,062.1	1,055.5	1,036.1	1,001.3	1,052.5	1,079.7	1,111.3	1,091.0	1,126.5	1,095.6	1,006.1	1,006.4	1,017.4	1,081.1	1,051.0	-1.0
Dallas, TX	1,049.7	1,037.7	1,049.9	1,070.7	1,009.3	1,017.9	978.0	946.2	938.6	919.7	921.1	914.5	915.9	884.5	881.6	-16.0
Denver, CO	919.6	977.0	956.3	993.5	1,002.0	990.8	983.6	933.9	939.6	914.3	884.5	866.3	891.2	858.0	841.9	-8.4
Detroit, MI	1,281.4	1,273.4	1,250.2	1,319.0	1,308.7	1,314.0	1,240.3	1,220.3	1,230.5	1,233.9	1,245.5	1,220.8	1,196.6	1,128.4	1,103.4	-13.9
El Paso, TX	878.4	892.1	875.4	902.2	880.1	863.5	861.6	847.4	843.8	841.6	816.6	838.8	882.6	899.5	854.4	-2.7
Fort Worth, TX	1,072.0	1,054.3	1,059.4	1,078.4	1,061.5	1,023.2	1,039.8	1,030.1	1,012.1	1,046.1	1,026.6	1,003.2	1,057.6	1,004.8	969.2	-9.6
Fresno, CA	1,177.5	1,174.3	1,179.8	1,175.8	1,199.3	1,124.6	1,117.7	1,052.9	1,132.4	1,095.5	1,040.0	1,110.4	1,152.7	1,141.2	1,135.0	-3.6
Honolulu, HI	685.5	695.0	694.5	717.7	692.3	690.8	700.6	675.7	627.8	654.1	632.0	627.9	641.3	661.4	669.9	-2.3
Houston, TX	1,162.0	1,146.3	1,117.5	1,118.5	1,107.7	1,078.9	1,061.9	1,061.4	1,032.5	1,014.5	1,003.7	1,047.3	1,045.3	1,030.7	997.9	-14.1
Indianapolis, IN	1,054.0	1,057.8	1,042.6	1,070.8	1,086.2	1,083.5	1,077.5	1,053.8	1,047.1	1,083.8	1,028.3	1,027.3	1,009.1	1,013.6	1,009.1	-4.3
Jacksonville, FL	1,050.2	1,054.1	1,013.6	1,022.3	1,067.4	1,053.5	1,021.6	1,001.7	1,017.4	1,030.7	1,003.4	1,032.6	1,018.0	1,027.4	1,061.2	1.0
Kansas City, MO	1,058.8	1,059.4	1,060.1	1,090.4	1,050.4	1,076.5	1,035.5	1,014.7	1,040.3	1,023.2	979.8	957.4	939.8	929.7	912.6	-13.8
Las Vegas, NV	1,200.5	1,250.7	1,300.1	1,365.6	1,480.0	1,527.8	1,496.6	1,349.8	1,387.3	1,351.8	1,306.3	1,431.3	1,554.6	1,565.6	1,660.3	38.3
Long Beach, CA	1,052.4	1,037.4	1,051.2	1,040.4	1,026.8	981.7	956.1	971.4	924.1	917.9	908.4	931.0	896.3	919.8	853.5	-18.9
Los Angeles, CA	1,030.9	983.0	974.9	959.2	926.5	875.2	879.9	867.6	839.7	835.9	813.4	820.2	813.9	837.5	806.5	-21.8
Memphis, TN	1,211.6	1,186.7	1,168.3	1,198.5	1,227.6	1,241.2	1,228.3	1,194.6	1,187.5	1,167.9	1,188.1	1,124.9	1,135.2	1,092.9	1,045.7	-13.7
Mesa, AZ	861.9	852.9	836.0	905.4	892.0	877.8	890.5	815.6	853.3	916.9	871.1	902.3	916.0	944.1	943.1	9.4
Miami, FL	1,194.4	1,195.6	1,201.5	1,254.6	1,198.6	1,266.4	1,213.4	1,156.5	1,267.3	1,330.3	1,257.7	1,292.8	1,244.3	1,302.8	1,288.4	7.9
Milwaukee, WI	1,033.9	1,026.1	996.6	1,059.6	1,040.0	1,057.2	1,020.4	1,024.0	994.6	1,013.0	1,043.0	1,012.4	1,018.6	971.9	965.4	-6.6
Minneapolis, MN	969.2	1,013.4	992.3	1,055.5	1,037.8	1,041.9	1,032.3	967.3	981.6	973.3	928.0	933.8	876.3	837.6	799.5	-17.5
Nashville-Davidson, TN	1,064.1	1,056.1	1,028.7	1,062.7	1,059.5	1,042.8	1,025.4	1,015.2	951.9	965.1	942.9	957.3	968.0	964.4	899.7	-15.4
New Orleans, LA	1,219.8	1,244.5	1,188.4	1,239.7	1,207.4	1,212.9	1,180.8	1,113.2	1,137.5	1,110.3	1,101.7	1,092.3	1,102.4	1,085.2	1,095.1	-10.2
New York, NY	1,048.7	1,016.9	990.5	1,017.1	975.9	965.7	910.2	841.2	812.4	827.7	794.7	802.1	781.3	771.2	748.9	-28.6
Oakland, CA	1,071.6	1,039.3	1,044.1	1,024.0	1,015.3	999.7	933.7	935.0	921.0	936.9	902.7	904.9	884.5	863.2	822.8	-23.2
Oklahoma City, OK	1,001.7	983.8	995.2	1,030.2	997.2	1,026.6	1,010.4	1,020.8	990.3	995.1	970.7	968.8	980.7	984.9	936.2	-6.5
Omaha, NB	946.5	941.4	955.0	950.5	904.2	966.8	920.8	919.9	899.5	920.7	874.2	896.2	908.6	899.7	859.5	-9.2
Philadelphia, PA	1,178.4	1,170.7	1,164.3	1,206.4	1,184.0	1,173.3	1,146.9	1,131.0	1,082.8	1,098.4	1,091.2	1,065.1	1,043.2	1,030.8	1,006.1	-14.6
Phoenix, AZ	942.4	939.5	967.8	1,006.6	1,005.5	976.2	984.6	942.7	945.0	967.7	908.6	890.5	886.6	855.8	852.2	-9.6
Pittsburgh, PA	1,126.1	1,092.9	1,052.3	1,134.0	1,129.8	1,098.3	1,091.0	1,072.9	1,052.9	1,117.1	1,052.1	1,064.0	1,009.5	1,005.4	950.5	-15.6
Portland, OR	1,028.3	1,004.7	1,000.1	983.3	1,034.4	995.2	982.5	959.6	941.3	923.2	912.7	910.2	926.4	933.1	902.7	-12.2
Sacramento, CA	1,535.8	1,524.7	1,474.1	1,540.7	1,543.1	1,519.6	1,490.3	1,472.4	1,482.0	1,464.1	1,433.4	1,468.5	1,473.8	1,481.4	1,449.6	-5.6
San Antonio, TX	952.2	936.9	995.8	1,017.6	999.5	984.0	976.2	984.4	949.7	992.8	971.6	948.6	981.8	985.8	983.5	3.3
San Diego, CA	879.5	856.3	862.1	853.4	851.9	819.5	799.2	783.8	781.4	785.1	783.6	776.2	747.9	767.2	762.0	-13.4
San Francisco, CA	1,059.0	1,078.0	1,041.5	1,020.0	996.8	979.1	919.6	832.3	806.4	796.3	772.8	771.5	746.9	728.1	699.3	-34.0
San Jose, CA	894.6	879.3	852.0	876.8	839.3	818.9	824.8	792.6	792.4	790.2	736.0	724.6	721.7	727.2	708.9	-20.8
Seattle, WA	912.5	905.0	940.2	973.9	965.3	927.5	959.7	870.3	879.7	878.3	840.1	803.4	799.3	773.5	729.5	-20.1
St. Louis, MO	1,202.4	1,233.3	1,217.0	1,230.3	1,260.7	1,245.9	1,200.5	1,161.6	1,173.8	1,205.9	1,129.4	1,130.2	1,124.3	1,082.2	1,013.2	-15.7
Tucson, AZ	970.7	907.5	878.3	916.9	1,105.1	1,085.7	1,074.1	1,036.2	991.0	1,386.4	1,379.2	855.7	853.5	1,433.1	1,398.2	44.0
Tulsa, OK	984.2	1,075.1	1,122.2	1,186.8	1,006.6	979.0	986.2	962.8	983.0	985.5	990.8	1,585.4	1,634.5	1,029.3	933.6	-5.1
Virginia Beach, VA	950.9	915.1	935.8	921.8	886.8	909.1	894.6	870.1	846.2	870.5	806.8	844.4	882.8	918.7	888.2	-6.6
Washington, DC	1,247.2	1,215.3	1,225.2	1,246.9	1,258.0	1,206.8	1,164.6	1,082.6	1,069.1	1,077.3	1,061.2	1,051.1	1,033.9	986.0	966.4	-22.5
Wichita, KS	980.3	994.2	984.7	991.9	969.4	1,003.9	969.7	951.8	985.6	916.9	957.7	946.0	997.7	991.2	950.5	-3.0

Year 2010 Goal: NA

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 3.9: Heart Disease Mortality Rate, 1990 – 2004

City*	Annual Rate†															Percent Change
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	1990-2004
Albuquerque, NM	281.4	260.5	246.3	239.5	237.0	257.9	247.1	237.6	212.1	229.5	182.5	218.6	214.1	214.9	214.5	-23.8
Arlington, TX	319.9	324.5	323.3	319.5	357.0	294.5	304.6	288.5	271.9	275.5	258.1	230.1	247.1	269.7	279.0	-12.8
Atlanta, GA	373.2	369.6	356.8	386.3	350.7	349.4	335.7	330.3	339.4	312.8	305.7	289.1	265.6	247.3	230.2	-38.3
Austin, TX	254.6	249.9	245.3	244.5	233.6	234.4	222.0	228.4	235.1	240.2	224.3	216.6	204.6	200.8	188.7	-25.9
Baltimore, MD	389.2	378.3	369.7	380.6	378.6	368.9	369.7	358.3	343.5	362.5	348.0	342.3	304.5	316.2	287.2	-26.2
Boston, MA	307.0	282.0	294.7	290.8	244.5	252.0	241.5	237.0	237.8	236.1	215.4	220.1	196.2	203.6	184.6	-39.9
Charlotte, NC	305.9	310.3	292.3	283.1	273.9	284.8	283.9	275.1	252.2	245.2	252.2	222.3	232.1	231.6	210.1	-31.3
Chicago, IL	389.6	389.4	374.9	384.1	369.8	393.4	351.5	322.2	316.4	331.9	304.0	297.1	287.7	278.7	258.3	-33.7
Cincinnati, OH	359.1	365.1	360.2	371.2	363.9	368.7	332.7	324.0	294.3	296.2	292.5	285.0	279.0	251.9	248.8	-30.7
Cleveland, OH	440.3	438.5	420.0	445.3	442.8	429.7	398.8	405.7	399.4	396.9	409.6	390.5	380.8	357.8	362.8	-17.6
Colorado Springs, CO	242.5	250.8	228.8	207.8	218.5	193.1	212.9	223.9	201.1	177.6	183.9	177.7	165.8	209.5	177.5	-26.8
Columbus, OH	338.9	330.0	337.1	319.0	324.6	317.7	342.4	322.5	327.5	310.5	267.0	268.3	261.0	259.0	250.4	-26.1
Dallas, TX	341.1	314.3	331.4	323.8	309.1	304.8	305.2	285.0	284.7	286.0	278.0	261.0	269.1	245.9	239.8	-29.7
Denver, CO	264.8	256.8	256.5	241.9	250.6	250.8	247.7	233.0	234.6	212.6	201.8	191.1	195.8	189.4	175.4	-33.8
Detroit, MI	449.0	432.2	422.1	459.6	439.5	446.8	412.8	399.8	406.7	409.1	421.6	421.9	401.9	384.1	370.0	-17.6
El Paso, TX	267.8	271.0	259.2	252.7	241.8	239.8	236.4	232.5	217.6	221.6	219.4	218.0	236.0	231.1	212.9	-20.5
Fort Worth, TX	337.9	345.6	342.5	331.4	334.4	323.3	320.0	313.6	290.6	304.9	312.5	292.3	309.6	276.9	270.2	-20.0
Fresno, CA	388.8	367.7	348.6	346.0	359.5	359.4	344.3	299.3	331.4	336.9	313.5	324.9	349.3	336.0	301.0	-22.6
Honolulu, HI	212.3	213.6	205.4	218.2	214.1	203.4	212.9	192.9	191.8	180.7	169.2	169.8	173.2	177.5	177.5	-16.4
Houston, TX	367.4	354.2	341.9	340.7	327.6	323.9	323.6	319.5	315.5	309.9	288.4	302.2	297.3	287.6	273.2	-25.6
Indianapolis, IN	321.7	322.0	321.0	322.7	331.4	314.2	323.6	301.3	295.8	305.1	272.4	263.5	263.9	250.9	238.6	-25.8
Jacksonville, FL	329.8	332.5	319.0	322.7	340.7	336.5	320.9	308.7	308.2	284.0	274.3	286.3	255.7	260.4	262.3	-20.5
Kansas City, MO	331.2	316.7	318.2	331.4	287.0	304.5	299.4	301.3	278.8	276.3	272.6	245.9	241.2	236.7	224.8	-32.1
Las Vegas, NV	400.2	422.0	406.4	401.4	425.9	481.4	449.0	406.7	411.2	409.0	364.8	382.8	412.1	406.9	465.0	16.2
Long Beach, CA	384.3	371.3	358.6	364.1	364.6	330.7	328.4	336.8	315.2	321.9	321.3	318.8	320.9	320.1	285.1	-25.8
Los Angeles, CA	373.8	351.1	344.9	335.1	321.8	288.6	294.0	296.3	286.2	294.1	275.0	272.7	269.1	272.6	250.8	-32.9
Memphis, TN	393.8	388.7	368.3	380.3	380.8	371.5	391.1	379.2	372.8	377.3	370.4	326.4	347.9	334.7	304.7	-22.6
Mesa, AZ	277.4	267.3	258.6	282.8	266.3	272.1	263.7	239.0	246.1	254.3	240.8	245.9	251.4	254.3	243.8	-12.1
Miami, FL	347.4	345.5	354.3	370.3	350.1	352.4	352.4	335.9	390.7	408.6	391.2	409.9	399.5	394.1	388.2	11.7
Milwaukee, WI	331.5	333.2	323.2	326.3	319.0	325.8	291.8	313.0	276.8	302.2	294.6	281.0	271.4	259.6	243.6	-26.5
Minneapolis, MN	241.6	264.0	245.6	254.4	223.3	229.9	229.9	197.6	191.5	184.4	180.0	179.2	159.7	151.9	140.7	-41.8
Nashville-Davidson, TN	360.9	353.7	329.2	329.4	318.5	312.1	308.6	299.3	281.2	284.7	267.1	259.2	264.0	252.1	239.7	-33.6
New Orleans, LA	367.9	357.5	346.2	341.9	309.3	308.8	291.7	290.6	290.0	277.9	276.1	249.6	248.8	250.3	243.5	-33.8
New York, NY	397.9	397.9	402.1	419.7	386.2	390.9	377.5	353.6	339.3	346.0	323.0	320.8	324.0	316.3	300.6	-24.4
Oakland, CA	328.2	297.6	297.1	299.8	290.9	286.7	278.4	270.7	273.8	274.6	249.0	238.3	223.2	202.4	211.9	-35.4
Oklahoma City, OK	325.8	325.9	329.0	334.6	326.5	320.5	321.0	302.6	299.8	300.6	294.8	291.4	288.5	282.3	266.5	-18.2
Omaha, NB	309.3	315.9	327.0	304.7	275.2	296.8	276.4	256.3	254.1	249.8	227.6	216.2	217.9	208.8	203.3	-34.3
Philadelphia, PA	361.5	365.0	356.4	369.0	352.2	353.1	339.3	316.3	305.5	306.6	297.5	291.4	285.5	275.8	265.9	-26.4
Phoenix, AZ	289.4	285.3	292.4	320.6	306.9	290.1	287.5	266.3	271.5	283.4	257.2	248.6	229.6	238.4	215.8	-25.4
Pittsburgh, PA	382.5	377.9	348.7	380.4	365.3	365.5	353.8	341.9	332.2	333.7	323.8	298.2	286.3	290.0	268.4	-29.8
Portland, OR	289.4	270.5	266.1	251.1	250.9	248.5	243.7	226.3	227.8	220.8	198.1	202.9	196.5	207.6	204.1	-29.5
Sacramento, CA	455.3	444.6	448.4	461.9	452.2	428.5	424.2	428.4	410.8	442.6	410.5	387.1	411.3	402.9	383.4	-15.8
San Antonio, TX	308.3	291.2	316.7	306.6	298.9	301.1	308.3	317.4	295.5	309.2	290.7	277.0	281.5	275.1	265.8	-13.8
San Diego, CA	268.6	268.9	250.7	255.0	242.6	245.6	231.6	232.6	238.3	243.2	224.9	212.5	207.5	203.7	210.5	-21.6
San Francisco, CA	288.3	285.8	271.1	275.5	255.7	251.7	258.3	228.8	240.7	231.4	210.1	208.8	203.8	186.2	174.5	-39.5
San Jose, CA	284.9	289.6	270.1	281.9	256.4	243.5	254.5	242.2	233.6	243.1	226.5	214.4	206.9	195.7	184.0	-35.4
Seattle, WA	261.0	256.7	258.4	269.4	237.1	231.6	256.6	224.2	223.5	226.4	211.6	195.1	190.6	188.8	171.7	-34.2
St. Louis, MO	399.1	377.5	373.2	394.1	391.0	391.0	386.5	392.1	372.1	391.3	353.5	344.9	322.4	328.9	284.7	-28.7
Tucson, AZ	310.7	309.7	307.9	336.6	321.1	322.2	295.7	286.3	282.2	384.4	364.1	265.0	269.9	358.1	340.8	9.7
Tulsa, OK	341.6	333.8	325.5	331.0	329.4	327.1	311.7	308.8	306.0	304.9	299.6	416.2	416.1	303.8	263.6	-22.8
Virginia Beach, VA	317.0	297.5	303.3	301.0	278.2	280.0	262.9	253.1	239.2	220.7	224.2	231.1	252.4	238.9	226.8	-28.5
Washington, DC	327.0	324.4	320.5	320.0	306.8	294.8	284.5	284.2	291.3	293.7	310.6	311.6	295.2	288.9	273.7	-16.3
Wichita, KS	333.4	305.8	280.4	291.8	292.2	282.1	259.5	272.7	274.1	255.0	246.7	252.6	261.6	236.7	227.0	-31.9

Year 2010 Goal: NA

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 3.10: All Cancer Mortality Rate, 1990 – 2004

City*	Annual Rate†															Percent Change
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	1990-2004
Albuquerque, NM	209.2	218.5	227.6	220.5	215.8	216.6	223.9	209.0	200.9	186.9	193.9	189.2	213.0	203.1	213.9	2.2
Arlington, TX	209.5	243.4	208.8	221.7	203.9	223.3	233.2	192.4	194.4	195.7	202.9	185.0	210.9	188.9	238.2	13.7
Atlanta, GA	267.0	261.0	268.9	278.8	277.7	271.5	254.8	261.9	258.9	248.0	240.6	231.6	234.2	204.4	211.3	-20.9
Austin, TX	197.0	219.8	214.5	232.1	212.8	209.2	189.2	204.9	188.6	186.6	183.0	179.3	197.9	186.2	196.4	-0.3
Baltimore, MD	317.4	302.4	301.3	300.3	295.7	302.9	307.7	288.2	289.6	274.1	265.3	259.5	263.1	248.4	231.0	-27.2
Boston, MA	261.5	244.4	245.9	251.7	236.8	236.7	242.5	225.7	221.2	216.4	226.9	209.3	219.0	214.7	205.7	-21.3
Charlotte, NC	243.2	235.8	241.4	243.8	234.2	235.3	227.4	222.7	221.0	210.9	215.1	211.7	205.1	216.6	214.9	-11.7
Chicago, IL	257.8	248.9	250.2	255.7	245.6	237.8	234.7	235.8	226.1	223.6	226.6	216.0	212.7	206.1	204.8	-20.6
Cincinnati, OH	272.3	270.8	272.9	275.1	245.2	271.9	277.3	278.8	257.4	253.5	256.4	255.0	239.7	229.0	254.6	-6.5
Cleveland, OH	302.0	278.5	282.9	297.9	297.4	288.0	292.4	279.6	284.6	271.5	271.2	256.3	243.5	234.1	258.1	-14.5
Colorado Springs, CO	211.3	205.2	187.4	186.7	204.0	203.7	207.7	201.8	203.4	197.0	184.6	190.7	192.1	196.3	201.2	-4.8
Columbus, OH	249.6	250.2	243.1	234.4	241.9	255.0	263.0	254.0	268.7	245.4	235.5	224.5	233.1	253.9	247.4	-0.9
Dallas, TX	235.8	227.4	239.5	235.1	236.2	233.1	216.4	226.0	211.0	204.0	203.5	207.6	202.8	197.9	195.7	-17.0
Denver, CO	203.7	214.5	199.5	211.9	201.8	205.7	202.9	198.1	195.9	186.4	186.8	190.3	195.8	186.8	185.8	-8.8
Detroit, MI	264.5	268.0	265.6	255.0	272.1	262.3	260.5	255.5	252.6	235.5	244.8	242.1	236.9	226.9	230.4	-12.9
El Paso, TX	183.1	197.0	203.9	199.2	200.4	188.0	196.5	181.1	191.4	175.2	177.2	192.0	188.8	203.4	183.7	0.3
Fort Worth, TX	256.3	237.9	242.8	236.7	238.0	217.3	237.8	216.6	217.1	227.0	222.7	205.2	223.7	212.4	222.0	-13.4
Fresno, CA	265.2	252.6	265.6	265.7	254.8	239.5	222.2	226.1	235.3	239.4	231.8	244.3	240.7	217.4	246.0	-7.2
Honolulu, HI	160.5	155.8	177.0	165.3	156.0	167.3	164.4	158.4	150.8	152.2	144.9	153.4	141.1	144.9	150.9	-6.0
Houston, TX	250.2	250.7	253.4	255.0	252.8	244.4	236.9	243.7	240.0	228.3	221.2	225.2	232.8	225.2	217.3	-13.1
Indianapolis, IN	273.5	266.7	249.9	254.7	257.8	248.4	252.5	246.3	248.1	252.3	236.2	243.1	238.1	234.6	233.4	-14.7
Jacksonville, FL	245.2	248.3	231.0	245.9	254.9	234.4	245.1	226.3	235.3	238.0	226.4	221.8	226.3	230.9	240.7	-1.8
Kansas City, MO	252.6	247.8	247.5	230.0	232.5	248.2	229.6	219.5	244.5	210.5	215.4	217.8	202.4	213.0	212.0	-16.1
Las Vegas, NV	268.4	292.7	323.0	333.0	356.7	346.9	344.4	308.8	320.5	304.5	292.5	330.6	338.4	336.9	354.6	32.1
Long Beach, CA	212.8	223.7	227.0	216.6	207.4	205.4	203.1	204.8	196.8	191.9	184.8	188.4	189.4	185.6	191.6	-10.0
Los Angeles, CA	216.8	214.3	210.4	209.3	192.5	193.1	192.7	195.0	186.4	185.9	180.9	186.5	183.5	186.0	182.3	-15.9
Memphis, TN	274.1	277.5	271.1	261.3	275.8	279.3	260.1	262.2	264.1	247.9	249.4	248.0	228.5	227.6	226.0	-17.5
Mesa, AZ	220.2	215.7	202.7	210.1	208.3	197.3	196.5	184.5	176.9	209.5	200.1	205.4	182.5	208.2	207.5	-5.8
Miami, FL	242.0	247.7	252.1	241.8	222.6	239.1	248.3	234.0	264.0	264.4	263.1	250.0	236.9	281.1	258.5	6.8
Milwaukee, WI	245.7	245.9	245.0	246.9	247.7	240.8	251.6	246.8	238.4	229.1	238.0	219.8	232.6	210.6	227.3	-7.5
Minneapolis, MN	227.0	231.7	229.2	232.1	227.9	220.4	233.5	227.5	223.7	229.9	222.7	216.9	198.1	190.1	198.6	-12.5
Nashville-Davidson, TN	240.3	238.5	245.8	243.8	241.7	232.2	233.2	232.8	221.6	219.9	212.8	217.4	216.1	213.1	199.7	-16.9
New Orleans, LA	270.4	265.1	243.0	275.8	254.0	261.4	264.2	257.1	253.6	253.1	250.5	239.0	245.2	239.6	244.1	-9.7
New York, NY	213.6	207.5	204.7	202.4	202.8	199.6	194.0	186.0	184.1	181.7	176.9	178.0	172.7	173.1	170.2	-20.3
Oakland, CA	243.0	238.3	238.3	212.6	220.5	221.5	206.5	200.4	201.6	222.3	207.1	203.9	203.7	199.6	193.6	-20.3
Oklahoma City, OK	219.3	226.3	218.0	211.3	224.2	218.7	213.7	208.2	202.8	199.4	189.6	193.0	201.1	190.1	194.2	-11.4
Omaha, NB	222.4	208.7	230.8	225.0	214.2	224.6	202.2	212.3	213.7	217.4	204.4	220.0	210.7	216.5	206.2	-7.3
Philadelphia, PA	284.7	276.0	280.0	282.8	276.2	261.2	268.3	272.0	266.4	256.8	251.0	247.6	239.1	240.3	232.2	-18.4
Phoenix, AZ	211.2	222.8	219.9	213.7	227.1	213.6	210.5	204.7	205.2	197.9	191.7	179.4	189.5	179.4	177.4	-16.0
Pittsburgh, PA	268.2	263.2	254.0	258.0	267.6	252.5	267.7	259.6	248.5	273.3	237.0	252.8	237.0	222.0	227.3	-15.3
Portland, OR	239.6	234.8	241.5	233.9	253.4	227.6	224.3	224.5	218.4	205.7	210.8	208.0	219.5	222.8	211.4	-11.8
Sacramento, CA	370.0	351.6	330.7	356.9	356.7	341.0	331.7	335.8	335.9	328.1	332.9	340.4	335.1	337.2	324.2	-12.4
San Antonio, TX	213.3	201.7	222.2	222.8	225.6	212.8	212.3	211.8	207.2	208.6	209.1	195.9	210.8	208.6	207.5	-2.7
San Diego, CA	206.8	199.5	206.8	204.5	197.6	189.5	188.3	188.1	182.3	187.5	186.7	178.2	181.9	188.6	178.3	-13.8
San Francisco, CA	202.4	222.6	205.8	198.5	200.0	202.3	193.9	187.7	180.7	186.5	181.8	180.1	171.6	181.8	175.3	-13.4
San Jose, CA	211.7	192.9	198.2	197.5	193.1	186.9	182.2	184.8	186.2	179.2	163.2	164.1	165.5	169.2	174.5	-17.6
Seattle, WA	214.5	213.6	219.6	232.6	225.1	216.1	219.8	209.7	211.4	209.0	204.5	202.0	197.7	185.3	180.6	-15.8
St. Louis, MO	289.1	272.3	278.1	271.8	276.4	272.0	254.2	251.4	269.1	241.7	246.9	234.8	238.0	231.2	234.4	-18.9
Tucson, AZ	218.4	224.5	236.6	242.3	257.9	228.4	233.2	212.3	204.1	304.5	297.7	191.5	182.0	324.6	311.1	42.5
Tulsa, OK	217.5	219.0	215.2	232.5	228.5	217.2	213.5	221.7	218.5	224.9	219.4	338.4	353.6	214.3	190.6	-12.4
Virginia Beach, VA	218.8	237.0	233.8	227.6	222.0	208.5	220.7	202.7	215.7	210.0	211.1	203.1	211.0	230.5	215.8	-1.4
Washington, DC	269.7	272.2	267.6	257.3	276.2	262.7	245.5	240.6	242.6	239.2	238.3	237.0	231.6	200.2	205.6	-23.8
Wichita, KS	222.5	232.2	250.0	229.6	231.2	233.7	222.6	220.0	229.8	205.6	212.2	220.9	219.6	230.3	221.9	-0.3

Year 2010 Goal: 158.6

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 3.11: Lung Cancer Mortality Rate, 1990 – 2004

City*	Annual Rate†															Percent Change
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	1990-2004
Albuquerque, NM	47.2	48.8	44.4	48.2	48.9	50.6	48.6	50.5	45.9	38.7	44.3	39.8	44.7	43.8	48.9	3.6
Arlington, TX	56.3	72.9	62.3	70.8	57.3	63.1	60.9	51.7	58.7	65.2	58.4	55.6	56.7	57.6	72.4	28.7
Atlanta, GA	67.8	69.4	70.1	66.7	75.2	68.6	58.6	66.6	68.0	66.5	58.3	62.4	59.1	56.7	51.5	-24.0
Austin, TX	51.1	59.6	61.9	65.2	52.0	58.9	51.3	59.5	50.6	43.9	53.2	49.1	50.0	47.7	51.0	-0.1
Baltimore, MD	88.3	86.4	82.6	84.7	82.5	89.1	92.2	83.9	86.7	81.7	81.4	76.6	82.9	78.8	70.6	-20.1
Boston, MA	57.7	59.7	68.4	69.4	65.8	62.6	63.8	56.8	58.0	60.7	59.0	53.3	62.4	61.2	53.3	-7.7
Charlotte, NC	70.2	65.5	64.1	67.2	67.1	62.3	59.5	58.3	58.7	58.9	60.5	55.1	56.5	57.0	65.5	-6.7
Chicago, IL	65.1	62.2	64.0	64.0	64.0	59.8	62.9	59.0	58.7	57.3	57.8	54.3	55.8	55.5	54.1	-16.9
Cincinnati, OH	78.6	87.1	81.0	85.5	70.7	87.6	81.5	83.2	82.5	79.1	85.1	82.9	81.5	69.3	75.0	-4.6
Cleveland, OH	86.1	81.3	75.9	78.7	83.9	80.3	75.7	81.4	83.2	84.0	87.2	74.9	69.8	76.4	81.0	-5.9
Colorado Springs, CO	47.0	45.1	42.4	41.5	56.3	51.2	47.4	45.3	53.5	44.9	50.5	48.2	42.8	45.5	51.8	10.2
Columbus, OH	73.5	74.3	80.1	75.2	71.0	80.3	86.1	75.3	82.6	75.5	69.2	65.9	75.0	81.6	83.7	13.9
Dallas, TX	68.7	62.4	64.0	63.7	61.5	61.8	58.5	62.2	59.2	56.5	57.7	56.8	57.3	56.1	50.3	-26.7
Denver, CO	46.8	46.6	49.6	48.8	44.8	47.5	45.9	44.7	42.8	44.2	43.2	43.3	49.3	46.9	44.3	-5.4
Detroit, MI	71.0	77.0	75.1	70.4	74.3	68.8	74.8	68.2	68.7	68.2	66.9	69.3	68.4	62.4	67.0	-5.7
El Paso, TX	38.6	45.4	42.8	40.6	39.5	38.4	42.6	36.5	40.6	36.4	34.4	39.5	34.5	38.7	33.8	-12.3
Fort Worth, TX	79.7	72.1	71.2	74.6	65.6	62.8	73.0	63.5	59.2	64.1	68.0	56.1	66.6	61.4	65.1	-18.3
Fresno, CA	70.4	65.6	66.2	74.2	72.4	64.0	61.8	68.6	56.8	66.6	57.9	56.9	59.3	59.0	66.2	-6.0
Honolulu, HI	34.9	37.5	40.8	38.6	40.2	41.1	41.4	39.2	42.0	37.0	35.1	32.5	29.4	31.5	37.4	7.1
Houston, TX	69.6	68.5	71.6	64.8	67.6	63.8	64.1	71.6	68.3	61.2	58.6	59.8	63.5	59.5	59.4	-14.7
Indianapolis, IN	85.5	81.2	75.4	76.0	83.1	76.9	72.9	77.1	79.6	86.8	72.3	86.3	78.5	83.0	77.6	-9.2
Jacksonville, FL	75.3	76.7	68.0	71.4	71.3	73.0	71.0	65.4	68.2	69.7	66.8	71.4	67.3	69.8	73.6	-2.2
Kansas City, MO	77.9	68.2	75.4	64.6	70.9	75.5	74.6	61.9	70.0	63.0	63.0	70.5	63.2	65.4	68.7	-11.8
Las Vegas, NV	77.0	92.6	102.9	98.9	107.9	111.6	107.2	96.1	106.1	95.6	88.5	98.8	95.6	102.1	106.9	38.8
Long Beach, CA	60.3	65.4	61.4	58.3	61.2	60.8	61.7	58.7	58.5	50.9	54.6	50.1	49.3	49.0	47.2	-21.7
Los Angeles, CA	50.3	50.1	47.3	49.2	44.5	46.5	47.1	45.8	41.7	44.7	42.0	44.1	41.1	42.2	40.1	-20.2
Memphis, TN	78.2	78.7	85.0	71.2	81.8	79.4	76.3	67.0	73.3	70.8	70.8	67.3	63.7	61.6	62.7	-19.8
Mesa, AZ	57.4	53.2	56.3	47.8	53.5	51.7	50.6	50.9	49.6	59.7	51.8	58.7	45.5	54.8	51.7	-10.0
Miami, FL	47.0	56.3	57.4	51.8	58.5	53.5	58.3	51.3	56.2	61.4	60.7	57.5	54.2	59.0	55.7	18.5
Milwaukee, WI	60.7	61.2	60.6	62.7	62.4	62.7	64.6	69.1	63.7	65.3	63.3	60.8	64.6	64.1	65.1	7.3
Minneapolis, MN	65.2	59.6	61.6	64.0	56.5	54.5	61.7	63.2	64.1	65.7	68.4	62.8	54.1	45.3	54.9	-15.8
Nashville-Davidson, TN	75.4	72.8	70.5	72.0	81.0	69.1	69.2	72.5	67.8	73.1	70.5	70.3	77.5	64.8	66.5	-11.9
New Orleans, LA	68.5	77.2	65.9	86.0	69.0	68.2	68.1	72.7	74.8	68.8	69.1	63.2	66.3	63.6	67.5	-1.4
New York, NY	47.5	47.1	45.8	46.4	45.3	44.1	43.5	40.8	41.4	41.4	40.2	41.0	40.4	40.2	38.6	-18.8
Oakland, CA	59.6	62.8	65.4	59.0	57.7	62.6	56.4	51.9	54.2	56.2	54.1	58.6	53.7	52.6	44.0	-26.2
Oklahoma City, OK	68.1	67.6	71.6	66.8	70.0	65.2	67.5	64.0	69.2	56.1	47.6	59.0	63.6	52.5	62.7	-7.9
Omaha, NB	67.8	61.2	65.9	69.6	58.5	62.6	64.4	64.9	63.1	61.4	60.7	66.0	62.7	69.3	61.6	-9.1
Philadelphia, PA	75.5	71.8	76.2	78.2	76.4	73.3	76.8	77.6	76.4	71.9	70.7	68.0	68.5	64.9	67.4	-10.8
Phoenix, AZ	58.3	64.3	61.2	60.4	61.3	57.6	59.0	57.9	58.3	55.7	56.1	46.9	55.4	52.7	49.1	-15.8
Pittsburgh, PA	82.9	78.4	72.2	73.4	75.5	74.2	78.7	82.4	69.8	81.4	72.8	77.7	71.4	65.4	71.9	-13.3
Portland, OR	73.0	68.5	72.5	68.3	72.1	63.4	63.8	67.7	62.4	59.2	64.1	60.4	60.1	64.0	59.6	-18.3
Sacramento, CA	108.0	100.9	93.1	96.3	108.7	100.0	92.6	98.1	95.9	93.4	99.0	94.3	91.0	96.3	79.3	-26.6
San Antonio, TX	50.9	48.9	57.1	58.4	55.9	53.6	51.3	49.6	51.2	49.0	50.3	43.4	53.8	48.9	49.0	-3.7
San Diego, CA	54.0	50.5	51.4	52.8	52.3	48.8	48.6	45.3	44.2	46.7	51.8	47.3	48.0	43.2	45.5	-15.7
San Francisco, CA	52.9	56.7	52.3	47.2	48.1	52.1	44.9	46.8	40.8	45.6	42.9	46.6	39.2	42.6	43.4	-18.0
San Jose, CA	55.5	48.8	48.0	43.9	47.6	42.6	46.2	47.0	41.0	40.8	37.2	36.2	41.2	44.1	41.8	-24.7
Seattle, WA	59.6	56.2	58.8	62.0	57.9	58.9	55.0	53.8	59.7	56.0	59.8	55.4	49.7	51.8	46.8	-21.5
St. Louis, MO	83.9	83.8	87.0	76.0	77.8	77.8	74.5	76.3	79.4	67.5	82.0	70.1	74.9	69.0	75.5	-10.0
Tucson, AZ	59.5	56.2	65.9	64.2	70.5	66.4	60.2	52.4	56.8	85.1	79.8	53.4	62.6	89.6	89.5	50.4
Tulsa, OK	62.6	67.6	64.2	68.3	65.9	72.1	65.9	66.3	66.9	67.0	72.4	90.4	97.6	63.5	60.2	-3.8
Virginia Beach, VA	69.8	73.2	70.5	62.8	64.1	55.1	65.2	55.4	65.1	61.2	61.5	65.8	62.2	72.8	73.1	4.7
Washington, DC	59.8	60.2	58.1	61.6	67.0	62.0	54.5	60.5	59.3	53.5	57.2	56.2	58.5	50.9	50.6	-15.4
Wichita, KS	62.6	68.8	74.0	63.8	69.1	64.2	70.1	64.7	69.8	57.5	63.9	63.6	62.1	61.2	71.9	14.9

Year 2010 Goal: 43.3

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 3.12: Female Breast Cancer Mortality Rate, 1990 – 2004

City*	Annual Rate†															Percent Change
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	1990-2004
Albuquerque, NM	32.6	42.2	41.9	35.7	31.7	39.5	35.8	33.7	27.8	23.9	31.5	23.1	28.8	28.6	29.6	-9.2
Arlington, TX	---	27.6	38.1	29.7	27.1	26.8	30.3	22.8	21.8	27.7	29.3	22.7	29.5	19.0	26.4	---
Atlanta, GA	40.9	39.0	41.0	49.7	41.7	48.0	37.7	43.7	40.5	32.7	37.9	33.5	32.9	34.7	29.4	-28.2
Austin, TX	27.7	34.8	31.1	36.7	30.0	34.0	26.2	27.4	26.4	25.1	27.0	24.4	24.8	23.6	27.4	-0.9
Baltimore, MD	36.7	39.5	38.6	35.5	37.0	42.3	39.5	39.9	36.6	37.3	32.3	37.6	36.8	36.0	33.2	-9.5
Boston, MA	42.3	34.1	31.4	37.1	36.9	30.8	34.6	33.4	27.4	22.8	29.4	22.9	33.5	34.8	26.7	-36.9
Charlotte, NC	45.8	43.7	28.0	30.5	36.7	33.4	28.0	34.4	29.5	29.6	27.5	27.4	31.3	34.7	30.3	-33.8
Chicago, IL	37.5	40.1	37.5	38.4	37.5	36.0	33.8	35.0	32.2	34.4	33.3	27.6	30.7	29.5	29.9	-20.3
Cincinnati, OH	41.5	39.3	37.5	28.9	42.5	34.8	45.0	27.8	29.3	36.3	39.5	29.9	30.5	39.5	36.4	-12.4
Cleveland, OH	39.3	40.0	43.5	43.1	33.1	40.5	42.7	41.2	39.0	39.4	32.4	36.5	37.2	26.9	38.3	-2.6
Colorado Springs, CO	32.4	33.6	29.0	30.8	31.2	29.2	27.8	30.1	27.3	22.0	25.0	29.0	22.7	25.4	36.1	11.5
Columbus, OH	38.0	33.4	40.0	29.2	32.9	33.6	29.7	35.8	35.5	38.1	31.1	33.5	23.6	31.5	28.1	-26.1
Dallas, TX	34.0	32.7	37.7	33.2	31.4	32.0	30.6	27.6	28.6	25.1	31.6	27.6	25.9	28.4	24.6	-27.6
Denver, CO	36.2	36.6	31.3	33.7	28.1	31.3	24.4	30.2	31.1	25.1	25.3	25.0	25.9	22.0	23.5	-35.1
Detroit, MI	43.4	36.2	37.6	35.2	36.8	42.0	39.3	42.1	34.5	33.7	34.2	35.4	37.7	34.5	30.7	-29.3
El Paso, TX	26.7	33.9	29.2	32.7	29.9	36.5	30.2	33.9	28.8	27.9	25.0	23.7	33.3	31.5	29.0	8.4
Fort Worth, TX	39.5	32.3	34.4	26.4	31.7	28.6	29.8	33.0	29.4	31.0	27.3	31.9	31.2	32.4	28.4	-28.1
Fresno, CA	35.6	33.8	32.3	37.3	33.2	28.5	29.9	30.0	29.6	23.2	35.5	36.1	31.1	23.8	30.7	-13.8
Honolulu, HI	18.6	23.7	25.6	18.1	22.3	20.4	19.7	16.0	18.3	14.8	15.2	21.5	13.4	17.8	14.9	-19.9
Houston, TX	38.8	37.4	37.7	40.0	38.4	36.8	35.0	32.4	37.6	33.9	27.5	35.4	32.4	34.7	29.9	-23.0
Indianapolis, IN	37.9	35.8	36.6	33.3	33.1	28.0	35.3	30.3	33.8	33.0	29.8	26.7	31.9	28.4	20.1	-47.0
Jacksonville, FL	32.2	30.8	26.5	29.8	34.1	29.4	33.1	34.7	35.6	34.6	30.1	29.1	33.5	29.9	30.6	-4.9
Kansas City, MO	36.8	40.5	30.6	30.2	34.8	34.7	35.6	28.8	28.8	25.6	29.8	25.0	24.1	33.9	27.2	-26.1
Las Vegas, NV	44.2	42.4	47.6	46.6	46.7	37.9	43.2	41.8	39.7	38.3	36.9	42.4	45.9	49.5	53.3	20.5
Long Beach, CA	34.2	39.0	36.1	27.9	35.9	32.7	33.9	24.4	22.8	28.0	19.3	28.6	23.7	23.8	25.3	-26.0
Los Angeles, CA	35.5	32.5	32.1	31.7	29.7	31.5	28.8	28.4	29.3	25.5	24.5	24.2	26.4	24.9	28.4	-20.0
Memphis, TN	41.6	40.6	44.6	41.9	38.9	35.6	32.9	38.7	36.4	32.6	29.4	31.0	31.4	35.0	35.3	-15.2
Mesa, AZ	30.0	23.5	28.2	32.1	32.3	23.3	28.2	31.2	25.5	37.5	32.2	32.8	31.0	30.3	34.7	15.8
Miami, FL	36.9	43.5	41.1	32.2	25.8	40.6	41.8	35.2	38.3	34.3	37.6	37.4	34.3	39.8	41.8	13.3
Milwaukee, WI	35.6	39.4	39.4	37.1	30.5	33.6	30.4	27.5	32.9	30.2	25.6	29.3	28.6	25.2	22.4	-37.1
Minneapolis, MN	37.7	38.9	30.4	39.8	36.2	38.4	25.3	22.6	26.6	39.6	24.5	29.8	19.4	27.9	19.1	-49.4
Nashville-Davidson, TN	35.6	31.8	35.2	38.1	34.6	29.7	35.0	37.5	28.7	27.3	26.7	33.2	26.2	31.4	22.9	-35.7
New Orleans, LA	45.5	46.2	36.5	40.3	39.1	39.7	31.2	34.2	35.3	38.5	37.5	34.5	41.5	36.5	35.3	-22.3
New York, NY	36.3	35.2	35.5	34.1	33.3	34.9	34.2	30.9	29.1	28.3	26.8	28.9	25.9	26.5	26.8	-26.2
Oakland, CA	35.3	31.5	30.6	25.6	31.4	20.5	24.9	30.3	31.0	27.8	29.9	24.2	29.7	19.8	24.0	-32.0
Oklahoma City, OK	25.4	32.6	23.4	28.3	35.3	25.2	29.9	24.5	25.5	23.6	27.1	29.7	29.6	29.2	24.8	-2.5
Omaha, NB	39.6	29.8	35.9	30.2	29.3	27.4	32.4	28.8	31.1	28.7	28.6	32.2	28.6	26.7	29.7	-25.0
Philadelphia, PA	45.2	42.9	42.0	42.7	38.7	36.6	32.9	39.4	35.9	36.6	32.9	36.6	33.6	32.7	31.7	-29.8
Phoenix, AZ	35.0	30.9	30.5	31.5	36.6	29.6	25.5	29.8	30.3	27.9	25.9	27.2	26.4	22.0	22.4	-36.0
Pittsburgh, PA	40.0	41.0	39.5	37.5	39.4	32.8	31.0	38.7	29.7	41.4	29.8	30.8	33.9	24.3	27.5	-31.3
Portland, OR	34.7	34.2	32.4	25.8	32.7	33.8	28.3	27.6	26.1	26.9	26.9	28.9	28.5	25.9	23.1	-33.4
Sacramento, CA	64.1	53.2	49.8	52.2	63.8	52.2	45.8	50.1	44.1	42.1	51.0	43.1	43.7	42.5	42.3	-34.0
San Antonio, TX	31.8	28.0	35.6	31.0	29.4	28.8	29.5	29.9	28.9	27.4	29.2	25.6	28.3	28.2	27.3	-14.1
San Diego, CA	32.6	29.6	29.7	34.1	29.6	33.0	28.0	28.1	27.9	25.8	29.6	26.9	30.0	27.1	23.1	-29.1
San Francisco, CA	32.0	32.1	28.2	31.4	25.2	23.5	24.9	26.4	26.4	19.7	21.3	23.0	22.1	25.3	24.5	-23.4
San Jose, CA	28.3	29.9	31.7	27.7	28.0	25.6	29.1	23.3	26.0	22.3	20.4	21.2	18.8	15.8	21.5	-23.9
Seattle, WA	40.3	32.4	29.5	32.6	27.8	32.3	38.8	35.9	32.2	26.7	27.4	21.9	24.9	24.2	23.3	-42.2
St. Louis, MO	41.8	33.9	33.2	36.4	38.9	43.6	29.4	30.2	34.4	34.4	31.1	30.5	27.8	26.6	28.8	-31.2
Tucson, AZ	26.1	34.3	30.5	33.2	35.3	23.8	28.7	28.8	25.8	39.4	44.6	33.3	32.4	46.2	41.7	59.5
Tulsa, OK	34.1	28.0	29.2	35.2	32.2	31.3	32.0	30.0	32.3	30.2	29.1	46.5	39.8	25.4	24.0	-29.6
Virginia Beach, VA	23.3	34.0	29.4	43.5	27.8	28.3	34.4	24.4	28.3	30.8	31.5	25.6	29.5	27.1	24.6	5.4
Washington, DC	44.4	44.1	40.4	38.6	39.0	38.6	39.1	39.0	42.0	35.3	29.1	39.1	33.9	29.6	27.1	-39.0
Wichita, KS	43.3	34.2	32.4	31.2	39.9	34.2	26.1	29.3	34.8	28.8	29.8	24.4	37.3	44.4	31.2	-28.0

Year 2010 Goal: 21.3

† Per 100,000 female population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 3.13: Motor Vehicle Injury Mortality Rate, 1990 – 2004

City*	Annual Rate†															Percent Change
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	1990-2004
Albuquerque, NM	17.6	15.9	18.3	17.2	17.7	18.2	18.2	18.0	13.6	18.7	16.5	19.6	18.0	17.7	22.2	26.4
Arlington, TX	14.4	11.1	13.9	7.7	14.3	13.3	11.2	9.0	8.4	9.9	10.5	13.4	15.3	8.6	15.0	4.1
Atlanta, GA	21.6	14.7	17.1	18.1	19.7	14.8	16.1	14.9	18.4	18.1	16.2	19.5	12.4	14.3	14.5	-32.8
Austin, TX	9.0	10.5	14.0	9.6	12.9	10.8	11.1	11.6	11.9	11.2	17.0	17.7	15.2	11.2	13.2	46.0
Baltimore, MD	9.6	9.4	8.3	10.5	10.5	7.2	9.0	8.4	9.7	10.8	9.5	9.5	11.1	10.5	9.5	-1.4
Boston, MA	7.6	7.2	4.8	5.9	6.2	5.8	3.8	4.9	4.4	3.6	5.7	6.7	6.9	5.1	4.8	-36.8
Charlotte, NC	13.1	12.5	9.0	12.3	13.5	11.1	11.9	9.8	10.3	12.4	15.3	12.5	15.8	12.7	11.1	-15.5
Chicago, IL	12.3	10.3	10.1	9.9	10.3	10.0	10.2	10.1	9.8	11.4	11.9	10.6	9.7	10.3	9.3	-24.3
Cincinnati, OH	9.0	8.8	9.4	8.0	8.4	8.6	6.5	7.1	8.4	9.4	9.1	8.4	12.6	10.7	12.0	32.8
Cleveland, OH	12.2	11.8	8.8	9.4	7.6	9.1	9.0	8.4	7.5	8.7	9.9	10.5	9.3	7.6	7.3	-40.1
Colorado Springs, CO	17.5	16.3	13.0	14.2	10.1	12.9	11.7	13.8	12.9	12.3	16.6	13.8	15.8	15.7	12.2	-30.2
Columbus, OH	8.0	8.4	7.5	5.8	4.5	7.8	6.9	7.0	8.7	8.4	8.4	10.9	11.4	6.3	8.8	9.8
Dallas, TX	15.1	14.9	14.0	15.5	11.8	14.5	14.8	13.9	13.3	14.7	16.1	17.0	16.0	13.1	15.8	4.7
Denver, CO	12.7	13.2	15.3	9.8	17.0	14.0	15.4	13.4	13.3	14.4	18.8	18.4	15.7	14.5	12.5	-1.6
Detroit, MI	13.0	12.7	13.1	12.4	13.0	16.0	15.0	16.9	17.2	17.6	18.3	18.2	15.2	15.2	14.2	9.6
El Paso, TX	15.8	15.7	17.7	19.6	15.5	13.1	15.9	14.6	13.7	11.9	14.7	17.0	16.5	13.3	15.2	-3.6
Fort Worth, TX	16.2	13.3	12.7	13.3	15.0	12.4	12.5	11.5	10.4	14.9	14.1	15.4	17.9	17.7	15.1	-6.8
Fresno, CA	28.8	29.6	22.6	26.0	29.5	21.5	19.8	14.6	18.2	28.9	15.7	20.1	23.3	25.0	22.4	-22.3
Honolulu, HI	7.0	4.9	6.8	6.4	6.7	7.5	---	6.1	5.8	---	5.6	5.3	6.1	5.4	5.7	-18.5
Houston, TX	19.0	16.5	16.2	14.2	12.1	12.6	15.9	13.6	14.6	16.9	16.3	20.3	18.1	17.1	16.1	-15.3
Indianapolis, IN	15.2	11.0	11.3	9.2	10.8	9.7	12.4	9.7	11.9	13.8	13.6	13.3	10.3	10.5	13.6	-10.4
Jacksonville, FL	15.7	14.8	13.0	13.4	15.2	13.6	14.1	12.4	13.8	13.6	15.2	18.8	17.2	17.8	19.6	24.9
Kansas City, MO	14.6	14.2	12.4	13.9	9.9	13.5	16.5	14.1	14.0	12.3	13.5	13.9	14.6	13.8	12.8	-12.2
Las Vegas, NV	26.3	20.4	17.8	17.2	19.2	24.8	28.3	25.9	25.8	21.1	22.1	22.3	27.1	24.4	33.9	29.1
Long Beach, CA	12.6	11.9	10.6	10.9	9.8	7.5	10.2	9.9	7.2	7.4	9.8	9.3	8.3	9.1	11.2	-11.3
Los Angeles, CA	15.0	14.1	11.8	11.7	12.2	11.5	10.9	9.6	8.4	9.7	10.1	11.1	9.3	11.5	10.7	-28.7
Memphis, TN	15.2	17.3	20.0	18.2	21.5	18.8	21.7	21.6	16.9	20.4	19.3	15.3	18.5	17.7	17.3	14.0
Mesa, AZ	14.2	11.9	13.3	13.1	13.6	15.2	15.6	12.4	16.2	15.6	13.7	16.7	15.2	15.3	17.7	25.0
Miami, FL	31.0	23.2	20.2	27.4	21.7	25.5	22.9	18.8	25.2	32.3	30.4	32.7	35.4	29.5	32.5	4.7
Milwaukee, WI	8.9	9.3	8.8	11.8	7.8	8.5	7.6	8.3	9.9	7.8	10.4	9.1	9.6	7.9	13.7	54.5
Minneapolis, MN	7.4	6.3	8.6	8.4	11.5	6.7	6.6	6.4	7.6	6.4	7.3	10.5	8.5	6.7	7.1	-4.3
Nashville-Davidson, TN	18.5	10.9	15.0	16.3	15.9	14.7	17.0	13.9	13.6	14.0	21.9	18.8	13.5	15.4	16.3	-11.9
New Orleans, LA	14.1	12.4	11.7	13.0	10.9	11.2	14.2	11.9	10.7	12.7	10.8	11.6	9.7	10.1	13.4	-4.8
New York, NY	9.1	8.5	7.5	7.0	6.6	6.6	5.7	6.1	5.3	6.2	5.0	5.3	5.9	5.4	4.9	-46.3
Oakland, CA	12.4	13.3	10.2	11.4	12.3	9.9	10.2	10.1	7.6	11.8	8.8	8.7	9.6	11.2	12.7	2.7
Oklahoma City, OK	12.5	11.6	13.1	11.6	15.1	10.3	15.1	15.9	10.8	11.4	11.3	13.7	12.6	11.9	15.2	21.3
Omaha, NB	10.6	9.6	11.8	9.0	7.5	8.5	12.6	9.3	10.8	11.3	7.0	14.2	9.9	12.3	7.7	-27.2
Philadelphia, PA	11.0	9.5	7.7	9.2	9.3	10.1	8.5	10.1	7.5	9.2	7.9	9.7	9.0	9.2	9.8	-10.9
Phoenix, AZ	17.7	16.2	13.3	14.2	14.8	19.3	16.8	16.9	15.1	16.8	19.8	20.0	20.5	16.9	19.5	9.9
Pittsburgh, PA	7.4	6.9	5.4	6.1	5.6	6.7	6.0	4.3	7.2	5.7	6.5	9.1	6.6	10.0	8.1	9.2
Portland, OR	12.9	10.1	10.9	9.2	10.1	12.3	11.5	8.5	8.3	9.2	11.0	9.0	9.1	12.0	10.9	-15.3
Sacramento, CA	28.5	23.4	21.7	23.3	24.2	17.7	19.3	21.3	15.4	16.8	17.6	24.1	26.2	21.1	23.0	-19.2
San Antonio, TX	11.2	11.4	11.2	14.5	14.8	14.3	14.0	13.3	13.6	11.9	13.7	12.1	15.7	14.5	17.1	53.1
San Diego, CA	11.3	10.7	7.3	8.5	8.3	8.8	7.2	8.0	7.7	10.6	9.8	8.5	10.1	8.7	10.0	-11.8
San Francisco, CA	9.9	10.5	8.2	7.2	7.9	6.7	6.1	6.4	6.5	7.3	8.6	6.8	7.3	5.6	5.8	-41.4
San Jose, CA	10.8	10.7	10.9	8.6	6.7	6.9	8.1	7.8	7.2	9.2	9.8	9.0	9.4	7.5	8.1	-25.2
Seattle, WA	10.0	8.8	9.6	10.4	7.3	10.6	8.5	7.8	6.5	6.7	8.7	8.4	6.9	8.2	6.8	-31.8
St. Louis, MO	13.2	9.8	13.9	9.9	14.5	11.4	8.4	11.3	12.7	12.6	11.8	17.5	15.5	17.1	14.1	6.7
Tucson, AZ	18.5	13.8	18.4	16.9	14.1	20.4	14.6	14.9	12.4	23.4	23.0	10.7	9.9	23.8	23.1	24.8
Tulsa, OK	15.8	12.9	12.4	12.0	14.3	13.6	14.5	14.2	12.9	15.4	15.2	25.1	30.7	15.2	14.3	-9.3
Virginia Beach, VA	8.7	5.9	6.4	7.5	5.5	5.4	7.9	8.0	8.1	10.4	7.4	9.2	8.6	6.8	7.7	-11.5
Washington, DC	9.2	9.0	8.4	10.1	9.4	9.6	8.4	7.6	8.0	6.1	9.6	9.1	9.4	10.8	7.7	-16.4
Wichita, KS	16.5	13.4	15.0	14.5	14.9	12.4	11.7	13.8	16.2	15.1	8.1	14.9	19.6	14.9	14.2	-13.7

Year 2010 Goal: 8.0

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

See technical notes on limitations of reported versus geocoded cities.

Table 3.14: Homicide Rate, 1990 – 2004

City*	Annual Rate†															Percent Change
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	1990-2004
Albuquerque, NM	11.4	12.5	12.7	13.0	13.9	15.2	18.3	12.8	10.7	13.2	9.5	9.0	10.7	11.5	8.2	-27.9
Arlington, TX	6.3	10.5	---	---	8.7	---	---	8.3	6.8	---	5.6	---	---	---	---	---
Atlanta, GA	48.9	42.2	41.2	40.3	40.7	34.9	34.0	26.1	27.5	25.1	25.4	26.5	24.4	23.2	21.9	-55.2
Austin, TX	8.4	11.1	7.0	6.1	8.1	6.5	6.7	6.8	4.6	4.3	4.1	5.0	3.4	3.8	4.0	-52.3
Baltimore, MD	35.4	33.2	40.9	43.1	40.5	40.2	40.1	39.7	41.0	40.7	35.0	32.5	33.9	35.7	39.5	11.5
Boston, MA	18.5	15.4	10.9	14.0	11.6	11.3	8.2	5.3	5.1	4.4	4.8	10.5	10.4	6.4	8.3	-55.1
Charlotte, NC	20.3	25.3	20.5	27.0	16.2	15.9	13.8	10.9	11.4	15.6	14.1	10.7	11.6	11.4	11.7	-42.3
Chicago, IL	29.2	32.5	30.9	28.8	30.4	26.5	25.8	24.2	23.2	20.8	20.5	21.1	19.6	19.1	14.5	-50.3
Cincinnati, OH	13.9	12.1	11.6	12.3	8.9	13.3	8.5	9.0	7.5	7.9	9.2	15.4	14.1	15.1	15.8	13.9
Cleveland, OH	29.4	31.7	27.4	30.0	24.7	22.4	19.1	15.2	12.2	11.3	12.5	15.2	15.0	12.5	15.9	-46.0
Colorado Springs, CO	---	7.8	---	6.8	---	7.0	6.1	6.6	---	5.8	---	5.6	5.8	6.4	---	---
Columbus, OH	10.4	7.1	5.6	4.6	2.4	---	4.5	7.1	6.7	6.6	6.4	8.6	8.2	10.5	12.3	18.5
Dallas, TX	34.6	40.4	33.1	24.9	22.7	22.0	15.0	15.8	17.4	11.8	14.0	16.1	14.2	15.3	16.1	-53.5
Denver, CO	11.3	16.0	15.8	13.3	12.9	15.3	11.6	11.5	9.0	8.6	5.8	6.7	8.0	9.3	14.2	25.9
Detroit, MI	57.9	62.2	57.7	56.9	56.2	47.7	42.4	45.6	42.0	41.4	41.0	39.4	39.9	39.3	36.8	-36.4
El Paso, TX	7.4	9.1	8.0	9.1	8.7	6.4	5.1	5.1	---	---	4.1	4.4	3.9	---	---	---
Fort Worth, TX	23.0	37.5	27.0	22.6	23.1	17.9	10.9	13.9	10.5	13.4	10.4	10.2	9.1	9.0	9.8	-57.3
Fresno, CA	17.6	17.3	25.7	26.0	24.0	21.3	16.1	16.3	10.7	7.3	6.8	11.1	9.6	8.6	12.0	-31.7
Honolulu, HI	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Houston, TX	33.0	35.3	26.7	26.4	21.6	18.7	15.4	14.1	14.1	13.1	11.7	12.3	14.3	14.9	14.0	-57.6
Indianapolis, IN	10.8	14.0	13.5	11.9	16.2	13.3	16.9	17.2	17.0	14.1	12.6	14.3	13.2	12.6	12.7	17.8
Jacksonville, FL	26.3	19.4	19.2	17.9	15.8	12.7	11.1	11.8	10.3	11.1	9.9	11.0	14.5	12.1	14.3	-45.5
Kansas City, MO	23.9	28.2	29.2	28.8	28.6	22.2	21.8	20.4	26.7	24.3	22.1	22.8	17.1	18.2	17.5	-26.7
Las Vegas, NV	19.3	21.8	21.1	20.3	22.3	22.5	28.6	18.8	14.8	14.4	13.7	19.1	20.1	21.0	19.9	3.3
Long Beach, CA	20.3	23.6	21.3	25.1	17.7	17.7	18.2	16.5	11.3	10.8	11.5	10.8	13.7	11.1	12.5	-38.3
Los Angeles, CA	27.7	28.0	29.5	27.8	23.3	22.0	19.5	15.0	11.8	11.1	13.5	14.7	15.9	13.8	13.5	-51.2
Memphis, TN	31.6	29.7	30.3	32.7	27.5	29.4	27.0	22.1	20.8	19.3	21.4	22.2	24.7	19.6	17.6	-44.4
Mesa, AZ	---	---	---	---	6.2	8.0	6.8	---	---	---	5.0	6.2	7.0	7.1	6.0	---
Miami, FL	37.0	37.5	32.3	34.7	38.1	36.8	33.8	31.5	30.6	26.2	22.5	26.2	23.1	22.2	22.5	-39.2
Milwaukee, WI	21.9	23.4	22.9	23.4	19.9	21.3	20.1	19.0	17.7	19.3	18.3	20.7	18.6	17.2	13.4	-38.7
Minneapolis, MN	12.1	15.0	14.8	11.1	13.1	20.4	16.2	12.9	10.8	11.0	8.0	9.5	9.0	8.8	10.5	-13.1
Nashville-Davidson, TN	12.9	15.7	15.1	16.1	12.6	17.3	13.7	18.8	16.0	12.0	14.0	11.9	10.1	11.0	9.6	-25.5
New Orleans, LA	58.3	62.9	51.0	67.3	78.0	64.9	61.8	46.1	39.8	28.4	36.6	37.5	47.2	48.1	47.9	-17.8
New York, NY	27.5	27.2	24.8	24.6	19.7	14.7	12.5	9.9	8.1	8.5	8.4	22.4	7.1	7.4	6.7	-75.6
Oakland, CA	33.7	39.0	38.7	35.2	34.0	29.4	23.3	25.2	18.9	15.5	19.1	16.1	22.6	23.4	17.6	-47.8
Oklahoma City, OK	12.9	10.7	12.7	17.2	11.4	30.8	13.2	13.1	8.6	9.4	6.8	8.3	7.6	9.6	10.2	-20.8
Omaha, NB	---	9.1	6.8	8.5	8.8	10.1	6.6	8.9	6.5	9.0	7.9	5.9	7.4	9.1	---	---
Philadelphia, PA	29.1	26.7	25.9	26.0	25.9	26.8	25.6	25.6	21.3	20.0	20.7	19.9	18.8	22.0	21.4	-26.3
Phoenix, AZ	12.7	11.6	13.4	13.8	18.2	17.4	14.6	13.8	13.6	16.0	12.0	15.9	14.3	15.1	13.9	9.6
Pittsburgh, PA	9.7	9.4	11.5	17.6	18.2	15.0	12.0	14.4	9.6	14.7	8.8	10.6	8.9	16.7	12.1	25.0
Portland, OR	6.8	11.9	11.4	10.0	10.0	7.6	8.3	8.9	4.0	6.3	4.0	4.3	4.0	4.4	4.7	-30.8
Sacramento, CA	15.5	20.9	22.4	30.8	27.2	21.3	18.8	16.4	13.3	13.7	12.4	8.8	16.5	15.4	17.6	13.7
San Antonio, TX	21.6	22.1	22.8	23.5	19.7	13.4	11.7	9.2	8.9	9.7	8.1	8.9	9.8	8.1	8.2	-62.0
San Diego, CA	10.7	13.2	10.9	11.1	9.0	7.9	7.0	6.1	4.0	4.2	3.8	3.7	3.8	4.8	5.4	-49.4
San Francisco, CA	11.9	10.7	13.7	14.4	10.0	7.6	7.8	6.6	6.0	6.1	6.4	8.0	6.5	7.7	8.6	-27.6
San Jose, CA	4.2	6.9	6.3	5.3	4.5	4.6	4.5	4.8	3.8	3.1	2.7	2.9	3.1	3.2	3.5	-16.5
Seattle, WA	9.2	7.5	12.2	10.5	12.1	6.9	8.7	6.8	6.4	7.8	5.3	4.0	6.7	5.5	4.4	-52.1
St. Louis, MO	41.1	52.4	49.5	60.5	59.4	48.3	41.2	34.5	28.9	33.3	28.0	36.0	26.2	17.9	25.4	-38.2
Tucson, AZ	7.6	5.6	12.5	11.3	8.8	15.6	13.5	11.1	11.0	12.0	14.7	6.9	5.1	13.6	16.0	110.9
Tulsa, OK	12.6	11.1	10.4	13.7	13.5	7.7	8.0	10.3	11.1	10.8	7.3	12.0	21.1	13.7	12.9	2.6
Virginia Beach, VA	4.2	6.9	6.5	6.8	7.5	---	6.3	5.6	---	---	---	---	---	6.7	4.4	4.9
Washington, DC	55.2	59.0	55.6	60.9	51.6	46.5	48.9	38.9	33.5	28.8	28.9	31.0	36.2	30.2	27.7	-49.8
Wichita, KS	---	10.5	10.1	18.1	14.3	11.3	8.2	11.3	9.0	6.1	9.9	---	7.8	7.0	8.7	---

Year 2010 Goal: 2.8

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 3.15: Firearm-Related Mortality Rate, 1990 – 2004

City*	Annual Rate†															Percent Change
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	1990-2004
Albuquerque, NM	16.9	14.2	23.1	19.4	23.8	24.0	24.3	18.0	19.8	18.5	16.3	17.8	18.2	19.8	16.7	-1.2
Arlington, TX	11.6	18.8	18.8	12.1	17.4	12.1	12.6	13.4	12.9	9.1	11.1	9.1	9.6	8.5	7.0	-39.7
Atlanta, GA	40.5	38.5	37.4	39.2	37.6	31.3	34.2	26.8	22.7	27.8	26.0	27.5	23.0	17.1	20.8	-48.6
Austin, TX	15.5	12.7	12.1	16.3	11.3	9.7	9.8	8.8	9.1	6.3	6.4	11.4	9.3	6.5	7.7	-50.3
Baltimore, MD	29.4	29.2	36.4	40.6	36.5	34.3	39.0	37.2	32.9	37.7	31.5	29.1	26.0	30.1	32.0	8.8
Boston, MA	12.0	11.0	9.2	10.2	8.0	8.7	6.2	5.0	4.6	3.9	4.9	5.6	7.6	5.1	7.1	-40.8
Charlotte, NC	21.9	26.9	22.1	27.5	18.2	18.1	14.6	14.7	16.5	16.9	15.8	17.4	17.0	14.3	16.8	-23.3
Chicago, IL	24.7	26.4	24.5	25.2	25.9	22.3	22.3	20.1	20.4	18.3	17.2	17.6	17.4	17.1	12.2	-50.6
Cincinnati, OH	14.1	11.8	11.9	14.3	9.3	12.9	9.7	9.8	7.7	10.0	10.8	16.8	16.1	15.1	16.5	17.0
Cleveland, OH	27.1	31.2	26.6	30.0	27.0	23.7	19.7	14.8	13.0	13.0	14.0	15.9	13.8	11.7	14.2	-47.6
Colorado Springs, CO	15.2	12.9	13.6	15.9	11.1	20.4	17.3	15.3	10.9	11.5	9.5	14.1	15.4	11.4	18.6	22.4
Columbus, OH	15.3	12.6	12.4	10.2	9.1	8.6	8.2	10.9	11.5	9.4	8.5	12.1	11.8	10.3	13.1	-14.4
Dallas, TX	35.6	41.9	36.9	31.5	28.9	25.1	17.6	18.1	19.1	13.5	15.3	17.6	16.3	17.1	17.2	-51.7
Denver, CO	17.4	19.0	19.3	21.6	18.3	21.2	17.7	14.0	10.9	10.9	12.4	9.8	12.1	12.6	14.5	-16.7
Detroit, MI	49.0	52.4	51.2	53.7	50.0	43.5	39.8	38.2	35.8	37.1	36.6	37.1	35.9	35.1	33.5	-31.6
El Paso, TX	13.6	12.4	13.8	13.7	12.5	8.9	10.0	7.8	5.7	4.3	8.2	4.3	7.2	6.9	5.2	-61.8
Fort Worth, TX	24.6	37.4	33.6	26.7	27.9	22.4	15.9	17.7	14.7	13.0	11.2	13.8	9.8	14.1	11.3	-54.1
Fresno, CA	21.8	19.1	30.1	27.1	27.4	24.7	19.1	20.5	15.9	14.0	10.9	14.3	12.8	13.8	17.4	-20.2
Honolulu, HI	---	---	---	5.1	6.1	---	---	---	---	---	---	---	---	---	---	---
Houston, TX	35.2	36.7	30.2	30.9	26.9	21.2	20.3	17.5	17.9	16.5	14.9	15.9	17.0	16.6	17.0	-51.7
Indianapolis, IN	15.6	18.6	19.5	19.7	22.3	16.9	23.8	23.5	24.1	18.5	14.6	16.4	17.8	17.8	16.2	3.8
Jacksonville, FL	32.4	26.6	22.9	24.2	19.2	16.7	15.9	15.5	17.5	13.0	13.7	14.2	17.4	19.5	18.1	-44.1
Kansas City, MO	28.2	28.3	32.1	29.6	31.4	25.3	26.5	22.2	26.3	27.5	25.2	23.6	18.7	20.6	19.4	-31.2
Las Vegas, NV	28.4	33.0	36.3	41.4	36.7	41.7	40.5	32.8	29.5	28.6	28.8	30.6	34.9	30.7	33.5	18.0
Long Beach, CA	21.1	26.2	23.8	27.8	20.4	21.7	19.6	16.9	16.3	12.6	14.8	13.8	17.3	11.6	15.0	-28.9
Los Angeles, CA	26.2	27.0	29.7	28.9	24.6	23.2	20.5	15.7	14.0	12.8	14.7	15.9	16.9	15.5	13.8	-47.3
Memphis, TN	32.7	30.3	31.7	33.3	29.9	30.0	26.7	23.5	24.4	20.6	22.3	20.8	27.8	21.5	19.0	-41.9
Mesa, AZ	12.4	18.9	13.2	15.9	15.7	20.5	14.2	11.7	13.8	10.8	12.7	14.9	19.5	13.1	14.5	16.9
Miami, FL	35.2	38.9	35.5	38.5	40.5	39.5	36.6	32.2	31.4	28.1	18.6	24.9	24.0	26.1	25.2	-28.4
Milwaukee, WI	22.4	20.5	22.7	20.6	19.3	20.3	20.6	15.9	17.1	18.6	18.7	19.1	18.0	17.5	14.7	-34.4
Minneapolis, MN	10.7	15.0	11.3	12.5	11.1	16.3	15.9	13.1	10.5	9.3	10.2	9.4	8.3	10.0	10.8	0.9
Nashville-Davidson, TN	18.1	23.8	20.8	21.8	19.6	21.4	18.4	23.8	20.7	16.7	19.2	16.4	16.6	15.9	15.4	-14.9
New Orleans, LA	57.9	61.1	56.2	66.1	76.4	65.9	61.1	49.3	39.2	32.2	39.1	40.3	48.2	47.2	51.6	-10.9
New York, NY	21.5	22.6	20.9	20.4	16.2	12.1	10.0	7.7	6.3	5.9	6.3	5.9	5.4	5.6	5.1	-76.3
Oakland, CA	31.8	34.8	35.3	33.6	32.0	23.9	18.8	20.9	15.9	14.5	19.6	18.6	21.5	21.3	15.8	-50.3
Oklahoma City, OK	19.0	15.5	17.3	25.1	16.3	16.8	18.4	19.6	13.5	17.1	11.0	12.0	10.7	12.7	13.4	-29.5
Omaha, NB	10.4	13.1	12.1	12.8	13.5	12.8	10.8	12.3	10.5	13.3	11.2	7.3	13.2	10.7	7.2	-30.8
Philadelphia, PA	25.2	23.9	24.8	25.0	23.8	25.3	25.1	25.3	22.0	20.0	21.2	18.5	20.5	22.8	21.8	-13.5
Phoenix, AZ	21.0	18.0	21.1	24.5	25.4	27.3	24.1	22.3	21.6	20.7	16.5	21.5	21.2	19.8	19.5	-7.1
Pittsburgh, PA	9.9	10.7	14.8	17.3	17.4	15.4	11.9	16.7	14.2	16.2	9.8	14.0	10.2	17.3	14.9	50.5
Portland, OR	14.3	15.7	14.7	15.4	16.9	14.1	14.1	16.3	10.8	11.4	8.0	6.6	9.3	8.9	9.2	-35.7
Sacramento, CA	24.3	27.8	30.6	42.2	34.5	32.2	24.0	25.9	16.9	19.4	16.9	17.4	20.5	19.4	20.9	-14.0
San Antonio, TX	23.4	24.7	26.0	28.3	23.3	19.4	16.6	13.2	13.5	9.9	11.3	12.0	12.1	10.5	9.4	-59.8
San Diego, CA	11.1	15.9	13.1	14.8	12.2	11.7	10.8	9.5	7.3	8.2	7.4	8.2	5.9	7.9	6.6	-40.5
San Francisco, CA	12.4	10.6	12.6	14.6	11.5	9.4	10.4	7.8	5.6	5.9	5.8	6.5	6.7	7.1	8.6	-30.6
San Jose, CA	8.1	8.7	8.0	8.3	7.6	8.1	5.2	5.1	5.7	4.6	4.0	3.3	5.3	3.5	5.3	-34.6
Seattle, WA	10.0	10.7	16.2	15.6	17.3	10.8	10.3	9.3	9.8	11.0	8.3	6.8	8.2	7.4	6.9	-31.0
St. Louis, MO	35.5	49.2	47.0	57.8	56.7	46.7	34.1	34.5	23.3	26.7	27.1	35.5	26.5	18.7	26.2	-26.2
Tucson, AZ	17.8	18.4	23.1	22.7	20.8	23.0	23.8	21.4	21.8	26.4	27.8	13.5	9.2	23.7	24.3	36.5
Tulsa, OK	15.0	15.8	15.3	19.3	21.6	13.9	16.1	16.7	16.2	17.0	15.0	25.9	35.0	22.1	18.6	24.0
Virginia Beach, VA	9.6	10.7	13.5	11.0	13.0	8.4	10.5	8.3	6.2	8.6	8.0	7.6	5.6	10.7	10.5	9.4
Washington, DC	45.9	47.6	46.8	50.7	40.8	39.0	39.1	33.0	24.8	24.2	22.6	25.5	30.1	25.7	22.3	-51.4
Wichita, KS	10.2	17.2	17.8	22.5	22.6	18.3	15.2	13.9	15.5	11.0	14.0	11.7	9.5	13.9	13.4	31.4

Year 2010 Goal: 3.6

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 3.16: Suicide Rate, 1990 – 2004

City*	Annual Rate†															Percent Change
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	1990-2004
Albuquerque, NM	21.0	15.5	24.8	21.5	24.1	23.5	22.5	18.5	22.3	20.6	21.2	23.9	21.8	21.8	21.0	-0.1
Arlington, TX	11.5	14.5	18.4	10.4	13.4	14.4	14.0	9.5	11.6	9.0	10.9	10.5	10.6	12.2	9.4	-17.9
Atlanta, GA	15.8	14.7	18.1	13.4	13.9	14.5	14.4	13.3	9.2	12.7	8.5	10.7	11.8	7.7	13.8	-12.9
Austin, TX	15.1	11.6	13.1	16.8	12.4	9.1	11.2	10.9	11.6	10.0	11.0	12.9	15.2	12.8	13.6	-10.2
Baltimore, MD	8.9	10.9	10.4	15.6	12.7	11.4	12.1	10.8	9.7	9.1	9.4	9.7	7.8	6.9	5.6	-36.8
Boston, MA	8.9	8.1	7.4	6.1	8.2	7.1	8.3	9.7	8.3	5.2	5.5	5.1	3.9	6.8	4.2	-52.6
Charlotte, NC	14.1	11.9	10.9	12.1	10.0	11.5	8.2	10.8	10.7	8.8	7.7	12.1	13.5	10.0	13.2	-6.7
Chicago, IL	10.8	10.4	9.5	10.0	8.9	8.5	8.7	7.4	7.4	8.4	7.3	7.5	7.6	6.5	6.3	-41.4
Cincinnati, OH	16.7	16.5	13.2	13.4	10.8	9.7	10.8	13.4	8.9	10.5	11.2	10.2	11.5	11.1	13.3	-20.5
Cleveland, OH	12.0	14.9	14.1	15.4	13.1	14.7	14.6	12.2	10.1	10.8	12.2	13.8	11.7	11.3	12.2	2.1
Colorado Springs, CO	18.5	17.2	17.6	18.5	14.3	27.8	20.3	18.8	16.6	14.9	14.9	23.1	19.8	18.8	26.1	40.9
Columbus, OH	12.6	11.0	12.7	10.0	8.9	11.0	9.2	9.5	9.9	9.5	7.3	10.2	11.9	6.0	10.8	-14.0
Dallas, TX	13.7	17.7	14.8	16.9	13.3	13.1	10.7	11.8	10.7	9.7	7.9	10.5	9.8	10.6	10.3	-25.1
Denver, CO	25.1	20.2	19.4	22.1	21.1	22.5	21.5	13.2	13.4	12.8	16.3	13.5	15.6	13.5	16.2	-35.5
Detroit, MI	12.2	12.7	10.5	11.9	10.7	10.7	11.6	8.5	9.4	10.3	7.5	7.5	9.1	6.9	6.1	-49.8
El Paso, TX	13.7	12.2	11.5	12.4	11.2	10.2	11.3	8.5	7.0	6.0	9.9	7.0	9.8	8.7	8.3	-39.6
Fort Worth, TX	13.4	12.5	15.7	14.0	13.4	13.2	12.1	14.0	11.1	8.4	9.2	10.3	7.7	11.1	10.9	-19.0
Fresno, CA	16.6	13.6	19.2	13.4	14.6	16.2	10.9	16.3	13.3	14.5	9.3	11.9	9.8	12.0	14.8	-11.0
Honolulu, HI	11.8	10.0	11.3	13.7	13.0	11.8	10.0	10.6	11.1	11.3	12.1	11.6	11.5	10.4	10.9	-7.3
Houston, TX	15.0	14.9	14.5	15.7	14.8	11.4	13.6	11.8	12.1	11.7	10.6	11.9	12.2	11.4	12.0	-20.2
Indianapolis, IN	13.7	15.9	14.1	16.1	14.5	12.6	16.3	15.4	16.4	14.0	11.9	12.5	13.7	13.1	12.9	-6.2
Jacksonville, FL	18.6	17.0	15.0	15.0	11.9	12.5	13.9	11.4	15.3	12.0	12.7	13.9	13.4	16.0	15.6	-16.3
Kansas City, MO	14.9	16.8	15.2	13.1	15.9	14.0	16.9	12.4	11.5	18.0	15.5	14.9	12.1	10.5	12.1	-19.0
Las Vegas, NV	28.6	30.1	32.4	35.6	28.7	37.1	33.2	29.1	30.4	29.8	30.4	29.0	34.3	30.1	34.5	20.7
Long Beach, CA	13.9	14.8	13.1	14.2	11.2	13.3	11.5	11.2	12.3	10.2	9.7	11.2	13.7	9.9	9.3	-33.3
Los Angeles, CA	13.1	12.3	12.2	13.4	11.1	12.1	10.4	9.5	9.8	8.5	7.7	8.4	8.6	8.7	7.1	-45.6
Memphis, TN	15.9	14.4	12.0	11.1	13.0	13.1	11.5	11.0	13.1	9.8	9.8	9.5	10.6	9.5	8.6	-46.0
Mesa, AZ	14.9	19.8	14.9	20.6	18.1	18.5	14.5	14.6	15.7	14.7	14.3	16.6	19.2	16.0	19.6	31.2
Miami, FL	21.7	24.2	20.2	20.5	18.0	24.6	19.4	20.5	18.9	20.9	17.6	18.1	16.4	18.2	17.1	-21.3
Milwaukee, WI	15.1	12.4	13.4	11.7	12.1	11.5	13.1	11.2	14.4	10.9	13.4	11.8	8.8	11.9	14.2	-6.2
Minneapolis, MN	13.6	17.2	15.8	14.6	15.0	14.1	15.0	11.0	9.8	11.5	12.0	13.3	11.3	7.7	8.8	-35.5
Nashville-Davidson, TN	13.4	16.0	13.0	13.3	13.0	12.9	11.6	14.1	13.1	12.9	12.6	12.3	14.5	12.8	12.6	-6.3
New Orleans, LA	14.9	12.0	14.8	11.9	13.1	11.1	12.9	12.2	8.9	10.2	11.4	10.4	10.5	7.0	8.9	-40.4
New York, NY	8.0	8.6	8.0	6.9	7.8	7.4	7.0	6.7	6.4	5.8	4.9	5.5	6.0	5.8	6.0	-24.7
Oakland, CA	10.7	9.5	11.2	12.4	8.2	9.1	8.6	8.8	9.9	8.9	7.6	5.2	11.0	8.0	8.4	-21.2
Oklahoma City, OK	15.5	14.7	16.0	20.3	14.9	16.2	14.0	15.3	14.5	15.3	14.8	14.1	14.5	12.7	14.1	-9.3
Omaha, NB	16.6	14.4	13.1	11.1	11.4	12.1	12.5	12.8	11.6	14.2	10.2	8.8	15.2	11.8	10.5	-36.9
Philadelphia, PA	13.2	10.8	13.0	11.2	11.1	11.1	12.5	12.2	10.7	10.2	10.8	9.5	10.8	11.4	10.7	-19.2
Phoenix, AZ	18.9	16.5	15.2	19.2	16.8	19.0	17.6	15.8	15.4	13.4	13.9	13.9	15.3	14.7	14.7	-22.3
Pittsburgh, PA	14.7	12.4	14.9	12.5	12.0	11.7	8.1	13.4	15.2	12.8	9.6	12.2	10.0	12.1	15.2	3.1
Portland, OR	17.3	17.5	18.2	18.2	21.6	17.9	17.8	18.3	14.6	14.9	12.8	11.2	15.5	16.6	15.1	-12.9
Sacramento, CA	25.4	23.6	22.2	31.1	26.9	27.6	21.4	27.3	17.8	20.0	15.0	14.8	20.5	21.7	22.7	-10.6
San Antonio, TX	14.3	15.0	15.7	14.1	15.4	15.9	14.1	11.0	12.3	11.4	12.1	12.2	11.0	11.4	10.2	-28.9
San Diego, CA	12.2	16.2	14.3	16.2	13.9	14.1	14.5	11.0	12.9	12.7	12.8	10.4	10.8	12.3	10.4	-14.4
San Francisco, CA	15.6	18.5	18.1	16.6	17.3	16.9	15.4	13.1	11.2	9.6	10.8	11.9	9.5	11.8	11.6	-25.8
San Jose, CA	10.3	11.1	7.4	8.7	9.9	9.5	6.5	9.5	7.7	7.1	7.1	5.2	8.3	7.6	9.2	-10.3
Seattle, WA	14.4	15.8	17.1	15.8	17.5	16.3	15.7	10.8	14.2	15.1	12.2	10.4	11.2	13.0	12.2	-15.5
St. Louis, MO	11.1	13.7	12.9	11.7	14.5	15.3	12.4	14.1	9.9	13.7	12.2	14.2	11.4	14.1	13.0	17.6
Tucson, AZ	20.6	20.0	22.4	21.4	22.7	21.3	21.2	20.0	22.2	29.0	24.5	14.8	11.2	23.2	25.0	21.2
Tulsa, OK	9.7	13.1	13.6	17.3	15.9	15.8	16.8	15.7	17.5	14.6	18.5	29.4	32.4	19.2	14.5	50.1
Virginia Beach, VA	14.2	13.7	15.3	12.1	12.4	10.1	10.5	8.3	11.0	11.7	9.5	10.7	9.1	10.8	12.8	-10.1
Washington, DC	6.1	5.3	5.1	6.6	4.5	6.1	5.6	5.6	6.8	5.1	3.8	6.6	5.2	6.0	5.6	-7.8
Wichita, KS	14.9	13.4	14.0	13.9	17.9	13.4	15.7	14.4	15.4	11.6	12.0	12.7	11.8	14.0	15.2	1.7

Year 2010 Goal: 4.8

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 3.17: HIV-Related Mortality Rate, 1990 – 2004

City*	Annual Rate†															Percent Change
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	1990-2004
Albuquerque, NM	8.7	12.2	13.9	14.4	16.7	16.5	10.2	5.2	5.0	---	---	---	4.5	---	---	---
Arlington, TX	9.4	---	10.5	10.8	10.1	8.8	8.2	---	---	---	---	---	---	---	---	---
Atlanta, GA	82.6	100.7	123.6	122.8	135.5	135.6	115.0	61.2	54.2	65.3	50.3	54.0	44.6	37.6	42.1	-49.1
Austin, TX	21.5	29.4	32.9	32.5	38.3	37.3	22.7	12.0	6.1	10.3	6.7	6.7	7.0	7.8	5.8	-73.0
Baltimore, MD	38.5	47.4	66.3	83.1	105.6	107.6	86.5	54.2	49.1	55.7	52.5	53.6	60.4	62.2	50.5	31.1
Boston, MA	37.3	41.2	47.3	54.4	56.5	53.5	36.9	15.0	9.1	11.1	11.3	12.4	14.5	10.6	9.7	-74.0
Charlotte, NC	13.2	19.5	26.5	31.4	34.4	36.4	31.9	17.7	14.9	15.8	16.5	16.8	18.9	15.1	15.3	16.0
Chicago, IL	21.5	26.7	28.0	34.0	35.1	36.9	29.5	13.6	13.1	13.6	11.1	13.0	11.9	10.4	9.7	-54.9
Cincinnati, OH	13.8	12.1	18.4	20.4	24.6	29.0	16.8	8.3	---	8.6	8.9	---	6.8	6.6	---	---
Cleveland, OH	11.2	15.8	18.9	21.7	22.3	31.6	23.0	10.5	9.9	10.1	9.9	7.3	8.7	10.0	7.9	-29.3
Colorado Springs, CO	7.9	9.5	9.3	7.0	---	6.8	---	---	---	---	---	---	---	---	---	---
Columbus, OH	13.4	12.2	12.7	17.0	19.6	22.0	18.7	6.8	4.5	5.7	4.9	5.3	5.2	5.6	3.5	-73.9
Dallas, TX	35.0	37.5	39.1	47.4	44.8	42.4	31.2	16.0	13.5	13.5	12.9	12.3	12.7	12.7	13.4	-61.7
Denver, CO	38.3	42.9	42.2	47.7	44.2	41.8	26.9	13.1	9.4	10.4	8.4	7.7	9.1	7.0	10.0	-73.9
Detroit, MI	17.0	22.0	28.2	36.1	38.0	42.9	25.5	17.8	17.7	13.4	14.3	15.4	13.7	13.4	12.0	-29.5
El Paso, TX	---	5.4	7.9	10.0	12.4	12.3	10.3	8.0	4.7	4.4	3.9	4.0	4.9	5.7	6.2	---
Fort Worth, TX	14.8	16.1	20.3	22.8	27.0	24.5	15.3	11.3	7.9	11.5	9.5	9.8	9.5	6.6	9.6	-35.1
Fresno, CA	13.1	18.6	17.1	15.7	21.2	19.8	14.8	---	7.7	6.1	5.6	7.4	5.9	7.8	---	---
Honolulu, HI	14.0	15.2	12.4	17.8	18.1	16.6	8.5	5.9	---	---	---	---	---	---	---	---
Houston, TX	36.8	38.4	46.8	43.4	47.9	43.3	30.0	18.1	14.8	15.3	15.8	15.1	15.6	14.0	14.1	-61.7
Indianapolis, IN	10.8	10.3	12.4	11.6	15.5	17.3	12.6	7.7	6.2	5.0	3.5	5.7	5.6	4.1	5.5	-49.3
Jacksonville, FL	11.8	14.5	19.9	19.6	27.0	30.5	18.1	11.9	11.9	11.5	12.2	9.6	13.3	11.7	11.0	-6.8
Kansas City, MO	17.7	18.2	23.8	28.0	27.0	26.5	17.2	8.6	9.1	7.1	8.1	7.4	---	5.5	9.4	-46.8
Las Vegas, NV	12.9	15.7	21.5	26.6	31.0	30.5	17.1	8.4	8.9	8.7	8.9	8.3	8.1	8.8	8.2	-36.3
Long Beach, CA	46.8	44.1	50.2	55.3	53.0	46.6	35.1	15.2	10.2	13.4	11.5	12.6	10.9	9.8	11.1	-76.3
Los Angeles, CA	38.4	38.4	41.4	42.2	44.2	40.8	26.9	11.8	9.5	9.6	8.4	9.1	8.3	8.7	8.9	-76.8
Memphis, TN	8.8	12.0	15.0	18.6	26.2	28.3	22.0	21.1	18.1	18.9	18.2	19.4	25.6	16.0	18.0	103.9
Mesa, AZ	---	---	7.8	9.1	---	9.7	---	---	---	---	---	---	---	---	---	---
Miami, FL	96.1	104.8	111.6	118.7	146.9	145.9	110.8	65.5	66.1	70.9	68.1	70.0	61.6	54.2	58.4	-39.2
Milwaukee, WI	7.7	11.0	15.3	18.4	13.8	17.8	12.8	6.8	4.8	6.0	6.4	7.7	7.0	5.5	5.6	-26.9
Minneapolis, MN	20.7	28.6	24.0	31.1	33.9	33.7	24.9	8.9	7.0	7.6	8.0	6.9	6.2	6.9	---	---
Nashville-Davidson, TN	11.1	9.3	12.6	17.1	18.2	22.8	18.3	11.3	9.6	8.1	10.2	11.7	10.3	12.5	14.1	27.5
New Orleans, LA	30.4	49.1	57.4	61.3	58.0	69.5	47.5	29.0	30.5	28.8	28.2	25.6	23.0	27.9	27.2	-10.6
New York, NY	61.6	70.9	77.8	81.9	97.0	94.0	67.1	34.5	25.4	25.5	23.5	22.1	21.5	20.5	18.2	-70.4
Oakland, CA	35.0	37.7	46.4	45.5	54.0	48.5	40.0	20.0	12.4	14.7	12.7	10.7	10.7	10.4	9.9	-71.7
Oklahoma City, OK	6.3	11.3	15.0	15.0	14.9	17.7	13.8	8.3	4.6	6.0	4.8	7.3	5.3	6.8	4.9	-21.9
Omaha, NB	---	8.3	8.1	8.0	9.5	7.6	10.8	---	---	---	---	---	---	---	---	---
Philadelphia, PA	22.3	29.5	32.0	35.0	44.5	48.6	38.4	22.1	18.0	19.9	18.8	18.2	18.0	16.6	16.1	-27.9
Phoenix, AZ	11.6	13.8	16.3	19.4	18.9	18.9	13.9	6.9	5.1	5.8	6.1	5.4	5.4	7.0	5.6	-51.7
Pittsburgh, PA	15.5	12.3	15.5	23.3	18.6	21.2	11.6	7.6	---	---	---	---	---	7.9	---	---
Portland, OR	20.1	27.9	26.5	26.8	32.3	31.3	20.3	8.2	4.9	5.9	4.2	6.3	7.0	8.0	4.4	-78.1
Sacramento, CA	28.0	32.1	36.2	42.5	53.1	46.0	32.0	10.2	10.1	11.1	10.0	9.2	10.4	10.1	7.0	-75.0
San Antonio, TX	14.0	15.2	18.4	18.0	19.7	18.9	16.9	8.8	7.2	6.9	7.1	7.1	5.9	6.4	6.8	-51.6
San Diego, CA	31.0	31.8	34.7	40.5	45.7	38.6	22.3	8.9	6.3	8.9	7.3	6.8	7.4	5.8	7.6	-75.4
San Francisco, CA	147.3	159.7	165.7	159.6	152.1	138.8	92.9	31.0	24.0	24.3	24.5	24.4	20.0	21.5	21.7	-85.3
San Jose, CA	9.7	10.3	11.6	13.1	12.8	12.3	7.1	2.4	---	2.4	3.0	2.6	3.5	2.7	2.3	-76.2
Seattle, WA	32.2	42.2	42.9	53.1	54.2	56.7	36.1	12.7	9.4	6.9	8.1	8.0	7.3	10.3	7.8	-75.8
St. Louis, MO	17.0	27.3	29.7	25.6	30.7	36.4	23.0	12.1	15.5	13.1	13.7	11.4	12.3	9.7	10.3	-39.5
Tucson, AZ	8.5	12.1	16.4	17.1	20.5	23.5	15.3	7.1	4.9	6.6	4.6	---	4.5	5.8	5.3	-37.7
Tulsa, OK	9.9	10.1	12.7	13.2	18.4	13.1	11.0	6.8	6.2	---	7.7	7.9	6.6	5.7	---	---
Virginia Beach, VA	---	6.5	11.4	9.3	9.4	9.9	5.6	---	---	4.5	---	---	---	---	---	---
Washington, DC	68.0	71.4	88.0	103.7	119.2	116.5	97.5	49.8	46.1	46.1	44.6	38.7	41.2	43.0	41.1	-39.5
Wichita, KS	8.5	11.1	11.2	11.0	8.0	15.7	9.6	---	---	---	---	---	---	---	---	---

Year 2010 Goal: 0.7

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 3.18: Pneumonia and Influenza Mortality Rate, 1990 – 2004

City*	Annual Rate†															Percent Change
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	1990-2004
Albuquerque, NM	21.1	22.1	21.1	24.0	28.3	26.5	23.2	24.4	24.9	28.5	20.4	25.2	29.9	25.7	21.4	4.8
Arlington, TX	27.1	24.3	15.0	16.0	15.5	18.5	13.3	24.3	20.6	22.5	19.3	20.1	14.5	19.6	17.8	2.4
Atlanta, GA	33.3	33.5	31.3	37.2	36.3	31.8	36.5	35.6	32.1	35.1	38.6	28.9	33.4	25.2	18.4	1.7
Austin, TX	24.3	19.0	20.1	16.9	20.0	16.0	19.5	18.9	22.2	15.8	17.4	15.3	12.1	14.3	13.2	2.2
Baltimore, MD	33.0	29.5	28.9	31.4	29.0	32.8	35.0	31.5	29.9	29.1	30.4	28.3	27.6	29.7	26.9	2.5
Boston, MA	35.4	36.3	35.3	38.2	36.6	32.3	34.9	35.1	37.0	29.6	31.2	32.4	30.8	30.0	27.1	2.2
Charlotte, NC	20.2	22.5	19.3	23.2	21.0	24.2	24.6	23.8	32.8	31.2	23.9	22.2	26.8	24.6	17.1	4.2
Chicago, IL	32.3	31.8	28.0	32.7	27.9	28.9	27.1	27.8	27.2	31.1	26.6	25.3	25.7	26.0	22.4	2.2
Cincinnati, OH	31.6	31.2	24.5	33.6	26.8	32.1	27.7	23.7	27.3	24.6	22.1	24.2	22.4	22.8	19.5	2.0
Cleveland, OH	25.3	23.7	23.0	24.6	20.3	23.4	22.6	22.3	23.9	19.1	22.9	16.5	19.2	14.6	16.2	2.5
Colorado Springs, CO	36.1	35.8	28.4	25.3	29.9	32.2	30.1	25.6	24.9	26.2	18.9	21.4	23.4	20.3	19.1	1.5
Columbus, OH	21.7	22.7	22.8	22.1	21.3	25.8	18.8	21.3	25.1	21.3	19.6	24.2	22.2	26.4	26.5	5.6
Dallas, TX	24.4	22.6	20.7	19.0	20.8	17.0	20.3	19.6	18.8	17.0	20.2	22.3	19.4	18.4	16.2	2.7
Denver, CO	29.5	26.2	28.0	30.4	27.9	24.6	26.6	19.3	24.9	26.4	18.2	15.3	23.3	20.3	21.9	2.5
Detroit, MI	31.6	27.9	28.5	31.9	31.7	32.1	33.5	30.7	31.6	31.8	31.4	32.0	24.8	20.8	22.9	2.3
El Paso, TX	17.4	17.9	18.6	15.2	16.9	16.2	17.5	19.4	14.7	19.8	11.6	20.4	17.0	10.8	17.2	5.7
Fort Worth, TX	25.8	19.7	22.7	26.7	21.1	22.1	17.4	21.8	18.4	21.1	21.5	19.8	17.1	20.4	15.9	2.4
Fresno, CA	28.5	33.0	34.7	30.6	33.5	31.5	35.8	34.8	43.9	13.7	31.7	34.5	37.5	31.9	34.7	4.3
Honolulu, HI	27.0	27.7	21.7	22.5	16.7	23.4	24.4	23.9	21.5	23.0	18.5	17.9	17.2	19.8	17.5	2.4
Houston, TX	28.5	23.0	20.9	19.5	19.5	18.9	21.5	22.1	22.6	21.6	22.8	25.9	23.3	20.8	20.0	2.5
Indianapolis, IN	26.3	25.0	26.8	29.5	28.0	28.8	25.3	25.1	27.6	24.2	18.5	23.0	20.7	16.7	19.3	2.8
Jacksonville, FL	22.5	18.9	18.6	21.6	23.2	24.8	21.8	22.1	24.3	25.5	26.3	24.9	32.9	31.0	26.5	5.2
Kansas City, MO	20.9	24.8	23.5	23.5	26.7	32.3	26.2	25.9	24.0	27.2	18.9	25.3	18.1	22.0	14.5	3.3
Las Vegas, NV	26.3	21.0	27.9	33.7	32.8	33.6	36.8	35.7	27.9	35.6	33.9	34.9	35.8	33.0	39.6	5.7
Long Beach, CA	34.7	34.2	38.1	34.3	30.1	27.9	35.3	36.8	39.6	18.9	30.2	29.5	29.1	27.3	23.3	1.9
Los Angeles, CA	34.0	32.5	32.4	33.0	30.0	30.7	31.9	35.0	38.2	22.8	37.1	35.1	36.8	37.3	33.7	2.9
Memphis, TN	32.8	29.1	31.2	36.5	36.5	32.7	37.0	36.2	31.8	29.5	35.5	33.6	28.4	27.2	25.8	2.4
Mesa, AZ	28.1	30.7	26.0	27.5	25.8	20.1	17.9	18.1	24.4	29.9	26.4	25.8	26.2	25.1	19.1	2.4
Miami, FL	26.1	19.0	24.3	26.3	26.0	27.0	25.3	24.3	25.2	33.0	21.9	28.9	26.3	27.1	28.0	4.1
Milwaukee, WI	26.1	28.5	25.3	27.9	25.1	24.9	25.1	21.4	23.3	27.7	26.9	20.2	21.3	22.4	17.0	2.5
Minneapolis, MN	29.1	27.2	24.7	27.6	27.4	26.0	23.1	25.3	23.8	20.0	23.3	18.1	18.6	18.4	13.9	1.6
Nashville-Davidson, TN	31.5	30.4	31.9	28.8	36.3	32.5	27.9	31.2	31.6	25.4	22.4	19.7	23.8	23.3	21.0	2.1
New Orleans, LA	17.6	16.7	18.8	15.5	16.0	16.7	16.5	14.9	13.7	19.2	18.2	17.9	14.9	13.9	16.7	5.4
New York, NY	36.5	31.5	26.1	28.7	24.4	25.1	25.2	24.3	24.9	33.5	33.3	31.8	32.1	34.0	37.1	2.8
Oakland, CA	32.3	28.8	29.5	30.5	27.4	30.4	29.8	37.2	34.3	14.4	24.1	27.0	26.5	24.2	26.7	2.6
Oklahoma City, OK	26.8	25.8	28.1	27.6	29.5	25.6	24.8	23.5	26.2	21.3	19.0	20.0	17.7	20.6	21.4	3.0
Omaha, NB	26.3	25.7	22.5	26.5	22.3	24.1	20.0	21.7	27.2	24.7	23.0	18.1	20.9	20.2	20.7	3.0
Philadelphia, PA	24.5	20.7	21.1	24.1	21.8	22.0	21.4	22.5	23.7	22.2	22.6	19.6	17.5	17.9	16.2	2.7
Phoenix, AZ	34.2	30.7	26.3	29.3	25.6	24.9	23.3	21.9	22.8	26.1	26.3	20.2	24.7	24.2	22.4	1.9
Pittsburgh, PA	28.3	27.9	26.1	30.8	29.3	26.4	28.5	30.0	23.8	26.4	24.6	23.2	24.4	20.8	18.7	2.3
Portland, OR	30.5	21.1	23.9	23.2	25.4	25.3	24.8	19.9	25.3	20.3	22.1	18.3	18.6	14.8	13.2	1.4
Sacramento, CA	46.3	47.0	51.4	52.2	59.0	69.9	3.5	0.4	6.1	33.5	51.8	53.2	53.1	52.0	45.7	2.1
San Antonio, TX	26.0	23.2	26.0	21.7	21.6	20.0	18.9	21.1	19.9	24.2	23.1	16.2	19.5	20.0	15.3	2.3
San Diego, CA	27.1	27.2	28.9	29.3	26.8	24.7	28.1	29.6	32.6	13.8	29.9	28.9	23.8	23.2	16.8	2.3
San Francisco, CA	33.5	33.4	30.6	35.8	33.1	36.2	33.5	39.3	41.7	19.4	34.8	32.9	34.3	29.6	28.3	2.5
San Jose, CA	27.8	34.6	36.3	37.2	37.3	36.6	37.0	38.1	37.0	17.3	31.6	27.2	32.6	28.9	27.0	3.5
Seattle, WA	24.4	24.7	24.1	27.9	27.0	25.1	25.2	24.6	25.6	23.1	19.9	15.1	16.0	22.3	13.9	2.3
St. Louis, MO	26.9	28.7	26.7	31.8	31.4	30.3	32.8	29.5	28.8	32.7	32.2	26.4	27.3	27.3	22.1	3.1
Tucson, AZ	23.5	25.4	26.3	27.6	26.1	24.9	37.3	32.3	31.6	54.8	40.2	17.4	18.1	47.6	41.2	7.5
Tulsa, OK	24.1	25.6	25.0	29.1	24.7	24.6	26.8	19.5	22.7	20.1	16.1	51.4	52.2	23.8	21.5	3.7
Virginia Beach, VA	26.4	23.5	28.6	19.3	22.3	21.5	18.9	21.8	20.8	22.8	17.6	20.2	21.4	29.0	25.9	3.7
Washington, DC	26.5	23.5	26.7	25.2	24.4	27.7	25.6	23.4	25.5	20.4	19.6	15.2	14.3	15.3	16.2	2.3
Wichita, KS	23.4	23.5	22.7	25.1	20.5	24.4	23.9	27.4	22.7	20.5	21.8	14.8	22.2	25.4	15.1	2.8

Year 2010 Goal: 20.4

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 3.19: Diabetes Mortality Rate, 1990 – 2004

City*	Annual Rate†															Percent Change
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	1990-2004
Albuquerque, NM	23.2	32.6	25.4	28.1	30.5	26.0	27.8	23.6	25.8	27.0	26.5	30.7	32.7	24.6	30.0	29.1
Arlington, TX	32.5	20.3	---	21.1	21.8	27.9	19.8	20.4	25.1	21.4	15.5	26.3	24.6	17.0	27.6	-15.1
Atlanta, GA	22.8	24.0	26.0	31.4	28.4	34.6	29.4	35.1	38.1	34.6	34.7	32.6	30.6	27.7	20.4	-10.6
Austin, TX	21.6	17.9	26.5	27.4	28.4	28.8	24.1	29.1	24.3	27.3	22.0	29.9	26.4	26.7	29.9	38.3
Baltimore, MD	36.2	40.5	38.6	41.9	40.7	45.1	46.5	45.5	48.6	44.9	45.8	43.9	41.7	40.4	38.5	6.5
Boston, MA	24.6	26.1	25.5	24.4	24.5	24.6	19.8	24.8	23.8	22.4	19.8	21.2	28.5	24.2	21.6	-12.4
Charlotte, NC	23.5	29.8	24.4	27.3	26.8	28.6	29.7	29.8	27.5	27.4	25.8	28.6	31.7	27.7	25.8	9.6
Chicago, IL	28.3	29.0	28.8	30.8	32.2	30.8	31.3	29.4	31.3	32.5	29.4	32.8	30.0	31.2	28.4	0.4
Cincinnati, OH	26.0	32.6	29.8	30.3	29.6	36.1	40.6	43.4	44.2	48.4	44.7	42.0	49.7	51.6	42.2	62.6
Cleveland, OH	36.4	35.8	39.7	36.0	44.2	40.0	36.6	39.1	30.6	30.6	34.2	35.0	35.9	34.0	31.4	-13.6
Colorado Springs, CO	15.8	16.1	12.8	12.6	12.2	16.7	14.4	17.6	17.1	20.0	15.9	21.4	15.5	15.7	16.2	2.8
Columbus, OH	34.6	35.0	34.2	29.5	32.4	40.1	44.7	47.6	41.9	39.1	39.2	47.0	42.4	37.3	38.9	12.3
Dallas, TX	25.0	25.3	29.5	31.0	27.5	30.1	26.4	27.0	28.4	24.8	28.5	24.3	29.3	24.6	25.2	0.6
Denver, CO	10.9	22.3	20.0	19.4	21.7	19.2	22.5	20.8	18.6	23.0	20.0	18.8	21.8	21.9	21.5	97.1
Detroit, MI	35.4	38.6	34.6	33.9	37.2	34.9	33.4	35.8	32.3	35.2	34.1	33.3	37.1	27.6	32.4	-8.3
El Paso, TX	36.3	33.5	29.7	49.6	46.5	50.9	42.3	45.2	49.0	53.0	49.9	41.9	50.0	54.1	45.8	26.3
Fort Worth, TX	30.5	26.1	28.7	34.4	30.3	31.1	35.9	35.4	38.1	40.1	30.5	34.9	39.9	38.7	35.0	14.7
Fresno, CA	23.7	21.7	23.1	25.9	36.6	30.4	30.9	31.2	38.6	36.4	36.4	33.1	33.6	38.1	41.2	73.6
Honolulu, HI	13.5	15.3	14.2	16.6	10.2	11.4	16.4	13.9	15.9	15.4	12.4	11.2	14.7	14.8	13.5	-0.3
Houston, TX	28.7	31.5	31.5	35.8	35.1	34.6	34.2	36.5	34.2	27.9	31.9	33.8	33.7	33.0	31.9	11.2
Indianapolis, IN	26.4	23.4	28.3	25.9	26.6	29.0	29.4	29.9	27.9	25.1	30.3	28.5	23.8	30.1	28.9	9.6
Jacksonville, FL	28.7	25.7	25.5	25.8	26.1	31.4	28.1	28.9	29.2	36.1	34.0	33.2	33.8	39.1	37.1	29.3
Kansas City, MO	22.8	25.5	24.2	25.9	30.3	27.6	27.5	26.8	30.6	33.4	31.0	34.2	29.7	33.3	25.9	13.5
Las Vegas, NV	17.9	25.8	24.7	22.8	22.3	28.4	29.9	22.3	24.9	17.8	20.5	25.8	24.4	23.2	24.1	34.8
Long Beach, CA	12.3	12.4	15.4	17.4	18.1	22.2	17.5	21.3	23.4	21.1	27.2	21.9	25.0	32.8	26.7	116.7
Los Angeles, CA	17.9	17.5	17.0	18.0	23.2	23.6	26.6	26.5	26.1	28.5	26.3	27.8	29.6	32.1	30.4	70.1
Memphis, TN	19.2	18.0	20.0	22.1	23.4	24.9	30.7	28.3	31.9	37.1	40.7	40.5	35.2	40.8	34.8	81.3
Mesa, AZ	12.2	14.2	13.1	14.6	18.2	15.5	20.6	19.5	27.4	24.6	19.0	25.9	30.0	28.5	24.1	97.2
Miami, FL	32.6	30.0	33.1	34.2	30.5	34.2	33.8	35.7	39.1	39.6	37.5	37.0	38.9	43.4	39.8	22.0
Milwaukee, WI	26.9	24.4	23.1	26.2	27.0	26.6	27.0	28.4	27.5	31.3	29.9	33.1	29.1	33.2	33.3	23.9
Minneapolis, MN	18.7	22.0	20.0	25.8	26.2	30.0	34.9	27.2	30.9	33.2	34.0	29.6	33.9	29.9	23.0	23.1
Nashville-Davidson, TN	22.9	23.8	29.5	29.6	29.8	27.7	29.7	32.8	28.7	29.6	30.6	30.9	30.0	27.2	32.1	40.0
New Orleans, LA	44.7	56.6	46.0	55.3	53.8	55.1	60.0	61.7	74.3	70.5	60.7	67.1	64.8	65.1	66.3	48.2
New York, NY	17.3	17.7	18.4	18.4	24.8	23.7	22.4	22.0	21.9	23.5	22.6	22.8	22.5	24.8	22.8	32.0
Oakland, CA	19.4	21.2	16.9	20.7	23.1	29.3	29.8	28.6	24.8	33.5	30.4	28.0	27.0	33.1	30.1	55.2
Oklahoma City, OK	15.3	17.1	18.9	23.0	18.2	18.5	18.0	30.8	28.3	27.1	25.9	28.8	30.7	27.7	26.2	71.8
Omaha, NB	15.8	20.2	16.4	19.0	17.5	19.8	22.2	21.4	18.0	24.7	21.5	25.1	24.6	26.4	27.7	75.8
Philadelphia, PA	26.6	28.9	26.8	28.5	28.8	28.4	28.4	29.5	27.0	26.5	27.7	28.9	27.2	27.6	26.6	0.1
Phoenix, AZ	18.0	19.0	21.4	20.2	21.7	25.1	27.6	27.3	25.6	25.3	24.1	25.8	28.1	24.6	22.9	27.4
Pittsburgh, PA	28.2	28.6	23.8	27.7	26.5	25.4	31.0	36.7	28.4	28.3	30.0	39.9	30.2	27.6	24.2	-14.1
Portland, OR	18.8	22.4	21.2	19.1	20.9	24.2	23.9	32.2	28.5	35.0	30.2	33.9	27.9	30.5	34.1	81.5
Sacramento, CA	26.8	22.3	24.0	31.6	31.8	39.3	38.1	35.0	41.3	43.5	34.6	40.4	37.0	42.9	42.5	58.8
San Antonio, TX	30.9	32.1	31.5	42.5	37.7	37.3	39.3	41.4	44.7	44.2	50.5	49.3	49.0	51.8	49.8	61.1
San Diego, CA	12.2	10.8	13.0	12.5	16.3	16.5	14.6	18.9	16.5	17.4	20.3	21.0	17.5	19.0	21.7	77.6
San Francisco, CA	12.6	14.3	13.2	14.3	14.5	11.7	17.1	17.6	12.6	18.7	13.5	18.3	15.1	17.1	17.0	34.7
San Jose, CA	17.8	14.1	17.2	15.0	22.4	26.0	21.2	24.2	21.0	26.1	22.2	21.7	18.7	24.8	28.0	57.5
Seattle, WA	21.5	18.6	23.1	19.0	24.5	24.6	28.4	24.9	25.4	27.2	22.0	24.1	28.1	27.2	24.6	14.3
St. Louis, MO	32.3	33.8	29.3	32.3	32.2	32.8	38.0	33.6	38.7	47.4	33.8	40.1	37.1	39.3	35.6	10.1
Tucson, AZ	15.5	20.2	22.7	19.9	21.3	26.5	22.3	24.9	24.4	30.9	35.9	22.7	20.8	37.1	40.7	163.4
Tulsa, OK	13.1	14.2	20.5	19.8	22.8	14.8	21.9	25.3	26.6	29.7	30.7	35.1	41.7	24.4	27.3	107.9
Virginia Beach, VA	14.9	14.9	22.2	19.0	15.6	21.1	29.3	17.2	20.5	28.7	21.4	21.6	19.6	18.8	21.4	43.2
Washington, DC	34.4	30.6	30.7	36.0	34.6	39.0	36.3	36.9	34.5	39.3	39.3	37.3	34.0	32.0	39.8	15.6
Wichita, KS	21.7	24.4	23.7	19.6	24.9	29.2	30.1	29.0	29.9	24.6	24.3	29.0	28.3	28.4	30.5	40.5

Year 2010 Goal: 46.0

† Per 100,000 population; age-adjusted to the year 2000 standard population. Population figures for 2000-2004 rates were calculated using 2000 U.S. Census figures, denominators for 1991-1999 rates were obtained by geometric interpolation using 1990 and 2000 census data. 1999-2000 death rates are based on ICD-10 codes and 1990-1998 on ICD-9. 1990-1998 rates are multiplied by their comparability ratio to adjust for differences between ICD-9 and ICD-10. "---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.

* See technical notes on limitations of reported versus geocoded cities.

Table 3.20: Infant Mortality Rate, 1990 – 2003

City*	Annual Rate†														Percent Change
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	1990-2003
Albuquerque, NM	8.1	9.4	7.1	10.0	11.0	6.4	5.4	4.8	7.0	6.9	6.5	5.7	6.9	4.5	-44.4
Arlington, TX	9.9	7.8	8.2	6.7	7.6	6.6	6.5	8.3	6.2	8.5	6.7	8.2	6.5	6.2	-37.4
Atlanta, GA	15.6	14.4	13.3	13.7	12.2	12.4	10.1	10.0	9.9	9.2	7.8	7.7	---	---	---
Austin, TX	6.4	5.8	6.0	5.1	6.3	5.1	5.2	5.9	5.3	5.1	4.6	5.3	4.6	6.2	-3.1
Baltimore, MD	15.0	13.2	14.9	14.5	13.8	12.4	12.0	14.0	12.6	14.1	11.7	11.3	9.9	12.8	-14.7
Boston, MA	10.0	8.4	10.4	10.0	9.1	6.7	7.1	8.0	5.8	7.4	6.7	7.2	6.9	6.1	-39.0
Charlotte, NC	12.0	9.9	10.9	10.3	9.5	6.0	6.3	7.9	7.4	6.5	8.9	8.3	8.6	7.2	-40.0
Chicago, IL	15.6	15.2	13.3	13.7	12.5	12.8	11.5	11.2	11.3	12.2	10.9	9.5	9.0	10.0	-35.9
Cincinnati, OH	14.8	11.7	13.6	13.6	12.3	14.9	13.1	12.6	12.3	13.7	12.9	14.1	12.3	10.3	-30.4
Cleveland, OH	17.9	17.0	16.7	16.2	15.6	16.3	12.0	13.6	10.7	13.0	13.2	11.2	14.7	10.0	-44.1
Colorado Springs, CO	10.4	9.1	9.7	9.1	6.7	5.2	7.2	7.5	8.0	8.8	7.7	6.2	6.9	7.2	-30.8
Columbus, OH	11.9	10.9	10.0	10.4	9.9	12.6	10.9	9.7	9.1	9.8	9.9	9.2	10.8	9.8	-17.6
Dallas, TX	9.4	8.9	8.6	8.7	7.3	7.0	5.8	6.3	6.6	6.7	5.4	6.5	6.7	8.1	-13.8
Denver, CO	11.6	10.8	10.0	8.7	8.8	8.3	6.1	7.7	8.6	6.2	6.0	5.3	7.1	6.9	-40.5
Detroit, MI	20.3	19.4	21.3	17.1	16.8	15.6	15.1	15.1	14.7	14.6	14.8	14.0	16.7	16.4	-19.2
El Paso, TX	6.0	6.4	7.0	6.1	5.0	4.8	5.1	4.4	5.9	5.0	4.4	5.0	3.5	3.9	-35.0
Fort Worth, TX	10.6	10.0	8.8	9.7	9.8	7.9	5.1	8.3	7.6	9.2	6.3	8.7	7.5	8.8	-17.0
Fresno, CA	9.4	10.6	10.7	8.7	10.9	8.1	7.3	9.3	6.7	6.7	6.8	5.9	8.3	7.0	-25.5
Honolulu, HI	6.5	6.5	7.0	5.9	7.0	6.5	5.5	8.5	5.2	6.9	7.2	6.3	6.0	8.0	23.1
Houston, TX	9.3	9.4	9.0	8.6	8.5	6.6	6.6	6.5	6.5	6.5	5.1	5.5	7.1	6.9	-25.8
Indianapolis, IN	12.4	10.8	12.2	10.5	10.2	9.6	10.3	10.3	8.0	11.0	9.9	7.8	8.5	9.4	-24.2
Jacksonville, FL	12.1	11.0	8.7	9.8	9.0	9.4	8.1	9.9	9.8	10.6	9.3	11.3	9.6	10.2	-15.7
Kansas City, MO	11.2	12.7	11.8	12.0	10.3	9.7	10.9	8.2	8.8	8.9	7.2	7.6	9.8	8.3	-25.9
Las Vegas, NV	5.1	6.0	5.5	3.4	5.6	3.7	4.8	4.9	5.2	4.9	3.8	5.7	5.3	3.7	-27.5
Long Beach, CA	8.7	8.7	4.9	8.2	9.3	8.1	4.8	4.4	7.0	6.1	6.6	4.6	4.3	7.0	-19.5
Los Angeles, CA	8.2	8.2	7.8	7.6	7.2	6.7	6.0	6.3	5.6	6.1	4.9	5.6	5.8	5.5	-32.9
Memphis, TN	16.9	16.3	16.4	16.0	16.8	17.5	14.3	14.3	16.3	13.3	16.1	14.9	16.7	17.3	2.4
Mesa, AZ	6.7	7.4	7.5	7.8	6.4	6.0	7.9	6.7	7.8	7.6	7.2	5.2	5.2	6.0	-10.4
Miami, FL	6.3	5.3	4.3	4.9	4.1	3.9	4.3	3.8	4.7	5.2	5.4	4.9	4.7	5.0	-20.6
Milwaukee, WI	12.6	11.2	10.6	11.3	13.1	12.3	12.7	10.2	12.0	10.5	11.4	11.5	12.1	11.4	-9.5
Minneapolis, MN	11.8	12.8	12.1	11.3	9.8	12.0	10.2	8.6	6.2	7.9	6.2	5.6	6.7	5.4	-54.2
Nashville-Davidson, TN	9.4	8.6	10.3	12.3	9.6	8.0	6.9	8.7	7.7	9.2	10.2	8.7	10.2	7.4	-21.3
New Orleans, LA	16.5	14.6	11.1	12.5	11.8	11.1	8.8	12.3	6.9	9.8	7.0	10.6	12.9	11.3	-31.5
New York, NY	11.5	11.4	10.1	9.9	8.9	8.7	7.7	7.0	6.7	6.7	6.4	5.6	5.9	6.2	-46.1
Oakland, CA	12.3	9.8	9.0	8.3	7.1	8.1	8.0	7.5	7.4	6.5	5.9	7.8	5.4	6.5	-47.2
Oklahoma City, OK	13.3	12.4	11.4	10.0	9.0	11.3	11.2	9.3	11.8	9.3	12.6	8.9	8.7	10.3	-22.6
Omaha, NB	10.0	10.5	10.1	11.4	10.0	7.6	8.6	9.9	10.1	7.9	8.9	7.5	9.8	7.3	-27.0
Philadelphia, PA	15.5	14.5	14.7	13.4	13.4	12.2	12.4	13.2	11.8	12.2	10.5	10.5	10.7	10.6	-31.6
Phoenix, AZ	10.0	8.2	9.3	8.6	8.8	8.3	8.1	8.2	7.6	8.0	6.6	7.8	6.6	6.8	-32.0
Pittsburgh, PA	13.4	14.6	15.1	14.6	13.5	12.1	10.5	9.5	8.9	12.3	12.5	11.0	13.6	14.5	8.2
Portland, OR	8.3	10.5	8.4	9.5	7.3	6.7	5.3	5.3	4.7	5.1	5.9	3.2	4.5	3.9	-53.0
Sacramento, CA	10.3	9.7	6.7	7.7	8.4	7.4	7.0	8.1	7.1	6.5	6.6	7.2	7.1	5.9	-42.7
San Antonio, TX	6.8	7.1	6.9	8.2	7.1	7.3	8.0	7.4	6.5	6.5	4.9	5.7	7.2	7.5	10.3
San Diego, CA	6.7	6.8	6.4	5.8	6.7	5.5	5.1	5.6	5.3	5.4	6.5	6.2	4.2	4.5	-32.8
San Francisco, CA	7.2	6.8	7.2	5.0	8.2	4.3	4.8	4.8	5.1	3.8	4.0	3.8	4.5	3.1	-56.9
San Jose, CA	4.8	6.9	6.3	6.3	6.3	5.8	5.4	6.1	3.7	4.7	4.8	4.2	3.6	4.0	-16.7
Seattle, WA	8.1	9.1	6.4	7.2	6.1	7.1	6.0	6.6	6.2	6.5	4.6	4.8	4.0	5.6	-30.9
St. Louis, MO	12.7	17.2	12.9	12.0	12.6	11.9	12.3	14.2	13.0	15.8	12.9	11.5	13.7	12.7	0.0
Tucson, AZ	7.1	8.7	8.0	7.1	7.5	8.0	5.5	6.0	4.8	5.1	5.5	4.7	5.6	12.1	70.4
Tulsa, OK	9.5	9.6	9.7	11.4	10.7	9.9	9.6	8.0	7.7	8.2	9.6	12.9	12.4	4.5	-52.6
Virginia Beach, VA	9.7	12.9	10.1	9.7	8.3	6.4	7.4	9.0	8.9	9.3	6.0	7.1	7.2	6.7	-30.9
Washington, DC	20.7	21.0	19.6	17.4	18.2	16.2	14.9	13.2	12.5	15.0	12.0	10.6	11.3	10.5	-49.3
Wichita, KS	13.1	11.9	10.8	10.9	10.4	7.0	8.8	10.0	8.2	7.8	7.4	10.5	10.6	6.3	-51.9

Year 2010 Goal: 4.5

† Per 1,000 live births.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 3.21: Fertility Rate, 1990 – 2003

City*	Annual Rate†														Percent Change
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	1990-2003
Albuquerque, NM	77.1	78.0	79.2	78.7	78.7	77.5	76.1	75.1	77.6	77.8	77.7	78.2	82.3	81.7	6.0
Arlington, TX	75.4	71.7	70.5	70.7	70.6	69.6	71.3	69.0	70.3	72.2	73.0	73.3	74.0	77.3	2.5
Atlanta, GA	89.4	86.0	87.0	83.6	83.2	79.6	79.3	81.9	85.1	87.0	91.9	90.6	87.6	90.1	0.8
Austin, TX	68.8	65.7	65.8	64.5	63.8	64.7	65.1	64.9	67.9	69.5	73.3	73.6	73.0	73.2	6.4
Baltimore, MD	78.7	77.1	74.0	71.0	68.6	63.9	63.4	60.8	62.1	66.3	66.9	64.3	63.2	62.2	-21.0
Boston, MA	63.2	59.3	56.7	53.9	51.7	49.3	47.3	47.8	48.1	48.8	49.2	50.1	49.1	47.6	-24.7
Charlotte, NC	68.5	68.7	63.4	63.1	60.7	67.2	69.1	69.7	72.6	73.7	79.4	77.8	79.2	82.2	20.0
Chicago, IL	87.9	87.9	86.4	85.5	82.9	78.6	76.0	73.4	73.8	72.2	72.4	70.6	68.4	68.5	-22.1
Cincinnati, OH	78.9	78.7	75.6	74.8	69.0	66.0	67.9	66.6	69.1	71.7	75.7	72.9	68.9	71.1	-9.9
Cleveland, OH	94.8	95.9	94.0	91.6	86.4	83.9	82.9	85.3	81.1	77.8	79.1	74.6	70.4	70.4	-25.7
Colorado Springs, CO	80.6	80.8	81.5	79.7	84.5	83.0	82.7	80.8	79.4	82.9	83.2	83.3	81.1	79.5	-1.4
Columbus, OH	64.4	62.6	61.7	60.0	58.2	56.4	60.4	60.1	61.5	57.8	57.6	57.5	59.0	57.9	-10.1
Dallas, TX	81.6	82.0	80.8	80.2	78.8	79.4	80.8	81.3	82.8	84.0	85.4	87.9	86.3	83.7	2.6
Denver, CO	75.7	76.3	77.0	73.7	71.6	71.2	74.3	74.4	77.6	79.1	84.4	87.5	87.9	88.5	16.9
Detroit, MI	93.7	92.7	86.7	82.8	80.3	74.1	71.1	72.9	72.8	71.3	72.8	70.3	65.9	64.7	-30.9
El Paso, TX	105.1	103.2	110.5	111.9	109.3	107.5	104.4	101.5	101.8	98.0	99.9	99.9	98.9	99.6	-5.2
Fort Worth, TX	88.7	85.6	82.7	79.3	76.1	77.8	78.8	78.5	80.6	83.6	85.9	89.5	90.5	91.8	3.5
Fresno, CA	116.8	122.4	120.3	118.5	112.5	107.4	103.7	96.1	96.4	94.5	93.7	94.2	97.2	101.5	-13.1
Honolulu, HI	70.9	69.6	68.7	68.5	68.3	63.4	62.2	58.4	61.0	58.4	61.5	59.7	61.3	63.6	-10.3
Houston, TX	95.9	97.0	95.8	95.1	92.0	92.0	93.6	92.4	92.3	93.5	96.2	95.0	96.8	97.7	1.9
Indianapolis, IN	79.5	77.6	76.9	75.0	73.4	72.3	72.3	72.1	72.1	73.6	76.1	74.6	75.8	76.2	-4.2
Jacksonville, FL	78.1	76.3	74.2	70.7	67.7	66.6	67.8	67.6	67.7	66.8	66.5	66.7	66.0	68.2	-12.7
Kansas City, MO	75.4	74.1	70.7	70.0	62.4	65.5	70.5	73.7	69.6	70.7	71.4	72.0	71.7	71.5	-5.2
Las Vegas, NV	153.7	157.6	147.4	132.9	125.8	137.3	143.3	133.8	134.6	132.2	135.6	141.1	151.6	173.0	12.6
Long Beach, CA	103.3	102.9	100.1	95.7	89.7	85.0	83.1	80.4	77.2	76.9	75.7	73.8	71.3	72.2	-30.1
Los Angeles, CA	103.6	102.6	99.3	94.2	84.0	81.4	80.8	77.6	75.2	74.1	74.7	73.8	72.2	72.0	-30.5
Memphis, TN	83.2	82.8	81.9	79.8	76.2	72.8	72.9	73.9	74.6	74.6	74.4	73.4	71.9	71.4	-14.2
Mesa, AZ	87.0	82.4	81.2	79.6	80.2	83.5	83.0	79.8	82.5	87.2	89.4	92.9	93.3	97.1	11.6
Miami, FL	259.3	236.1	225.4	229.6	217.5	208.9	202.4	191.7	179.7	177.3	185.6	184.3	175.7	182.9	-29.5
Milwaukee, WI	81.6	81.0	80.7	79.8	77.7	74.6	75.7	73.0	75.4	77.8	77.7	78.1	75.5	77.8	-4.7
Minneapolis, MN	66.8	66.6	63.2	60.7	59.7	57.7	58.4	61.0	63.7	63.3	66.9	66.3	62.7	64.8	-3.0
Nashville-Davidson, TN	66.5	65.4	63.5	62.0	60.5	60.2	59.9	60.1	60.7	60.4	63.0	61.6	61.7	62.7	-5.7
New Orleans, LA	76.0	76.1	74.7	76.0	72.9	68.2	64.4	66.0	65.1	66.3	65.9	62.9	61.4	60.1	-20.9
New York, NY	74.1	73.0	71.5	70.0	68.6	67.4	65.4	63.0	63.2	62.6	63.2	62.4	61.7	62.5	-15.7
Oakland, CA	82.9	83.1	80.0	75.7	70.4	67.3	67.0	66.9	66.5	65.9	70.3	70.4	67.5	64.5	-22.2
Oklahoma City, OK	67.5	68.5	67.4	65.9	65.1	64.1	65.7	67.8	68.0	66.0	67.7	69.3	73.1	73.6	9.0
Omaha, NB	74.0	71.2	68.2	65.0	62.6	64.5	65.4	65.9	65.9	67.2	71.8	71.8	76.5	77.9	5.3
Philadelphia, PA	78.7	77.6	75.4	72.9	71.0	66.4	63.0	61.5	62.0	61.3	62.3	60.3	61.1	63.0	-19.9
Phoenix, AZ	85.5	83.5	81.4	79.7	81.1	82.3	84.9	80.2	80.2	81.6	83.1	83.5	83.3	85.3	-0.2
Pittsburgh, PA	62.4	60.6	62.5	59.6	56.7	57.2	57.4	57.5	59.6	51.9	50.4	50.6	47.6	47.1	-24.5
Portland, OR	67.1	65.8	61.9	58.0	61.2	62.1	60.7	59.5	60.7	58.3	62.8	64.5	67.2	69.1	3.0
Sacramento, CA	139.0	140.9	140.1	138.7	127.5	123.3	117.1	113.4	114.5	114.2	117.2	120.8	122.3	129.9	-6.5
San Antonio, TX	81.6	83.5	85.3	86.1	86.6	84.5	85.2	84.0	83.9	82.8	82.7	82.2	86.5	85.8	5.1
San Diego, CA	78.4	77.5	78.3	75.8	74.0	70.0	68.4	64.9	64.0	63.8	65.0	63.8	63.4	65.6	-16.3
San Francisco, CA	55.6	54.0	52.4	49.0	49.0	46.3	44.9	43.8	43.4	43.1	45.7	43.5	44.1	45.7	-17.8
San Jose, CA	88.0	87.7	85.2	82.7	80.8	77.7	79.3	78.5	78.7	77.0	80.7	78.6	77.2	76.0	-13.6
Seattle, WA	52.5	52.7	50.6	51.7	52.0	50.0	50.0	49.1	51.3	51.5	51.7	49.4	50.9	46.2	-12.0
St. Louis, MO	91.2	90.4	86.5	83.8	76.2	69.3	68.3	68.1	67.2	67.0	66.8	65.1	63.5	65.0	-28.7
Tucson, AZ	83.1	81.4	82.6	84.1	83.4	78.4	79.8	79.7	96.7	98.2	102.1	99.4	101.8	57.2	-31.2
Tulsa, OK	74.6	76.3	71.5	72.8	69.8	67.9	67.7	72.7	76.1	75.4	76.2	75.7	74.7	138.0	85.0
Virginia Beach, VA	74.1	70.5	74.8	71.5	69.6	65.6	63.5	63.1	62.8	61.3	63.8	61.0	61.6	63.0	-15.0
Washington, DC	71.7	72.2	68.2	67.1	63.5	58.5	55.2	52.9	52.0	51.6	53.3	53.0	52.2	53.0	-26.1
Wichita, KS	92.5	90.9	91.6	89.2	84.6	79.0	80.8	84.0	86.2	86.4	88.4	83.6	85.1	84.9	-8.2

Year 2010 Goal: NA

† Per 1,000 live births.
"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Table 3.22: Percent Low Birthweight, 1990 – 2003

City*	Annual Rate†														Percent Change
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	1990-2003
Albuquerque, NM	8.2	7.6	7.7	7.3	8.2	8.1	7.7	8.2	8.0	8.1	7.8	8.1	8.2	9.1	11.0
Arlington, TX	6.7	6.6	6.2	7.0	6.6	6.7	7.4	7.3	7.5	7.7	6.1	7.4	7.9	8.0	19.4
Atlanta, GA	12.5	12.5	12.9	12.0	11.4	11.9	10.7	10.8	11.4	10.6	10.6	10.6	10.8	10.4	-16.8
Austin, TX	6.8	6.7	6.2	7.0	6.0	6.7	6.8	6.8	7.3	6.6	6.9	6.9	6.9	7.1	4.4
Baltimore, MD	12.6	13.8	13.9	13.8	13.6	13.8	14.3	14.1	14.2	14.7	13.5	13.2	12.9	13.2	4.8
Boston, MA	8.7	8.3	8.8	8.9	8.8	8.8	9.0	9.2	8.8	8.4	9.0	8.5	9.4	8.9	2.3
Charlotte, NC	9.4	9.9	9.4	9.7	10.1	9.5	9.0	9.5	9.5	8.9	9.1	8.8	8.9	9.1	-3.2
Chicago, IL	10.5	10.9	10.7	11.2	10.9	10.7	10.6	10.3	10.4	10.0	9.7	10.0	9.9	10.1	-3.8
Cincinnati, OH	10.1	10.2	10.4	10.6	11.3	10.6	10.2	11.1	10.7	11.5	10.1	11.0	11.3	11.2	10.9
Cleveland, OH	12.0	12.9	12.6	12.6	12.0	12.6	11.7	11.5	11.2	11.6	11.4	11.7	12.4	11.4	-5.0
Colorado Springs, CO	8.7	9.8	9.4	9.0	8.6	7.8	8.5	9.4	9.2	9.7	8.8	9.2	9.8	10.3	18.4
Columbus, OH	8.2	8.8	8.6	9.1	8.9	9.3	9.2	9.1	8.6	8.9	9.6	9.3	9.9	9.8	19.5
Dallas, TX	8.8	8.9	9.0	9.5	8.9	8.3	8.0	8.1	8.4	8.0	8.2	8.0	7.8	8.2	-6.8
Denver, CO	10.1	10.3	10.2	10.3	10.3	10.4	9.8	9.9	9.6	9.1	9.4	9.4	9.5	9.3	-7.9
Detroit, MI	14.0	14.4	14.2	13.6	13.7	13.5	12.8	12.6	13.4	14.7	13.8	13.3	12.8	13.5	-3.6
El Paso, TX	6.9	7.2	6.6	6.8	6.6	7.2	7.1	7.2	7.2	7.1	7.1	7.8	8.1	7.9	14.5
Fort Worth, TX	7.6	7.8	7.6	8.3	7.9	7.3	8.0	8.1	8.0	8.1	8.4	8.5	8.4	8.4	10.5
Fresno, CA	7.0	7.1	7.7	6.9	7.3	7.1	6.9	7.1	7.0	6.9	7.0	7.2	7.0	7.1	1.4
Honolulu, HI	6.8	6.3	8.0	7.8	7.1	6.9	7.0	7.0	7.2	7.6	7.9	8.9	8.3	8.6	26.5
Houston, TX	8.1	8.0	7.9	8.0	7.9	7.7	7.7	7.8	7.9	7.9	7.7	7.7	8.2	8.2	1.2
Indianapolis, IN	8.2	8.2	8.3	8.9	8.0	8.7	9.3	9.6	9.6	9.4	8.4	8.7	8.7	8.8	7.3
Jacksonville, FL	8.2	8.0	8.2	8.2	8.5	8.7	8.2	9.1	9.9	9.4	9.5	9.3	9.7	9.8	19.5
Kansas City, MO	9.0	9.6	9.3	9.8	9.8	9.1	9.1	9.1	9.7	9.4	8.8	8.4	9.0	8.3	-7.8
Las Vegas, NV	6.5	7.0	6.6	6.9	7.1	7.2	7.5	8.1	7.5	7.4	7.2	7.1	7.6	8.1	24.6
Long Beach, CA	7.0	7.0	6.7	6.8	6.7	7.3	6.9	7.4	6.2	7.3	7.2	7.1	7.3	7.4	5.7
Los Angeles, CA	6.5	6.4	6.7	6.5	6.7	6.8	6.6	6.6	6.9	6.7	6.6	6.8	6.8	7.2	10.8
Memphis, TN	11.9	13.3	12.3	13.1	13.6	12.6	12.2	12.0	12.8	13.0	12.8	12.0	12.3	12.0	0.8
Mesa, AZ	5.5	5.7	5.6	6.2	6.1	5.3	6.3	6.2	5.9	6.5	6.0	6.3	6.6	6.2	12.7
Miami, FL	9.4	9.3	9.1	9.4	9.1	9.4	9.5	9.0	9.5	8.8	8.9	9.4	9.5	10.3	9.6
Milwaukee, WI	9.9	9.8	9.9	10.3	10.4	9.8	9.8	10.1	9.6	10.1	10.2	9.6	9.3	9.8	-1.0
Minneapolis, MN	7.8	8.5	7.8	7.3	8.6	7.6	8.3	7.9	7.8	7.5	8.0	7.3	7.8	7.5	-3.8
Nashville-Davidson, TN	9.0	8.9	9.0	9.5	9.8	9.3	9.2	9.5	9.7	9.7	9.2	9.1	9.1	9.5	5.6
New Orleans, LA	12.8	12.8	12.2	11.6	12.2	12.1	12.4	13.0	12.8	12.9	12.6	13.5	13.6	13.5	5.5
New York, NY	9.3	9.6	9.1	9.2	9.0	8.9	8.7	8.8	8.8	8.5	8.2	8.4	8.4	8.5	-8.6
Oakland, CA	8.8	9.8	9.9	9.4	9.9	8.9	8.7	8.9	9.0	8.0	7.1	8.9	7.6	7.4	-15.9
Oklahoma City, OK	7.6	7.3	8.0	8.3	8.5	7.8	8.5	9.0	8.4	8.1	8.7	9.0	9.2	8.4	10.5
Omaha, NB	7.0	6.6	7.0	7.1	7.5	7.5	6.9	8.0	7.6	7.9	8.0	7.8	7.7	7.8	11.4
Philadelphia, PA	11.5	11.8	11.6	11.3	11.4	11.2	11.6	11.1	11.0	11.3	10.8	11.2	11.6	11.7	1.7
Phoenix, AZ	7.0	7.2	7.2	6.9	7.2	6.9	7.0	7.0	7.0	7.3	7.1	7.0	6.8	7.1	1.4
Pittsburgh, PA	11.2	10.9	10.3	11.6	10.8	11.1	9.1	9.7	9.3	10.4	10.3	10.3	11.0	11.2	0.0
Portland, OR	6.1	6.3	6.1	6.1	6.2	6.1	6.2	6.0	6.3	5.4	6.8	6.0	6.3	6.5	6.6
Sacramento, CA	6.6	6.4	6.9	6.8	7.1	7.0	7.0	7.6	7.3	7.2	7.2	7.5	6.6	6.9	4.5
San Antonio, TX	6.9	7.0	7.1	7.0	6.6	7.1	7.4	7.2	7.4	7.6	7.7	8.2	8.2	8.9	29.0
San Diego, CA	6.1	5.8	6.0	6.5	6.2	5.9	6.3	5.9	6.1	6.3	6.3	6.2	6.1	6.7	9.8
San Francisco, CA	6.7	7.5	6.4	6.9	6.7	7.1	6.7	6.6	7.2	6.8	6.5	7.4	6.6	7.3	9.0
San Jose, CA	5.7	5.3	5.4	5.5	5.9	6.2	5.9	5.8	6.0	6.1	5.9	5.7	6.2	6.3	10.5
Seattle, WA	6.6	6.1	6.0	5.3	6.1	6.0	6.2	6.3	6.6	6.4	6.3	6.0	6.5	6.6	0.0
St. Louis, MO	11.4	11.7	11.9	12.5	11.3	12.8	11.1	11.7	12.6	11.7	11.6	11.5	12.4	11.4	0.0
Tucson, AZ	6.2	6.4	7.1	7.0	7.3	7.7	7.1	7.9	7.0	6.7	8.2	7.2	7.3	8.3	33.9
Tulsa, OK	6.7	6.7	6.8	7.1	7.3	7.5	8.2	7.8	7.8	8.3	8.4	8.6	8.5	7.7	14.9
Virginia Beach, VA	6.1	7.1	6.5	6.9	7.2	7.2	7.3	7.1	7.9	7.4	7.1	7.1	7.2	7.6	24.6
Washington, DC	15.1	15.4	14.3	14.6	14.2	13.4	14.3	13.4	13.1	13.1	11.9	12.1	11.6	10.9	-27.8
Wichita, KS	7.0	7.5	7.4	7.5	7.3	7.5	7.2	7.5	7.8	7.7	7.9	8.1	7.7	8.3	18.6

Year 2010 Goal: 5.0

* See technical notes on limitations of reported versus geocoded cities.

Table 3.23: Percent of Mothers Under Age Twenty, 1990 – 2003

City*	Percent														Percent Change
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	1990-2003
Albuquerque, NM	13.9	13.9	14.7	15.5	15.4	15.4	14.7	15.7	16.0	15.7	14.9	14.5	14.1	13.9	0.0
Arlington, TX	9.4	10.1	9.9	9.2	9.6	10.5	10.0	10.9	11.2	11.5	11.3	10.6	11.1	10.8	14.9
Atlanta, GA	22.3	21.5	21.5	21.2	20.4	20.0	20.0	19.0	17.2	17.7	16.5	14.7	13.5	12.3	-44.8
Austin, TX	14.7	14.6	13.8	14.1	14.3	14.6	14.0	14.4	13.8	13.6	12.3	12.1	11.0	10.8	-26.5
Baltimore, MD	21.0	20.9	20.4	21.7	22.1	22.3	22.5	22.9	22.5	22.5	21.6	21.3	20.0	18.3	-12.9
Boston, MA	11.3	11.5	11.6	11.7	12.1	11.4	10.5	10.8	10.6	9.8	10.1	8.8	8.4	7.5	-33.6
Charlotte, NC	15.2	14.3	14.3	12.7	12.3	11.9	11.9	11.0	10.9	10.6	10.3	9.5	8.7	8.7	-42.8
Chicago, IL	19.2	19.1	18.8	18.7	18.9	18.8	18.5	18.2	18.1	17.2	16.2	15.5	14.5	13.6	-29.2
Cincinnati, OH	19.8	20.8	20.2	20.8	19.2	20.3	19.8	20.5	18.5	18.3	17.9	17.1	17.1	16.6	-16.2
Cleveland, OH	21.3	20.5	20.3	20.9	20.5	20.9	20.8	20.6	20.7	19.8	19.3	19.1	18.4	17.8	-16.4
Colorado Springs, CO	11.4	12.4	12.0	12.0	12.4	12.9	12.3	12.2	12.9	12.2	12.6	11.7	11.6	10.5	-7.9
Columbus, OH	15.6	15.9	16.1	16.0	16.4	16.2	14.6	15.2	14.8	14.2	14.0	13.4	11.9	11.7	-25.0
Dallas, TX	17.9	18.4	18.5	18.3	18.0	18.0	17.3	17.1	17.5	17.1	16.7	16.1	15.4	15.0	-16.2
Denver, CO	14.7	16.3	16.1	16.4	16.1	15.9	15.8	15.9	15.4	15.8	14.7	13.7	13.6	12.3	-16.3
Detroit, MI	24.2	23.8	23.1	22.5	22.1	21.7	20.7	20.1	19.4	18.2	17.3	17.6	17.2	17.6	-27.3
El Paso, TX	15.8	16.4	16.7	16.9	16.8	16.9	16.3	16.4	16.4	16.9	16.5	16.4	16.4	16.1	1.9
Fort Worth, TX	16.9	16.6	17.0	17.4	18.4	18.2	17.0	17.5	17.5	17.1	16.8	16.4	15.4	14.7	-13.0
Fresno, CA	17.3	17.2	17.2	18.0	18.3	18.2	18.6	19.2	18.0	18.5	17.8	16.8	15.7	15.5	-10.4
Honolulu, HI	8.3	7.4	7.6	7.1	7.0	7.2	7.5	7.1	7.5	7.3	6.8	6.7	6.7	5.2	-37.3
Houston, TX	16.2	16.3	16.3	15.7	16.2	15.4	15.6	15.6	15.3	14.8	14.5	13.7	13.5	13.0	-19.8
Indianapolis, IN	16.7	16.5	16.7	15.9	15.2	15.3	15.5	15.8	15.6	15.2	14.0	13.5	13.3	13.1	-21.6
Jacksonville, FL	16.2	16.0	16.2	15.6	15.1	15.1	15.2	15.3	15.0	14.4	14.0	14.0	13.3	12.7	-21.6
Kansas City, MO	18.1	17.4	17.4	16.0	17.2	16.6	16.4	15.5	16.0	15.4	14.7	14.0	13.8	13.3	-26.5
Las Vegas, NV	13.7	13.9	13.0	13.9	13.1	12.7	13.1	12.8	12.4	11.5	12.2	11.2	11.2	11.0	-19.7
Long Beach, CA	12.7	13.4	12.7	13.1	13.5	14.3	13.2	13.1	12.6	12.5	12.5	11.3	10.9	10.4	-18.1
Los Angeles, CA	13.1	13.1	13.2	13.2	13.6	13.6	13.0	12.4	12.3	12.0	11.7	11.1	10.6	10.2	-22.1
Memphis, TN	21.0	20.6	20.8	20.9	22.2	21.5	21.5	21.4	21.0	19.8	19.5	18.3	17.7	17.8	-15.2
Mesa, AZ	10.5	12.4	12.2	12.5	13.2	13.2	12.4	13.4	13.0	13.0	11.5	11.6	10.9	10.7	1.9
Miami, FL	14.9	15.1	14.3	14.1	14.6	14.3	15.0	14.3	14.7	14.9	14.1	13.3	12.6	11.0	-26.2
Milwaukee, WI	20.8	20.9	21.1	20.7	20.6	21.5	21.3	20.9	20.2	20.4	19.2	19.4	18.8	17.4	-16.3
Minneapolis, MN	13.6	14.3	14.2	14.2	14.4	14.4	14.2	14.5	13.9	13.3	13.2	12.2	11.8	10.3	-24.3
Nashville-Davidson, TN	15.1	15.7	14.9	15.6	15.8	14.8	15.7	14.2	14.9	13.9	13.0	12.3	11.8	11.6	-23.2
New Orleans, LA	21.8	22.6	23.8	23.4	23.8	22.4	21.1	20.5	21.2	19.8	19.7	18.1	18.6	17.5	-19.7
New York, NY	10.5	10.5	10.5	10.7	11.1	10.9	10.7	10.0	9.9	9.4	9.0	8.7	7.8	7.4	-29.5
Oakland, CA	15.1	14.9	15.8	15.1	14.4	14.9	13.9	13.7	13.3	12.3	12.8	11.7	10.3	9.8	-35.1
Oklahoma City, OK	16.9	18.6	17.5	18.1	17.4	17.2	17.1	16.3	16.5	17.1	16.3	16.0	15.3	14.6	-13.6
Omaha, NB	13.0	12.7	12.4	12.7	14.5	12.6	12.9	13.2	12.1	12.4	12.0	11.3	11.8	10.2	-21.5
Philadelphia, PA	17.3	17.6	17.5	17.7	18.3	18.5	18.4	18.6	18.3	17.5	17.0	16.6	16.8	16.0	-7.5
Phoenix, AZ	15.6	16.2	16.6	16.4	16.8	16.6	16.6	16.7	17.1	17.0	16.5	16.7	15.7	15.3	-1.9
Pittsburgh, PA	15.7	15.7	15.8	16.0	15.8	13.9	13.9	13.9	13.4	13.9	14.7	13.4	13.5	11.9	-24.2
Portland, OR	11.8	12.3	12.1	13.4	13.4	12.6	12.4	10.7	11.4	11.1	9.8	8.8	8.1	7.0	-40.7
Sacramento, CA	14.9	13.7	14.6	14.9	15.4	15.0	13.9	14.2	14.2	13.6	12.8	11.8	11.6	11.4	-23.5
San Antonio, TX	18.1	17.5	17.2	17.9	17.6	17.8	17.0	17.5	17.2	17.2	16.7	16.0	16.1	15.3	-15.5
San Diego, CA	11.4	11.5	11.1	10.8	11.2	10.5	10.6	9.5	9.6	9.4	9.2	8.9	8.5	7.9	-30.7
San Francisco, CA	8.3	8.5	7.6	7.5	7.6	7.6	7.3	7.4	6.2	6.2	5.4	5.2	4.6	4.3	-48.2
San Jose, CA	10.6	10.6	10.9	10.5	10.9	10.4	9.9	10.1	9.3	8.7	8.1	8.1	6.7	6.0	-43.4
Seattle, WA	8.1	7.9	7.6	7.2	8.2	7.1	6.7	6.3	6.1	6.7	5.8	5.9	4.3	3.8	-53.1
St. Louis, MO	23.0	23.0	24.5	23.6	25.2	22.5	22.1	21.5	20.9	19.7	19.7	18.9	18.5	17.7	-23.0
Tucson, AZ	14.4	15.6	15.4	15.3	16.0	16.0	16.0	15.7	15.5	15.4	14.7	14.3	14.0	13.9	-3.5
Tulsa, OK	15.1	16.0	15.0	15.7	16.0	15.4	16.7	16.0	15.6	15.0	15.6	15.1	14.0	13.8	-8.6
Virginia Beach, VA	9.0	9.3	8.4	8.3	9.7	9.5	9.5	9.8	9.7	9.4	8.1	9.0	8.6	7.8	-13.3
Washington, DC	17.9	17.5	16.3	17.4	16.5	16.4	16.9	15.7	15.4	14.9	14.3	13.5	12.9	11.4	-36.3
Wichita, KS	13.6	13.5	14.3	14.9	14.4	15.0	15.2	15.1	13.9	14.4	13.5	12.7	12.9	12.2	-10.3

Year 2010 Goal: NA

* See technical notes on limitations of reported versus geocoded cities.

Table 3.24: Percent of Mothers who Smoke, 1990 – 2002

City*	Percent													Percent Change
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	1990-2002
Albuquerque, NM	9.9	12.5	13.3	12.0	9.6	10.4	13.0	10.8	12.5	12.3	10.7	12.1	11.5	16.2
Arlington, TX	11.1	9.4	10.8	9.8	9.6	10.4	9.1	7.9	7.8	7.4	6.6	6.7	6.6	-40.5
Atlanta, GA	13.3	12.1	10.5	9.4	9.7	8.3	7.4	6.8	7.0	6.5	6.1	4.0	2.4	-82.0
Austin, TX	10.9	10.6	8.9	7.5	7.4	5.6	5.0	4.4	3.8	4.4	4.3	3.8	4.0	-63.3
Baltimore, MD	23.4	22.2	22.2	20.4	17.9	18.3	17.2	14.8	15.4	16.7	14.7	14.5	13.8	-41.0
Boston, MA	18.8	17.0	14.9	11.7	11.6	9.7	10.1	8.2	8.2	6.8	6.1	5.3	4.5	-76.1
Charlotte, NC	15.9	13.4	13.6	12.1	12.8	11.6	10.6	10.1	9.4	8.4	7.3	7.6	6.5	-59.1
Chicago, IL	12.6	12.1	12.9	11.7	10.2	9.9	9.9	9.5	8.8	8.5	7.8	7.2	6.8	-46.0
Cincinnati, OH	26.3	25.2	24.8	23.8	22.9	21.5	20.0	19.0	19.4	16.4	17.5	16.7	16.1	-38.8
Cleveland, OH	33.3	31.5	28.4	26.8	24.9	19.9	19.6	19.2	18.6	16.6	18.0	17.8	18.4	-44.7
Colorado Springs, CO	19.3	17.7	12.9	13.4	11.8	12.2	12.6	12.0	11.8	10.7	8.1	9.3	8.2	-57.5
Columbus, OH	26.4	27.1	25.2	24.6	24.1	21.8	18.8	20.0	18.9	18.8	18.8	16.9	15.7	-40.5
Dallas, TX	5.9	6.1	5.3	3.9	6.0	4.8	4.3	3.7	3.6	3.3	3.1	3.4	3.0	-49.2
Denver, CO	21.0	20.9	17.3	17.2	14.5	15.2	14.4	11.5	11.0	10.1	9.1	7.3	7.0	-66.7
Detroit, MI	23.6	22.9	21.2	19.6	19.1	18.2	17.8	17.4	16.0	14.7	15.2	14.1	13.8	-41.5
El Paso, TX	5.2	4.9	4.6	4.2	3.2	2.6	2.6	3.0	3.2	3.5	2.9	2.3	2.2	-57.7
Fort Worth, TX	10.8	9.6	9.9	8.0	8.6	8.6	7.6	6.3	5.6	5.4	5.0	4.4	4.4	-59.3
Fresno, CA	14.3	---	50.0	---	25.0	40.0	20.0	---	---	---	---	---	---	---
Honolulu, HI	10.8	9.7	9.7	6.9	5.8	4.8	5.3	4.6	5.2	5.2	4.7	5.2	5.6	-48.1
Houston, TX	9.8	8.4	7.2	6.5	6.1	5.0	4.8	4.6	3.8	3.5	3.2	3.1	2.8	-71.4
Indianapolis, IN	39.0	29.0	23.0	20.5	21.3	16.7	14.3	18.5	---	21.1	19.7	19.3	18.0	-53.8
Jacksonville, FL	20.0	19.2	16.7	15.6	14.9	12.1	11.0	11.9	12.0	11.1	10.4	10.4	9.8	-51.0
Kansas City, MO	23.7	22.7	22.2	20.6	19.9	17.6	16.5	15.9	16.6	14.6	14.0	14.1	12.9	-45.6
Las Vegas, NV	21.6	22.7	21.7	19.8	16.8	15.8	11.6	12.3	11.4	10.7	10.6	10.4	9.5	-56.0
Long Beach, CA	20.0	20.0	50.0	16.7	40.0	---	---	---	---	---	---	---	---	---
Los Angeles, CA	8.6	19.7	11.9	19.2	11.8	6.0	14.9	6.5	---	---	---	---	---	---
Memphis, TN	15.8	13.1	15.7	14.3	13.0	13.2	11.6	10.7	9.4	8.9	8.8	8.2	7.3	-53.8
Mesa, AZ	15.6	16.0	14.1	14.5	13.4	11.7	10.7	9.5	8.1	8.3	7.3	7.4	6.9	-55.8
Miami, FL	8.4	7.7	6.9	5.4	3.9	3.4	3.6	3.0	2.1	1.9	1.5	1.2	1.2	-85.7
Milwaukee, WI	28.3	27.2	26.2	24.4	22.9	21.2	20.8	19.6	19.0	18.0	16.2	15.7	13.5	-52.3
Minneapolis, MN	21.7	21.0	20.1	20.2	18.3	16.4	15.3	15.2	12.5	11.3	10.4	9.6	8.4	-61.3
Nashville-Davidson, TN	19.0	18.9	18.0	16.2	14.8	13.7	12.9	12.4	11.4	10.6	10.2	10.8	10.6	-44.2
New Orleans, LA	13.4	10.9	7.2	5.3	5.9	4.2	3.6	2.7	2.4	2.1	1.9	1.9	1.8	-86.6
New York, NY	14.1	9.9	10.8	8.0	6.5	5.5	4.9	4.8	4.3	3.8	3.4	2.8	2.4	-83.0
Oakland, CA	25.0	14.3	33.3	---	16.7	---	---	14.3	---	---	---	---	---	---
Oklahoma City, OK	16.7	20.0	17.8	18.8	19.5	18.5	17.5	17.2	19.2	18.0	15.4	16.9	16.4	-1.8
Omaha, NB	25.3	24.0	23.3	23.1	22.3	20.7	17.8	18.6	18.4	16.0	14.9	15.5	13.9	-45.1
Philadelphia, PA	23.5	22.8	22.2	22.0	20.4	19.5	18.4	17.5	16.5	15.8	14.1	13.6	12.2	-48.1
Phoenix, AZ	17.2	16.0	13.6	13.7	13.7	12.9	11.0	9.5	8.0	7.2	6.6	6.2	5.9	-65.7
Pittsburgh, PA	31.8	32.2	31.4	30.0	29.1	26.2	24.6	23.6	24.0	25.1	23.3	22.7	21.9	-31.1
Portland, OR	25.5	24.8	23.7	21.9	21.1	19.7	18.6	16.7	15.0	13.6	13.4	12.0	10.9	-57.3
Sacramento, CA	28.6	18.2	25.0	30.0	26.7	30.0	75.0	---	---	---	---	---	---	---
San Antonio, TX	6.2	5.1	4.6	4.6	4.4	3.7	4.4	4.4	4.3	4.5	4.0	3.9	3.4	-45.2
San Diego, CA	7.7	21.9	20.6	3.4	16.0	18.2	11.1	6.3	---	---	---	---	---	---
San Francisco, CA	---	20.0	---	14.3	8.3	---	---	22.2	---	---	---	---	---	---
San Jose, CA	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Seattle, WA	10.1	10.9	14.6	12.1	12.4	9.3	9.7	8.2	9.2	9.2	7.2	6.4	5.6	-44.6
St. Louis, MO	26.8	25.3	25.0	22.9	19.5	17.2	17.5	18.3	16.8	15.1	15.8	16.6	16.1	-39.9
Tucson, AZ	15.0	13.9	13.0	11.9	11.4	11.2	10.1	8.8	7.0	7.8	7.1	7.1	5.7	-62.0
Tulsa, OK	45.0	18.3	17.6	18.4	18.2	17.8	17.3	17.4	16.8	15.6	15.2	16.1	15.6	-65.3
Virginia Beach, VA	16.3	15.3	15.0	14.9	14.5	13.3	12.0	10.7	10.1	6.0	5.1	6.2	5.8	-64.4
Washington, DC	16.2	13.2	13.0	10.2	9.6	8.2	6.9	5.5	4.8	3.8	2.6	3.7	3.9	-75.9
Wichita, KS	13.8	14.4	11.9	11.5	14.0	14.3	14.5	14.2	14.1	15.8	15.4	15.8	14.3	3.6

Year 2010 Goal: 1.0

"---" Numerator used in rate calculation is less than 20 or data not available. For further detail see technical notes.
* See technical notes on limitations of reported versus geocoded cities.

Section 4 — City Profiles

Albuquerque, NM (Bernalillo County)*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	135.7	35	17.2	38	78.4	76.3	167.9	144.4	68.1	75.1	37 of 40	---	---
AIDS Prevalence, 2005	209.3	38	19.3	42	114.9	111.7	226.3	194.7	110.9	112.1	39 of 46	---	---
HIV Incidence, 2005	12.1	36	---	---	---	---	---	---	---	6.1	36 of 38	---	---
AIDS Incidence, 2005	13.2	38	---	---	---	---	---	---	10.7	8.1	37 of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	5.0	25 of 30	3.0	0.2
Chlamydia Incidence, 2005	---	---	---	---	408.6	397.3	802.9	690.7	954.3	662.1	14 of 41	332.5	---
Gonorrhea Incidence, 2005	---	---	---	---	81.0	78.8	394.2	339.1	149.4	118.6	34 of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	1,250.4	17	782.0	26	900.6	889.9	1,218.0	1,149.3	1,162.9	976.2	20 of 53	801.0	---
Heart Disease Mortality, 2004	299.4	37	157.2	43	200.8	198.9	263.1	250.2	255.1	214.5	38 of 53	217.5	---
Cancer Mortality, 2004	273.5	25	175.2	26	202.4	200.1	271.3	257.7	256.4	213.9	25 of 53	184.6	158.6
Lung Cancer Mortality, 2004	63.3	43	39.2	34	54.7	54.1	---	---	40.8	48.9	42 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	29.6	21	31.7	31.2	---	---	30.2	29.6	21 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	36.5	3	9.7	11	17.7	17.4	---	---	27.6	22.2	6 of 53	14.8	8.0
Homicide, 2004	11.4	41	---	---	---	---	---	---	11.3	8.2	39 of 48	5.6	2.8
Firearm-related Mortality, 2004	31.8	19	---	---	15.2	14.9	---	---	17.8	16.7	22 of 52	9.8	3.6
Suicide, 2004	37.8	4	---	---	22.3	21.8	---	---	20.5	21.0	5 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	---	---	---	---	---	---	---	---	---	---	--- of 40	4.4	0.7
Pneumonia, 2004	27.2	24	18.3	25	19.7	19.6	---	---	26.6	21.4	24 of 53	20.4	---
Diabetes, 2004	38.0	18	23.3	33	21.8	21.6	---	---	51.1	30.0	25 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	60.0	58.1	73.7	63.9	107.3	81.7	17 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	---	---	4.6	4.5	45 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	9.1	---	13.7	---	9.1	9.1	20 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	6.3	---	15.7	---	18.7	13.9	17 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	14.3	---	17.4	---	9.4	11.0	16 of 43	10.7	1.0

Arlington, TX*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 40	---	---
AIDS Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 46	---	---
HIV Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 38	---	---
AIDS Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	332.5	---
Gonorrhea Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	,176.1	26	885.5	9	999.2	989.3	1,590.2	1,533.2	930.8	1,004.5	17 of 53	801.0	---
Heart Disease Mortality, 2004	340.7	20	230.1	10	283.9	281.4	368.3	357.0	---	279.0	13 of 53	217.5	---
Cancer Mortality, 2004	296.0	16	207.1	7	235.1	232.6	396.4	380.6	298.4	238.2	11 of 53	184.6	158.6
Lung Cancer Mortality, 2004	102.5	8	54.5	14	73.7	72.9	---	---	---	72.4	11 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	26.4	35	27.7	27.3	---	---	---	26.4	35 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	18.2	26	---	---	11.2	11.0	---	---	---	15.0	18 of 53	14.8	8.0
Homicide, 2004	---	---	---	---	---	---	---	---	---	---	--- of 48	5.6	2.8
Firearm-related Mortality, 2004	---	---	---	---	---	---	---	---	---	7.0	47 of 52	9.8	3.6
Suicide, 2004	---	---	12.6	12.4	---	---	---	9.4	39 of 53			10.7	4.8
HIV/AIDS Mortality, 2004	---	---	---	---	---	---	---	---	---	---	--- of 40	4.4	0.7
Pneumonia, 2004	---	---	---	---	17.3	17.2	---	---	---	17.8	35 of 53	20.4	---
Diabetes, 2004	38.2	16	21.2	40	27.0	26.7	---	---	---	27.6	31 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	56.9	55.6	77.6	75.3	143.6	77.3	21 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	7.6	---	---	---	---	6.2	35 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	7.4	---	13.2	---	6.1	8.0	35 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	8.4	---	12.9	---	14.1	10.8	35 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	10.6	---	4.3	---	1.5	5.6	29 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Atlanta, GA (Fulton County)

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 40	---	---
AIDS Prevalence, 2005	2,242.6	3	463.4	4	1,131.9	1,111.2	1,553.2	1,537.8	817.3	1,346.5	3 of 46	---	---
HIV Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 38	---	---
AIDS Incidence, 2005	114.6	4	31.5	4	38.4	37.7	95.3	94.3	---	72.8	4 of 45	13.7	---
P&S Syphilis Incidence, 2005	71.2	2	5.8	5	---	---	---	---	---	38.0	2 of 30	3.0	0.2
Chlamydia Incidence, 2005	240.7	30	680.7	28	---	---	---	---	---	464.1	32 of 41	332.5	---
Gonorrhea Incidence, 2005	396.8	12	241.9	20	---	---	---	---	---	318.1	16 of 41	115.6	19.0
Tuberculosis Incidence 2005	14.2	15	7.2	14	---	---	---	---	---	10.7	15 of 33	4.8	1.0
Overall Mortality, 2004	1,216.7	24	796.2	22	736.0	728.5	1,141.9	1,134.4	671.3	974.3	21 of 53	801.0	---
Heart Disease Mortality, 2004	292.5	38	183.9	32	154.6	153.2	280.0	278.2	---	230.2	33 of 53	217.5	---
Cancer Mortality, 2004	276.4	24	174.8	29	191.8	189.8	229.0	227.6	---	211.3	28 of 53	184.6	158.6
Lung Cancer Mortality, 2004	71.5	36	38.5	37	49.4	48.9	54.9	54.6	---	51.5	36 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	29.4	22	34.2	33.8	29.0	28.8	---	29.4	22 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	18.6	24	10.2	9	---	---	14.6	14.5	---	14.5	19 of 53	14.8	8.0
Homicide, 2004	35.1	8	---	---	---	---	33.5	33.5	---	21.9	7 of 48	5.6	2.8
Firearm-related Mortality, 2004	34.2	13	---	---	---	---	28.6	28.3	---	20.8	11 of 52	9.8	3.6
Suicide, 2004	21.3	20	---	---	22.6	22.3	9.8	9.7	---	13.8	18 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	57.5	3	26.1	4	17.5	17.3	60.0	59.5	---	42.1	3 of 40	4.4	0.7
Pneumonia, 2004	27.4	23	13.1	43	14.8	14.7	20.5	20.4	---	18.4	34 of 53	20.4	---
Diabetes, 2004	19.1	51	21.1	41	---	---	31.8	31.6	---	20.4	50 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	75.1	73.6	75.6	74.8	408.5	90.1	10 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	---	---	---	---	--- of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	8.1	---	13.6	---	5.9	10.4	11 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	1.4	---	18.7	---	13.4	12.3	25 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	2.3	---	4.7	---	---	3.0	37 of 43	10.7	1.0

Austin, TX*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 40	---	---
AIDS Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 46	---	---
HIV Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 38	---	---
AIDS Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	332.5	---
Gonorrhea Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	1,014.9	45	693.5	41	804.2	796.2	1,058.8	1,039.7	829.6	826.5	43 of 53	801.0	---
Heart Disease Mortality, 2004	257.4	45	146.6	46	185.7	184.0	231.0	227.5	191.6	188.7	45 of 53	217.5	---
Cancer Mortality, 2004	255.5	33	158.3	42	191.4	189.5	254.6	250.7	194.9	196.4	38 of 53	184.6	158.6
Lung Cancer Mortality, 2004	72.8	35	36.6	40	53.8	53.3	76.7	75.6	---	51.0	37 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	27.4	29	31.3	30.9	---	---	---	27.4	29 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	17.4	29	9.6	12	11.0	10.8	---	---	17.7	13.2	27 of 53	14.8	8.0
Homicide, 2004	6.0	47	---	---	---	---	---	---	---	4.0	47 of 48	5.6	2.8
Firearm-related Mortality, 2004	14.4	45	---	---	8.1	8.0	---	---	---	7.7	44 of 52	9.8	3.6
Suicide, 2004	21.1	21	---	---	17.3	17.0	---	---	---	13.6	19 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	9.3	34	---	---	---	---	---	---	---	5.8	32 of 40	4.4	0.7
Pneumonia, 2004	16.8	52	10.6	51	12.6	12.5	---	---	---	13.2	52 of 53	20.4	---
Diabetes, 2004	33.8	27	27.9	21	18.4	18.3	50.2	49.5	72.4	29.9	26 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	51.6	50.4	61.9	59.4	119.4	73.2	25 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	---	---	6.3	6.2	35 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	6.2	---	12.8	---	7.0	7.1	45 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	3.7	---	16.7	---	16.5	10.8	35 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	5.7	---	7.4	---	1.7	3.6	35 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Baltimore, MD*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	1,729.4	3	997.2	3	368.1	358.6	1,570.0	1,551.4	307.4	1,343.3	3 of 40	---	---
AIDS Prevalence, 2005	1,356.7	5	648.1	3	316.0	307.8	1,356.3	1,340.3	560.5	978.6	5 of 46	---	---
HIV Incidence, 2005	224.6	2	110.8	2	43.7	42.5	184.9	182.7	---	164.0	2 of 38	---	---
AIDS Incidence, 2005	123.8	3	68.8	3	20.3	19.8	135.5	133.9	---	94.4	3 of 45	13.7	---
P&S Syphilis Incidence, 2005	39.8	4	21.3	1	18.4	17.9	35.0	34.6	---	29.9	4 of 30	3.0	0.2
Chlamydia Incidence, 2005	363.9	15	1,518.1	4	288.2	280.8	1,118.2	1,105.0	587.7	979.8	6 of 41	332.5	---
Gonorrhea Incidence, 2005	576.9	3	496.5	5	84.8	82.6	737.2	728.4	198.9	534.0	5 of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	1,497.2	5	881.8	11	933.4	920.5	1,309.3	1,298.5	384.5	1,139.6	5 of 53	801.0	---
Heart Disease Mortality, 2004	385.6	9	220.5	14	247.6	244.7	324.2	321.8	---	287.2	10 of 53	217.5	---
Cancer Mortality, 2004	298.6	14	190.1	15	204.3	201.7	260.2	258.2	---	231.0	15 of 53	184.6	158.6
Lung Cancer Mortality, 2004	95.8	12	54.3	15	68.0	67.1	76.0	75.4	---	70.6	14 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	33.2	11	23.3	23.0	39.9	39.6	---	33.2	11 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	14.4	37	---	---	9.6	9.4	9.8	9.7	---	9.5	39 of 53	14.8	8.0
Homicide, 2004	73.5	2	8.7	3	---	---	55.9	55.9	---	39.5	2 of 48	5.6	2.8
Firearm-related Mortality, 2004	64.7	2	---	---	---	---	48.5	48.0	---	32.0	4 of 52	9.8	3.6
Suicide, 2004	11.9	47	---	---	---	---	5.3	5.2	---	5.6	51 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	68.8	2	35.0	2	---	---	75.0	74.2	---	50.5	2 of 40	4.4	0.7
Pneumonia, 2004	37.1	8	20.9	17	29.0	28.7	27.2	27.0	---	26.9	11 of 53	20.4	---
Diabetes, 2004	41.4	12	36.4	5	28.6	28.3	49.1	48.7	---	38.5	11 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	59.0	57.4	63.1	62.4	120.5	62.2	45 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	18.0	---	---	12.8	4 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	9.4	---	15.4	---	6.4	13.2	3 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	8.9	---	23.1	---	13.8	18.3	1 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	16.7	---	12.5	---	---	13.1	11 of 43	10.7	1.0

Boston, MA*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	563.5	12	159.4	13	326.5	317.2	517.4	480.0	411.3	353.9	14 of 40	---	---
AIDS Prevalence, 2005	698.5	14	205.5	9	334.1	324.5	818.2	759.0	528.9	442.8	14 of 46	---	---
HIV Incidence, 2005	48.0	15	12.1	13	20.6	20.0	45.6	42.3	51.7	29.4	17 of 38	---	---
AIDS Incidence, 2005	37.0	22	12.1	15	14.4	14.0	52.7	48.9	28.2	24.1	20 of 45	13.7	---
P&S Syphilis Incidence, 2005	22.2	10	---	---	---	---	---	---	---	10.9	13 of 30	3.0	0.2
Chlamydia Incidence, 2005	448.2	11	820.8	22	137.2	133.3	1,128.3	1,046.6	678.1	641.4	16 of 41	332.5	---
Gonorrhea Incidence, 2005	170.0	29	119.5	32	53.8	52.3	290.1	269.1	74.0	143.8	31 of 41	115.6	19.0
Tuberculosis Incidence 2005	12.0	19	7.5	12	---	---	20.7	19.2	---	9.7	18 of 33	4.8	1.0
Overall Mortality, 2004	1,030.8	43	666.2	45	829.6	817.6	1,025.2	970.5	578.5	820.9	45 of 53	801.0	---
Heart Disease Mortality, 2004	250.2	46	136.3	47	196.0	193.3	213.3	202.4	114.7	184.6	46 of 53	217.5	---
Cancer Mortality, 2004	263.9	30	172.3	33	213.1	210.0	232.0	219.9	129.7	205.7	32 of 53	184.6	158.6
Lung Cancer Mortality, 2004	75.3	31	40.1	33	57.4	56.6	57.7	54.8	---	53.3	33 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	26.7	34	28.8	28.3	30.4	28.7	---	26.7	34 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	---	---	---	---	---	---	---	---	---	4.8	53 of 53	14.8	8.0
Homicide, 2004	15.2	34	---	---	---	---	24.8	24.8	---	8.3	38 of 48	5.6	2.8
Firearm-related Mortality, 2004	14.1	46	---	---	---	---	25.1	22.9	---	7.1	46 of 52	9.8	3.6
Suicide, 2004	6.9	53	---	---	---	---	---	---	---	4.2	53 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	15.3	21	---	---	---	---	21.7	20.3	---	9.7	20 of 40	4.4	0.7
Pneumonia, 2004	33.4	15	23.7	8	31.5	31.1	---	---	---	27.1	9 of 53	20.4	---
Diabetes, 2004	23.6	48	19.6	45	18.9	18.7	42.0	39.9	---	21.6	47 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	35.9	34.9	69.1	63.4	73.6	47.6	50 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	13.0	---	---	6.1	38 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	6.5	---	13.1	---	7.3	8.9	22 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	2.8	---	10.8	---	13.0	7.5	47 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	4.6	---	5.2	---	2.2	4.0	33 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Charlotte, NC*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	528.7	16	282.4	4	143.4	141.2	956.4	940.1	138.2	403.1	10 of 40	---	---
AIDS Prevalence, 2005	291.0	34	81.9	23	78.9	77.7	413.9	406.8	---	184.3	32 of 46	---	---
HIV Incidence, 2005	56.6	10	20.3	8	15.1	14.9	84.3	82.8	---	38.1	8 of 38	---	---
AIDS Incidence, 2005	38.5	19	16.0	13	9.4	9.3	58.6	57.6	---	27.0	19 of 45	13.7	---
P&S Syphilis Incidence, 2005	23.8	9	---	---	10.1	9.9	25.6	25.2	---	14.6	7 of 30	3.0	0.2
Chlamydia Incidence, 2005	260.0	26	910.3	16	120.2	118.4	1,364.6	1,341.4	846.7	591.7	21 of 41	332.5	---
Gonorrhea Incidence, 2005	424.9	10	312.5	15	50.7	49.9	998.5	981.5	110.6	367.6	10 of 41	115.6	19.0
Tuberculosis Incidence 2005	12.5	18	---	---	---	---	13.1	12.9	---	8.5	22 of 33	4.8	1.0
Overall Mortality, 2004	1,232.4	21	811.4	19	866.1	861.4	1,300.1	1,287.4	548.2	973.0	22 of 53	801.0	---
Heart Disease Mortality, 2004	301.0	36	154.3	44	194.5	193.6	257.7	255.5	---	210.1	42 of 53	217.5	---
Cancer Mortality, 2004	263.2	31	191.0	14	193.2	192.2	295.7	293.3	---	214.9	24 of 53	184.6	158.6
Lung Cancer Mortality, 2004	84.8	25	52.6	18	62.6	62.3	75.2	74.5	---	65.5	21 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	30.3	17	27.2	27.0	41.3	40.9	---	30.3	17 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	16.9	30	---	---	---	---	19.8	19.5	---	11.1	34 of 53	14.8	8.0
Homicide, 2004	19.6	28	---	---	---	---	25.0	25.0	---	11.7	31 of 48	5.6	2.8
Firearm-related Mortality, 2004	29.2	21	---	---	13.5	13.3	25.1	24.7	---	16.8	21 of 52	9.8	3.6
Suicide, 2004	20.9	22	---	---	16.5	16.3	---	---	---	13.2	21 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	21.8	12	9.4	8	---	---	43.4	42.9	---	15.3	10 of 40	4.4	0.7
Pneumonia, 2004	23.0	34	13.9	39	16.6	16.6	---	---	---	17.1	38 of 53	20.4	---
Diabetes, 2004	31.8	32	20.8	42	19.3	19.2	48.4	48.0	---	25.8	37 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	71.4	70.4	73.7	72.7	208.0	82.2	16 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	4.0	---	12.7	---	---	7.2	25 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	7.0	---	13.6	---	6.9	9.1	20 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	3.3	---	15.1	---	12.0	8.7	44 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	7.1	---	8.6	---	---	6.2	25 of 43	10.7	1.0

Chicago, IL*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	532.6	15	163.5	12	318.0	305.8	500.7	494.0	191.9	342.6	16 of 40	---	---
AIDS Prevalence, 2005	572.1	17	130.9	18	271.4	261.0	540.7	533.5	221.9	345.0	17 of 46	---	---
HIV Incidence, 2005	61.9	6	16.4	11	31.2	30.0	61.0	60.2	19.0	38.5	7 of 38	---	---
AIDS Incidence, 2005	49.7	16	12.1	15	20.8	20.0	49.3	48.6	20.6	30.4	15 of 45	13.7	---
P&S Syphilis Incidence, 2005	27.0	7	2.5	10	20.7	19.9	16.1	15.9	5.8	14.4	8 of 30	3.0	0.2
Chlamydia Incidence, 2005	451.1	10	1,107.6	11	102.1	98.2	1,395.7	1,377.0	283.3	789.2	11 of 41	332.5	---
Gonorrhea Incidence, 2005	335.1	19	347.4	11	41.0	39.4	694.2	684.9	39.5	341.5	12 of 41	115.6	19.0
Tuberculosis Incidence 2005	14.7	13	8.3	7	2.8	2.7	16.2	16.0	10.5	11.4	10 of 33	4.8	1.0
Overall Mortality, 2004	1,072.6	41	720.7	36	756.0	738.5	1,176.0	1,164.3	611.1	868.1	37 of 53	801.0	---
Heart Disease Mortality, 2004	338.3	21	203.1	23	238.5	233.6	333.3	330.1	154.4	258.3	23 of 53	217.5	---
Cancer Mortality, 2004	251.2	39	177.1	24	188.0	183.6	270.4	267.9	133.7	204.8	34 of 53	184.6	158.6
Lung Cancer Mortality, 2004	74.1	33	40.9	32	51.2	50.0	72.4	71.7	28.8	54.1	32 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	29.9	18	25.6	24.9	40.8	40.4	14.8	29.9	18 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	13.7	39	5.3	26	7.9	7.6	12.4	12.2	8.5	9.3	40 of 53	14.8	8.0
Homicide, 2004	24.9	18	4.2	9	3.5	3.3	31.1	31.1	9.3	14.5	18 of 48	5.6	2.8
Firearm-related Mortality, 2004	23.2	36	1.8	10	4.8	4.6	24.3	23.9	8.3	12.2	37 of 52	9.8	3.6
Suicide, 2004	10.5	50	2.7	18	10.4	10.1	3.7	3.6	5.2	6.3	48 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	14.3	24	5.5	14	3.5	3.3	19.7	19.5	6.3	9.7	20 of 40	4.4	0.7
Pneumonia, 2004	30.6	18	17.2	28	19.4	19.0	28.0	27.7	19.3	22.4	19 of 53	20.4	---
Diabetes, 2004	32.8	29	25.0	30	20.1	19.7	41.1	40.8	37.4	28.4	28 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	48.4	46.6	67.6	66.6	99.0	68.5	33 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	6.0	---	17.0	---	5.9	10.0	14 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	7.5	---	15.6	---	6.6	10.1	14 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	2.8	---	21.6	---	13.8	13.6	20 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	5.1	---	12.9	---	1.3	6.2	25 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Cincinnati, OH*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	443.2	19	113.2	20	228.4	223.7	337.7	330.2	---	269.0	19 of 40	---	---
AIDS Prevalence, 2005	430.4	25	70.3	25	202.6	198.3	303.1	296.3	---	240.3	26 of 46	---	---
HIV Incidence, 2005	34.5	23	---	---	16.1	15.8	29.7	29.0	---	21.7	22 of 38	---	---
AIDS Incidence, 2005	38.4	20	---	---	12.1	11.8	35.3	34.5	---	22.0	21 of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	601.8	4	2,067.7	2	123.1	120.6	734.8	718.4	1,040.2	1,386.7	2 of 41	332.5	---
Gonorrhea Incidence, 2005	706.1	2	927.8	1	53.5	52.4	706.5	690.8	---	829.5	1 of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	6.0	29 of 33	4.8	1.0
Overall Mortality, 2004	1,344.7	10	894.5	8	938.7	930.1	1,351.1	1,333.4	---	1,072.9	10 of 53	801.0	---
Heart Disease Mortality, 2004	335.3	22	191.9	29	219.9	218.2	308.1	304.5	---	248.8	26 of 53	217.5	---
Cancer Mortality, 2004	310.0	8	223.6	4	221.2	219.4	331.9	328.3	---	254.6	6 of 53	184.6	158.6
Lung Cancer Mortality, 2004	88.2	20	67.6	4	60.2	59.7	104.7	103.6	---	75.0	8 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	36.4	6	32.1	31.8	47.7	47.2	---	36.4	6 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	15.5	31	---	---	---	---	14.3	14.1	---	12.0	32 of 53	14.8	8.0
Homicide, 2004	26.4	15	---	---	---	---	31.7	31.7	---	15.8	17 of 48	5.6	2.8
Firearm-related Mortality, 2004	28.3	24	---	---	---	---	30.4	29.7	---	16.5	23 of 52	9.8	3.6
Suicide, 2004	16.8	34	---	---	14.4	14.2	---	---	---	13.3	20 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	---	---	---	---	---	---	---	---	---	---	--- of 40	4.4	0.7
Pneumonia, 2004	26.8	25	16.9	29	16.7	16.5	26.3	26.0	---	19.5	29 of 53	20.4	---
Diabetes, 2004	56.8	3	35.0	7	27.2	27.0	72.4	71.6	---	42.2	5 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	62.2	61.1	80.8	79.2	171.8	71.1	30 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	15.0	---	---	10.3	11 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	8.5	---	14.2	---	---	11.2	8 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	8.9	---	24.4	---	15.9	16.6	8 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	19.8	---	13.2	---	---	15.6	6 of 43	10.7	1.0

Cleveland, OH*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	313.4	27	123.9	17	119.6	115.8	245.5	241.2	368.6	213.6	24 of 40	---	---
AIDS Prevalence, 2005	501.0	20	123.1	19	203.6	197.1	355.3	348.9	535.6	302.0	20 of 46	---	---
HIV Incidence, 2005	41.5	19	8.3	19	14.0	13.6	30.2	29.7	---	24.0	20 of 38	---	---
AIDS Incidence, 2005	16.8	35	---	---	---	---	14.1	13.8	---	9.8	35 of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	557.1	6	1,319.8	7	190.7	184.6	1,204.9	1,183.5	466.5	972.6	7 of 41	332.5	---
Gonorrhea Incidence, 2005	742.0	1	619.4	3	88.9	86.1	939.9	923.2	149.7	683.3	2 of 41	115.6	19.0
Tuberculosis Incidence 2005	12.8	17	---	---	---	---	12.8	12.6	---	9.2	20 of 33	4.8	1.0
Overall Mortality, 2004	1,430.4	6	922.7	6	1,061.9	1,043.5	1,273.3	1,259.3	685.6	1,131.0	7 of 53	801.0	---
Heart Disease Mortality, 2004	474.5	4	286.3	5	347.0	341.6	402.2	398.2	---	362.8	5 of 53	217.5	---
Cancer Mortality, 2004	339.9	4	207.2	6	243.7	239.7	294.0	291.0	106.9	258.1	5 of 53	184.6	158.6
Lung Cancer Mortality, 2004	115.9	4	58.0	8	80.2	78.9	88.6	87.7	---	81.0	4 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	38.3	5	39.3	38.6	39.6	39.1	---	38.3	5 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	12.6	43	---	---	---	---	---	---	---	7.3	47 of 53	14.8	8.0
Homicide, 2004	28.2	12	---	---	---	---	22.3	22.3	---	15.9	16 of 48	5.6	2.8
Firearm-related Mortality, 2004	27.4	27	---	---	10.9	10.6	17.7	17.4	---	14.2	32 of 52	9.8	3.6
Suicide, 2004	19.7	24	---	---	18.2	17.8	---	---	---	12.2	26 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	11.5	30	---	---	---	---	10.4	10.3	---	7.9	26 of 40	4.4	0.7
Pneumonia, 2004	20.3	43	13.4	41	15.0	14.8	18.8	18.7	---	16.2	42 of 53	20.4	---
Diabetes, 2004	31.0	36	31.0	16	21.1	20.8	44.2	43.7	---	31.4	21 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	60.8	59.1	77.7	76.5	80.8	70.4	31 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	13.1	---	---	10.0	14 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	8.9	---	13.2	---	10.1	11.4	6 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	11.2	---	21.7	---	19.9	17.8	2 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	26.8	---	13.0	---	12.9	17.3	3 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Colorado Springs, CO (El Paso County)*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	118.6	38	24.5	36	62.7	---	225.4	---	71.9	71.8	38 of 40	---	---
AIDS Prevalence, 2005	80.9	44	13.2	44	41.4	---	132.7	---	56.5	47.2	44 of 46	---	---
HIV Incidence, 2005	8.9	38	---	---	---	---	---	---	---	5.0	38 of 38	---	---
AIDS Incidence, 2005	---	---	---	---	---	---	---	---	---	3.9	45 of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	328.2	17	601.6	34	219.1	---	1,583.7	---	703.8	464.3	31 of 41	332.5	---
Gonorrhea Incidence, 2005	106.7	35	125.9	30	39.9	---	694.6	---	172.9	116.3	35 of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	1,131.2	33	764.2	32	902.5	893.4	1,205.3	1,123.3	1,030.2	911.7	32 of 53	801.0	---
Heart Disease Mortality, 2004	244.2	48	133.7	48	174.7	173.3	329.4	308.6	186.3	177.5	48 of 53	217.5	---
Cancer Mortality, 2004	252.9	37	173.6	31	201.5	199.7	230.1	216.6	179.4	201.2	35 of 53	184.6	158.6
Lung Cancer Mortality, 2004	78.6	29	36.5	41	52.5	52.1	---	---	---	51.8	34 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	36.1	7	35.2	34.9	---	---	---	36.1	7 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	14.7	35	---	---	12.0	11.7	---	---	---	12.2	31 of 53	14.8	8.0
Homicide, 2004	---	---	---	---	---	---	---	---	---	---	--- of 48	5.6	2.8
Firearm-related Mortality, 2004	34.1	15	---	---	17.5	17.2	---	---	---	18.6	15 of 52	9.8	3.6
Suicide, 2004	45.0	2	---	---	27.1	26.6	---	---	---	26.1	2 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	---	---	---	---	---	---	---	---	---	---	--- of 40	4.4	0.7
Pneumonia, 2004	21.2	40	17.5	27	18.9	18.8	---	---	---	19.1	31 of 53	20.4	---
Diabetes, 2004	17.8	52	15.5	51	14.6	14.4	---	---	---	16.2	52 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	71.7	69.7	90.6	81.0	136.1	79.5	18 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	5.7	---	---	---	---	7.2	25 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	9.9	---	15.1	---	9.3	10.3	12 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	7.2	---	15.3	---	19.5	10.5	38 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	10.9	---	10.1	---	5.9	9.5	18 of 43	10.7	1.0

Columbus, OH*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	314.9	26	76.3	24	158.2	154.4	325.9	307.3	246.1	192.3	28 of 40	---	---
AIDS Prevalence, 2005	215.7	36	37.7	35	111.2	108.5	182.9	172.5	143.1	124.2	36 of 46	---	---
HIV Incidence, 2005	33.8	24	8.5	18	13.7	13.3	45.2	42.6	---	20.8	24 of 38	---	---
AIDS Incidence, 2005	21.4	31	---	---	7.8	7.6	24.9	23.5	---	11.9	32 of 45	13.7	---
P&S Syphilis Incidence, 2005	21.7	11	5.7	6	10.7	10.5	26.0	24.6	---	13.5	10 of 30	3.0	0.2
Chlamydia Incidence, 2005	292.0	25	857.2	21	133.2	130.0	931.4	878.2	475.1	589.2	22 of 41	332.5	---
Gonorrhea Incidence, 2005	373.3	13	410.8	9	86.4	84.3	824.3	777.2	257.6	293.3	20 of 41	115.6	19.0
Tuberculosis Incidence 2005	14.7	13	6.6	18	---	---	22.6	21.3	---	10.5	17 of 33	4.8	1.0
Overall Mortality, 2004	1,340.7	11	859.6	13	996.8	986.9	1,314.8	1,277.7	1,023.9	1,051.0	12 of 53	801.0	---
Heart Disease Mortality, 2004	329.3	25	200.6	25	243.7	241.5	287.7	280.6	---	250.4	25 of 53	217.5	---
Cancer Mortality, 2004	336.4	5	194.1	11	238.1	235.9	307.2	299.9	---	247.4	7 of 53	184.6	158.6
Lung Cancer Mortality, 2004	116.9	3	61.5	6	83.6	82.8	95.0	92.9	---	83.7	3 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	28.1	27	24.0	23.7	44.6	43.5	---	28.1	27 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	12.8	42	5.2	27	8.7	8.6	---	---	---	8.8	41 of 53	14.8	8.0
Homicide, 2004	20.0	27	---	---	5.6	5.5	29.1	29.1	---	12.3	28 of 48	5.6	2.8
Firearm-related Mortality, 2004	23.4	35	---	---	9.3	9.2	25.9	24.6	---	13.1	36 of 52	9.8	3.6
Suicide, 2004	17.3	33	---	---	11.6	11.4	---	---	---	10.8	33 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	---	---	---	---	---	---	---	---	---	3.5	39 of 40	4.4	0.7
Pneumonia, 2004	37.1	8	22.0	13	27.0	26.8	24.8	24.2	---	26.5	13 of 53	20.4	---
Diabetes, 2004	48.7	8	32.7	13	26.6	26.3	84.5	82.5	---	38.9	10 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	46.0	45.1	83.5	79.6	188.1	57.9	47 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	6.4	---	14.9	---	---	9.8	16 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	8.2	---	13.6	---	5.1	9.8	15 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	9.6	---	15.8	---	12.7	11.7	29 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	19.3	---	14.4	---	3.0	15.7	5 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Dallas, TX*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	633.2	10	167.2	11	510.7	499.5	628.6	617.7	165.6	402.1	11 of 40	---	---
AIDS Prevalence, 2005	951.4	9	169.1	11	753.9	737.3	789.0	775.3	264.1	563.4	9 of 46	---	---
HIV Incidence, 2005	98.8	4	23.9	6	75.2	73.6	102.4	100.6	24.6	61.7	4 of 38	---	---
AIDS Incidence, 2005	76.5	7	19.0	11	49.9	48.8	76.1	74.8	30.1	48.0	8 of 45	13.7	---
P&S Syphilis Incidence, 2005	16.2	16	5.4	7	6.1	6.0	29.9	29.3	---	10.9	13 of 30	3.0	0.2
Chlamydia Incidence, 2005	179.1	37	712.9	27	65.5	64.0	857.9	843.0	381.2	444.3	33 of 41	332.5	---
Gonorrhea Incidence, 2005	277.0	22	251.0	19	51.9	50.7	737.5	724.7	62.0	264.3	22 of 41	115.6	19.0
Tuberculosis Incidence 2005	16.0	7	8.7	6	4.9	4.8	23.9	23.5	11.1	12.4	6 of 33	4.8	1.0
Overall Mortality, 2004	1,123.0	34	708.1	38	768.3	761.0	1,256.1	1,243.3	763.2	881.6	36 of 53	801.0	---
Heart Disease Mortality, 2004	320.9	27	183.0	33	206.5	204.8	354.6	351.4	210.4	239.8	30 of 53	217.5	---
Cancer Mortality, 2004	252.6	38	160.7	40	174.2	172.7	287.0	284.5	151.0	195.7	39 of 53	184.6	158.6
Lung Cancer Mortality, 2004	70.9	37	36.1	42	44.6	44.2	79.8	79.1	31.4	50.3	39 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	24.6	38	21.4	21.2	39.8	39.4	---	24.6	38 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	22.0	18	9.6	12	10.2	10.0	14.8	14.6	24.5	15.8	14 of 53	14.8	8.0
Homicide, 2004	26.5	14	5.4	5	5.3	5.2	31.6	31.6	15.5	16.1	14 of 48	5.6	2.8
Firearm-related Mortality, 2004	28.9	23	5.0	4	11.0	10.8	26.1	25.7	15.1	17.2	19 of 52	9.8	3.6
Suicide, 2004	15.5	39	5.2	12	14.6	14.4	---	---	6.6	10.3	37 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	23.3	10	3.8	15	13.0	12.8	20.6	20.3	10.5	13.4	13 of 40	4.4	0.7
Pneumonia, 2004	24.6	29	11.1	49	14.1	14.0	25.3	25.0	---	16.2	42 of 53	20.4	---
Diabetes, 2004	28.9	39	22.9	36	14.3	14.2	54.4	53.9	34.4	25.2	38 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	50.4	49.3	65.9	64.8	131.9	83.7	15 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	5.9	---	14.4	---	6.7	8.1	20 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	7.4	---	14.2	---	6.2	8.2	32 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	5.6	---	21.0	---	16.3	15.0	14 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	7.2	---	4.2	---	0.8	2.8	38 of 43	10.7	1.0

Denver, CO*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	941.8	6	120.2	18	651.7	634.0	834.4	776.8	293.7	535.3	6 of 40	---	---
AIDS Prevalence, 2005	1,154.9	6	93.6	21	790.6	769.1	924.6	860.6	344.9	629.8	8 of 46	---	---
HIV Incidence, 2005	73.5	5	9.8	15	47.6	46.3	58.4	54.4	32.4	42.0	6 of 38	---	---
AIDS Incidence, 2005	52.1	14	8.0	18	28.8	28.0	46.7	43.5	29.0	30.3	16 of 45	13.7	---
P&S Syphilis Incidence, 2005	12.1	18	---	---	6.9	6.8	---	---	---	6.3	21 of 30	3.0	0.2
Chlamydia Incidence, 2005	640.6	3	1,143.1	10	183.0	178.0	1,435.2	1,336.0	972.7	889.2	9 of 41	332.5	---
Gonorrhea Incidence, 2005	336.5	18	216.8	23	100.3	97.6	814.4	758.1	215.7	277.3	21 of 41	115.6	19.0
Tuberculosis Incidence 2005	11.8	21	---	---	---	---	---	---	13.1	7.9	23 of 33	4.8	1.0
Overall Mortality, 2004	1,085.8	37	661.5	46	803.1	793.4	1,074.1	1,035.0	940.1	841.9	42 of 53	801.0	---
Heart Disease Mortality, 2004	246.4	47	128.9	51	176.1	174.4	204.6	198.5	165.0	175.4	50 of 53	217.5	---
Cancer Mortality, 2004	238.4	42	153.5	46	176.0	174.1	251.1	243.9	209.2	185.8	44 of 53	184.6	158.6
Lung Cancer Mortality, 2004	60.3	44	33.8	48	43.1	42.6	67.3	65.5	45.2	44.3	46 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	23.5	43	24.4	24.2	---	---	---	23.5	43 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	19.7	23	---	---	11.6	11.4	---	---	16.0	12.5	30 of 53	14.8	8.0
Homicide, 2004	21.7	25	---	---	9.1	8.8	---	---	19.1	14.2	20 of 48	5.6	2.8
Firearm-related Mortality, 2004	24.9	33	---	---	12.1	11.8	---	---	14.0	14.5	30 of 52	9.8	3.6
Suicide, 2004	23.4	13	10.0	5	21.5	21.1	---	---	---	16.2	8 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	19.1	16	---	---	10.9	10.8	---	---	---	10.0	18 of 40	4.4	0.7
Pneumonia, 2004	24.6	29	19.5	19	23.6	23.4	---	---	---	21.9	22 of 53	20.4	---
Diabetes, 2004	29.2	38	15.7	50	14.9	14.8	51.3	49.8	32.6	21.5	48 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	59.4	57.7	77.4	72.0	145.5	88.5	11 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	---	---	7.2	6.9	29 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	8.9	---	17.3	---	8.1	9.3	19 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	4.3	---	17.0	---	17.4	12.3	25 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	8.7	---	11.7	---	5.3	7.0	21 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Detroit, MI*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 40	---	---
AIDS Prevalence, 2005	418.2	27	138.6	15	202.2	179.4	295.6	291.5	148.4	270.4	24 of 46	---	---
HIV Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 38	---	---
AIDS Incidence, 2005	46.2	18	14.3	14	---	---	32.4	31.9	---	29.3	18 of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	332.5	---
Gonorrhea Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	1,407.7	9	885.3	10	966.3	916.7	1,176.6	1,165.4	780.7	1,103.4	8 of 53	801.0	---
Heart Disease Mortality, 2004	458.6	5	307.0	2	331.2	316.7	394.5	391.1	242.3	370.0	4 of 53	217.5	---
Cancer Mortality, 2004	306.2	10	182.4	20	200.2	190.1	247.1	244.8	157.2	230.4	16 of 53	184.6	158.6
Lung Cancer Mortality, 2004	95.8	12	47.4	24	61.1	58.2	71.2	70.5	---	67.0	18 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	30.7	14	---	---	34.4	34.1	---	30.7	14 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	23.2	15	6.9	23	---	---	14.2	14.0	---	14.2	21 of 53	14.8	8.0
Homicide, 2004	68.5	3	8.9	2	---	---	41.2	41.2	---	36.8	3 of 48	5.6	2.8
Firearm-related Mortality, 2004	64.0	3	6.7	3	---	---	38.2	37.8	---	33.5	2 of 52	9.8	3.6
Suicide, 2004	10.8	49	---	---	---	---	5.4	5.3	---	6.1	49 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	16.9	19	7.7	12	---	---	13.7	13.5	---	12.0	14 of 40	4.4	0.7
Pneumonia, 2004	29.8	19	18.7	21	19.6	18.8	24.1	23.9	---	22.9	18 of 53	20.4	---
Diabetes, 2004	36.7	22	29.2	18	23.6	22.0	36.6	36.2	---	32.4	18 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	70.7	62.5	61.6	60.8	128.9	64.7	38 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	18.1	---	---	16.4	2 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	10.9	---	14.7	---	5.5	13.5	1 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	12.8	---	18.6	---	14.3	17.6	5 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	20.0	---	14.5	---	3.6	13.8	9 of 43	10.7	1.0

El Paso, TX*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	19.1	40	---	---	---	---	---	---	10.9	9.8	40 of 40	---	---
AIDS Prevalence, 2005	16.8	46	---	---	---	---	---	---	10.4	8.9	46 of 46	---	---
HIV Incidence, 2005	19.4	32	---	---	---	---	---	---	11.1	9.9	33 of 38	---	---
AIDS Incidence, 2005	19.4	32	---	---	---	---	---	---	12.3	10.6	34 of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	128.5	40	672.3	29	142.1	137.4	596.1	550.7	451.1	414.1	36 of 41	332.5	---
Gonorrhea Incidence, 2005	47.8	40	54.4	39	28.0	27.1	336.1	310.5	40.1	51.3	41 of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	1,079.3	39	697.5	40	954.2	939.2	1,175.8	1,148.5	811.4	854.4	39 of 53	801.0	---
Heart Disease Mortality, 2004	279.5	40	166.8	40	250.2	246.8	326.8	321.7	193.4	212.9	39 of 53	217.5	---
Cancer Mortality, 2004	227.8	45	155.5	44	209.3	206.1	278.0	271.4	173.1	183.7	45 of 53	184.6	158.6
Lung Cancer Mortality, 2004	42.0	53	27.7	52	49.6	48.9	---	---	23.0	33.8	53 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	29.0	23	40.1	39.4	---	---	25.1	29.0	23 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	22.1	17	9.0	16	18.9	18.3	---	---	14.3	15.2	15 of 53	14.8	8.0
Homicide, 2004	---	---	---	---	---	---	---	---	---	---	--- of 48	5.6	2.8
Firearm-related Mortality, 2004	10.2	49	---	---	---	---	---	---	---	5.2	51 of 52	9.8	3.6
Suicide, 2004	16.6	36	---	---	16.1	15.7	---	---	5.6	8.3	46 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	11.0	31	---	---	---	---	---	---	7.4	6.2	31 of 40	4.4	0.7
Pneumonia, 2004	19.3	44	15.7	32	20.6	20.2	---	---	16.3	17.2	37 of 53	20.4	---
Diabetes, 2004	57.5	2	38.3	4	29.5	29.1	---	---	55.0	45.8	3 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	55.4	53.4	69.9	65.0	110.0	99.6	6 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	---	---	3.6	3.9	49 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	9.1	---	14.7	---	7.6	7.9	36 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	8.4	---	13.5	---	17.0	16.1	9 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	6.4	---	---	---	1.4	1.9	41 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Fort Worth, TX*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	370.5	22	155.0	14	191.9	187.7	630.9	617.1	138.0	261.3	20 of 40	---	---
AIDS Prevalence, 2005	803.9	12	175.7	10	515.6	504.4	934.7	914.3	195.8	485.5	10 of 46	---	---
HIV Incidence, 2005	57.3	8	17.7	10	24.9	24.4	84.1	82.3	27.0	37.2	9 of 38	---	---
AIDS Incidence, 2005	25.8	26	---	---	---	---	---	---	---	15.5	25 of 45	13.7	---
P&S Syphilis Incidence, 2005	11.8	20	10.0	4	---	---	---	---	---	10.8	16 of 30	3.0	0.2
Chlamydia Incidence, 2005	212.7	33	948.1	14	191.0	186.9	1,417.0	1,386.0	560.3	585.6	23 of 41	332.5	---
Gonorrhea Incidence, 2005	343.9	17	328.4	13	83.3	81.5	1,274.0	1,246.1	85.3	336.3	13 of 41	115.6	19.0
Tuberculosis Incidence 2005	20.9	3	9.6	4	---	---	---	---	---	15.1	3 of 33	4.8	1.0
Overall Mortality, 2004	1,241.1	19	781.2	27	919.0	909.8	1,286.8	1,274.0	850.1	969.2	23 of 53	801.0	---
Heart Disease Mortality, 2004	356.0	15	210.4	21	264.2	261.9	351.8	348.8	199.8	270.2	16 of 53	217.5	---
Cancer Mortality, 2004	294.4	17	175.2	26	209.3	207.2	307.9	305.4	212.7	222.0	20 of 53	184.6	158.6
Lung Cancer Mortality, 2004	90.1	19	47.4	24	67.5	66.8	88.0	87.3	---	65.1	22 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	28.4	25	24.4	24.1	---	---	---	28.4	25 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	25.4	12	---	---	13.0	12.8	---	---	26.1	15.1	17 of 53	14.8	8.0
Homicide, 2004	14.4	37	---	---	---	---	19.4	19.4	---	9.8	34 of 48	5.6	2.8
Firearm-related Mortality, 2004	17.5	42	---	---	9.5	9.4	18.4	18.1	---	11.3	38 of 52	9.8	3.6
Suicide, 2004	16.0	37	---	---	16.4	16.1	---	---	---	10.9	31 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	14.7	22	---	---	---	---	27.8	27.5	---	9.6	22 of 40	4.4	0.7
Pneumonia, 2004	25.1	28	11.3	48	15.6	15.5	---	---	---	15.9	46 of 53	20.4	---
Diabetes, 2004	38.0	18	33.7	11	27.7	27.4	58.5	58.0	62.2	35.0	14 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	68.3	66.9	78.4	77.1	139.8	91.8	9 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	7.4	---	17.9	---	6.2	8.8	18 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	7.3	---	14.8	---	6.7	8.4	27 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	7.7	---	21.5	---	17.7	14.7	15 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	8.4	---	4.6	---	1.6	4.4	31 of 43	10.7	1.0

Fresno, CA (Fresno County)*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	127.8	37	40.9	34	77.2	74.0	357.4	331.4	65.1	84.4	35 of 40	---	---
AIDS Prevalence, 2005	127.1	43	30.1	39	70.2	67.4	325.1	301.5	73.4	78.7	43 of 46	---	---
HIV Incidence, 2005	9.0	37	---	---	---	---	---	---	6.3	5.8	37 of 38	---	---
AIDS Incidence, 2005	9.7	41	---	---	---	---	---	---	6.3	6.0	42 of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	305.6	24	907.9	17	158.4	151.9	1,511.5	1,401.5	735.7	607.5	19 of 41	332.5	---
Gonorrhea Incidence, 2005	149.1	31	175.5	27	52.6	50.4	704.9	653.6	157.3	162.6	28 of 41	115.6	19.0
Tuberculosis Incidence 2005	9.0	25	8.3	7	---	---	---	---	11.4	8.6	21 of 33	4.8	1.0
Overall Mortality, 2004	1,427.7	8	929.0	5	1,190.8	1,164.4	1,390.4	1,348.4	1,006.2	1,135.0	6 of 53	801.0	---
Heart Disease Mortality, 2004	396.8	8	238.1	9	323.8	317.8	396.0	386.8	242.9	301.0	8 of 53	217.5	---
Cancer Mortality, 2004	299.1	13	213.6	5	267.5	262.1	340.5	331.0	183.3	246.0	8 of 53	184.6	158.6
Lung Cancer Mortality, 2004	78.2	30	58.1	7	79.2	77.6	---	---	36.8	66.2	20 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	30.7	14	34.9	34.2	---	---	---	30.7	14 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	30.6	5	14.1	3	22.6	21.7	---	---	22.0	22.4	5 of 53	14.8	8.0
Homicide, 2004	15.4	33	---	---	---	---	---	---	14.6	12.0	30 of 48	5.6	2.8
Firearm-related Mortality, 2004	28.3	24	---	---	13.9	13.5	---	---	14.2	17.4	18 of 52	9.8	3.6
Suicide, 2004	27.4	8	---	---	23.5	22.6	---	---	---	14.8	13 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	---	---	---	---	---	---	---	---	---	---	--- of 40	4.4	0.7
Pneumonia, 2004	42.3	5	30.5	3	36.8	36.2	---	---	35.0	34.7	5 of 53	20.4	---
Diabetes, 2004	51.3	7	34.2	9	30.1	29.5	---	---	74.3	41.2	6 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	69.3	66.1	95.7	90.9	134.5	101.5	5 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	9.3	---	---	---	5.8	7.0	27 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	6.6	---	11.2	---	6.4	7.1	45 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	7.7	---	22.0	---	17.3	15.5	11 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	---	---	---	---	---	---	--- of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Honolulu, HI (Honolulu County)*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 40	---	---
AIDS Prevalence, 2005	151.0	41	18.6	43	---	---	---	---	---	85.1	42 of 46	---	---
HIV Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 38	---	---
AIDS Incidence, 2005	9.1	42	---	---	---	---	---	---	---	5.3	43 of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	332.5	---
Gonorrhea Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	817.9	53	547.8	52	749.7	615.7	1,349.9	852.7	1,570.6	669.9	53 of 53	801.0	---
Heart Disease Mortality, 2004	233.4	50	132.5	49	164.2	139.7	---	---	507.4	177.5	48 of 53	217.5	---
Cancer Mortality, 2004	191.5	53	119.9	53	166.1	139.9	---	---	253.0	150.9	53 of 53	184.6	158.6
Lung Cancer Mortality, 2004	50.8	52	26.9	53	40.7	34.5	---	---	---	37.4	52 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	14.9	53	---	---	---	---	---	14.9	53 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	---	---	---	---	---	---	---	---	---	5.7	51 of 53	14.8	8.0
Homicide, 2004	---	---	---	---	---	---	---	---	---	---	--- of 48	5.6	2.8
Firearm-related Mortality, 2004	---	---	---	---	---	---	---	---	---	---	--- of 52	9.8	3.6
Suicide, 2004	13.5	45	---	---	---	---	---	---	---	10.9	31 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	---	---	---	---	---	---	---	---	---	---	--- of 40	4.4	0.7
Pneumonia, 2004	21.1	41	14.6	36	---	---	---	---	---	17.5	36 of 53	20.4	---
Diabetes, 2004	17.2	53	10.3	53	---	---	---	---	---	13.5	53 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	74.6	46.7	106.0	80.5	111.7	63.6	40 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	---	---	---	8.0	21 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	6.4	---	15.3	---	7.3	8.6	25 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	3.6	---	---	---	9.8	5.2	51 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	3.9	---	---	---	7.8	4.1	32 of 43	10.7	1.0

Houston, TX*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	473.2	17	219.7	7	282.5	274.9	772.6	760.9	165.1	346.3	15 of 40	---	---
AIDS Prevalence, 2005	740.9	13	215.0	7	475.5	462.7	907.0	893.3	268.3	477.6	12 of 46	---	---
HIV Incidence, 2005	52.7	13	20.8	7	22.6	22.0	77.1	75.9	25.3	36.7	11 of 38	---	---
AIDS Incidence, 2005	56.1	12	24.6	7	20.6	20.0	91.4	90.0	28.6	40.3	10 of 45	13.7	---
P&S Syphilis Incidence, 2005	19.3	14	4.3	9	11.1	10.8	20.9	20.6	8.2	11.8	11 of 30	3.0	0.2
Chlamydia Incidence, 2005	147.5	39	814.9	23	107.3	104.4	866.0	853.0	383.5	481.6	29 of 41	332.5	---
Gonorrhea Incidence, 2005	176.6	25	227.9	21	31.1	30.2	554.3	545.9	64.4	202.3	23 of 41	115.6	19.0
Tuberculosis Incidence 2005	17.7	5	7.2	14	5.0	4.9	19.7	19.4	16.0	12.4	6 of 33	4.8	1.0
Overall Mortality, 2004	1,235.0	20	822.7	16	916.3	904.6	1,318.6	1,305.7	893.6	997.9	18 of 53	801.0	---
Heart Disease Mortality, 2004	356.2	14	216.3	16	252.1	249.4	369.8	366.5	226.3	273.2	15 of 53	217.5	---
Cancer Mortality, 2004	283.2	21	173.1	32	209.4	206.9	285.8	283.2	165.8	217.3	22 of 53	184.6	158.6
Lung Cancer Mortality, 2004	81.4	26	42.5	31	61.0	60.3	79.9	79.2	32.9	59.4	29 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	29.9	18	28.8	28.4	41.3	40.9	19.6	29.9	18 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	24.9	14	7.9	19	14.2	13.8	15.4	15.2	23.8	16.1	13 of 53	14.8	8.0
Homicide, 2004	23.5	21	4.2	9	5.1	4.9	25.8	25.8	15.1	14.0	21 of 48	5.6	2.8
Firearm-related Mortality, 2004	29.5	20	4.8	6	13.8	13.5	23.0	22.7	15.2	17.0	20 of 52	9.8	3.6
Suicide, 2004	17.9	31	6.5	10	20.2	19.8	4.7	4.6	8.4	12.0	29 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	20.4	14	8.0	10	6.5	6.3	38.3	37.9	7.0	14.1	11 of 40	4.4	0.7
Pneumonia, 2004	22.9	35	18.0	26	15.6	15.5	31.9	31.6	16.7	20.0	28 of 53	20.4	---
Diabetes, 2004	33.5	28	30.5	17	18.9	18.7	51.6	51.2	52.6	31.9	20 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	60.1	58.5	76.2	75.1	142.4	97.7	7 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	7.0	---	11.7	---	5.1	6.9	29 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	7.4	---	13.9	---	6.4	8.2	32 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	6.1	---	16.3	---	14.9	13.0	23 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	6.2	---	3.9	---	0.7	2.3	40 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Indianapolis, IN (Marion County)*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	261.3	29	64.6	27	122.0	120.0	280.1	271.2	159.2	159.7	29 of 40	---	---
AIDS Prevalence, 2005	385.8	28	65.2	27	169.4	166.6	380.7	368.7	249.3	220.2	29 of 46	---	---
HIV Incidence, 2005	24.0	29	6.5	22	7.9	7.8	34.3	33.3	---	15.0	29 of 38	---	---
AIDS Incidence, 2005	27.4	23	6.7	19	12.0	11.8	29.0	28.1	---	16.7	23 of 45	13.7	---
P&S Syphilis Incidence, 2005	6.7	28	---	---	---	---	---	---	---	3.6	30 of 30	3.0	0.2
Chlamydia Incidence, 2005	490.9	8	1,162.5	9	296.4	291.4	2,144.0	2,076.2	1,297.7	840.0	10 of 41	332.5	---
Gonorrhea Incidence, 2005	442.8	9	465.3	6	114.6	112.7	1,388.4	1,344.5	252.3	455.1	7 of 41	115.6	19.0
Tuberculosis Incidence 2005	6.7	29	---	---	---	---	---	---	---	5.2	31 of 33	4.8	1.0
Overall Mortality, 2004	1,272.3	16	832.3	15	974.8	968.1	1,170.6	1,154.1	631.7	1,009.1	15 of 53	801.0	---
Heart Disease Mortality, 2004	321.0	26	185.0	31	230.3	228.9	288.0	284.7	---	238.6	32 of 53	217.5	---
Cancer Mortality, 2004	298.1	15	193.6	12	226.9	225.5	274.5	271.5	---	233.4	13 of 53	184.6	158.6
Lung Cancer Mortality, 2004	99.2	10	62.4	5	76.1	75.7	90.4	89.4	---	77.6	6 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	20.1	51	20.0	19.9	---	---	---	20.1	51 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	21.5	21	7.0	21	13.5	13.4	13.6	13.3	---	13.6	25 of 53	14.8	8.0
Homicide, 2004	20.9	26	4.7	8	4.9	4.8	32.5	32.5	---	12.7	26 of 48	5.6	2.8
Firearm-related Mortality, 2004	29.0	22	4.9	5	11.1	11.0	27.9	27.3	---	16.2	24 of 52	9.8	3.6
Suicide, 2004	18.5	28	8.6	6	15.9	15.7	---	---	---	12.9	23 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	9.7	33	---	---	---	---	14.9	14.7	---	5.5	35 of 40	4.4	0.7
Pneumonia, 2004	20.7	42	18.5	24	20.3	20.1	---	---	---	19.3	30 of 53	20.4	---
Diabetes, 2004	38.1	17	23.1	35	24.3	24.1	49.9	49.4	---	28.9	27 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	66.0	65.1	80.3	78.6	237.6	76.2	22 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	7.9	---	15.4	---	---	9.4	17 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	7.9	---	12.5	---	4.7	8.8	24 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	10.3	---	20.3	---	12.2	13.1	22 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	23.2	---	14.5	---	1.2	17.6	2 of 43	10.7	1.0

Jacksonville, FL*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	241.7	30	168.5	10	79.1	77.5	511.7	501.7	104.6	203.9	25 of 40	---	---
AIDS Prevalence, 2005	458.6	23	210.4	8	160.4	157.1	751.7	736.9	232.1	330.6	18 of 46	---	---
HIV Incidence, 2005	47.2	16	27.7	4	13.1	12.8	94.2	92.4	---	37.1	10 of 38	---	---
AIDS Incidence, 2005	51.4	15	22.1	10	15.1	14.8	84.7	83.1	---	36.3	13 of 45	13.7	---
P&S Syphilis Incidence, 2005	8.4	25	---	---	---	---	18.0	17.6	---	6.7	20 of 30	3.0	0.2
Chlamydia Incidence, 2005	312.7	21	925.6	15	229.5	224.8	1,465.1	1,436.3	552.4	628.7	17 of 41	332.5	---
Gonorrhea Incidence, 2005	347.8	15	291.0	17	78.3	76.6	873.4	856.2	127.5	318.5	15 of 41	115.6	19.0
Tuberculosis Incidence 2005	15.4	11	6.9	16	---	---	22.7	22.3	---	11.0	12 of 33	4.8	1.0
Overall Mortality, 2004	1,295.7	14	894.9	7	1,042.5	1,033.0	1,216.2	1,203.1	775.1	1,061.2	11 of 53	801.0	---
Heart Disease Mortality, 2004	334.1	24	211.7	20	262.4	260.4	289.3	286.4	---	262.3	22 of 53	217.5	---
Cancer Mortality, 2004	304.4	12	201.1	9	243.6	241.5	253.5	251.3	216.4	240.7	10 of 53	184.6	158.6
Lung Cancer Mortality, 2004	98.4	11	57.2	11	79.4	78.7	63.4	62.9	---	73.6	9 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	30.6	16	28.7	28.5	40.2	39.8	---	30.6	16 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	27.0	9	13.0	5	20.3	20.0	18.2	18.0	---	19.6	7 of 53	14.8	8.0
Homicide, 2004	23.7	20	5.4	5	6.1	6.0	33.6	33.6	---	14.3	19 of 48	5.6	2.8
Firearm-related Mortality, 2004	33.3	16	---	---	14.3	14.1	27.8	27.4	---	18.1	17 of 52	9.8	3.6
Suicide, 2004	28.1	7	5.9	11	20.2	19.9	---	---	---	15.6	9 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	14.5	23	7.8	11	---	---	35.9	35.5	---	11.0	16 of 40	4.4	0.7
Pneumonia, 2004	34.5	13	22.9	10	25.8	25.6	33.2	32.8	---	26.5	13 of 53	20.4	---
Diabetes, 2004	39.2	15	34.5	8	29.9	29.6	65.9	65.3	---	37.1	12 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	60.6	59.5	79.2	78.1	98.1	68.2	34 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	7.3	---	16.2	---	---	10.2	13 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	7.7	---	13.4	---	6.9	9.8	15 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	9.2	---	19.1	---	12.1	12.7	24 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	14.4	---	4.6	---	4.5	9.6	17 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Kansas City, MO*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	968.8	5	136.6	15	486.5	474.9	723.8	701.9	398.6	538.3	5 of 40	---	---
AIDS Prevalence, 2005	533.9	19	64.4	28	276.3	269.7	365.9	354.9	215.7	291.0	22 of 46	---	---
HIV Incidence, 2005	51.1	14	9.6	16	25.2	24.6	42.4	41.1	---	29.7	16 of 38	---	---
AIDS Incidence, 2005	24.4	29	---	---	9.4	9.2	24.8	24.1	---	14.3	28 of 45	13.7	---
P&S Syphilis Incidence, 2005	27.2	6	---	---	13.0	12.7	18.3	17.7	---	13.8	9 of 30	3.0	0.2
Chlamydia Incidence, 2005	588.3	5	1,306.5	8	203.6	198.7	2,041.3	1,979.7	526.1	959.8	8 of 41	332.5	---
Gonorrhea Incidence, 2005	554.6	5	546.8	4	77.0	75.2	1,408.1	1,365.6	111.1	550.6	4 of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	5.4	30 of 33	4.8	1.0
Overall Mortality, 2004	1,157.6	28	749.5	34	829.1	819.5	1,199.1	1,181.0	849.6	912.6	31 of 53	801.0	---
Heart Disease Mortality, 2004	305.4	34	171.5	36	208.4	206.3	289.3	285.4	---	224.8	36 of 53	217.5	---
Cancer Mortality, 2004	269.7	27	180.6	22	199.9	197.7	260.1	256.7	197.8	212.0	26 of 53	184.6	158.6
Lung Cancer Mortality, 2004	93.4	15	53.8	16	64.3	63.6	89.4	88.2	---	68.7	15 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	27.2	31	27.1	26.8	---	---	---	27.2	31 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	17.7	28	---	---	13.2	12.9	---	---	---	12.8	28 of 53	14.8	8.0
Homicide, 2004	25.8	16	9.6	1	---	---	41.3	41.3	---	17.5	13 of 48	5.6	2.8
Firearm-related Mortality, 2004	34.2	13	---	---	10.3	10.1	39.1	38.1	---	19.4	13 of 52	9.8	3.6
Suicide, 2004	22.9	15	---	---	14.2	14.0	---	---	---	12.1	28 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	17.5	17	---	---	---	---	18.1	17.7	---	9.4	23 of 40	4.4	0.7
Pneumonia, 2004	17.4	51	13.0	44	15.1	15.0	---	---	---	14.5	49 of 53	20.4	---
Diabetes, 2004	28.5	40	24.0	32	17.3	17.1	51.1	50.4	---	25.9	36 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	61.7	60.4	73.0	71.1	152.5	71.5	28 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	6.5	---	12.6	---	---	8.3	19 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	7.2	---	11.5	---	5.3	8.3	29 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	8.0	---	20.7	---	15.8	13.3	21 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	15.9	---	13.4	---	3.9	13.0	12 of 43	10.7	1.0

Las Vegas, NV*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 40	---	---
AIDS Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 46	---	---
HIV Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 38	---	---
AIDS Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	332.5	---
Gonorrhea Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	2,019.3	1	1,361.2	1	1,710.2	1,685.4	1,912.3	1,836.6	1,371.8	1,660.3	1 of 53	801.0	---
Heart Disease Mortality, 2004	619.0	1	340.4	1	483.4	477.4	573.8	553.0	338.6	465.0	1 of 53	217.5	---
Cancer Mortality, 2004	401.4	1	322.1	1	365.9	361.1	387.9	375.0	245.3	354.6	1 of 53	184.6	158.6
Lung Cancer Mortality, 2004	120.6	1	94.7	1	113.5	112.0	91.2	88.2	71.7	106.9	1 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	53.3	1	57.3	56.5	---	---	---	53.3	1 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	49.8	2	18.2	1	33.2	32.2	---	---	37.1	33.9	1 of 53	14.8	8.0
Homicide, 2004	31.3	9	---	---	11.0	10.6	57.3	57.3	24.0	19.9	9 of 48	5.6	2.8
Firearm-related Mortality, 2004	58.9	4	8.4	2	30.8	30.0	57.0	54.1	25.4	33.5	2 of 52	9.8	3.6
Suicide, 2004	55.5	1	15.0	1	42.4	41.4	---	---	---	34.5	1 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	13.5	26	---	---	---	---	---	---	---	8.2	25 of 40	4.4	0.7
Pneumonia, 2004	52.0	3	30.0	5	39.3	38.8	---	---	---	39.6	3 of 53	20.4	---
Diabetes, 2004	25.8	44	22.1	38	19.9	19.7	---	---	---	24.1	41 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	130.2	125.7	178.5	168.9	258.4	173.0	2 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	3.9	---	---	---	---	3.7	51 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	7.4	---	13.6	---	7.0	8.1	34 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	7.3	---	16.7	---	14.2	11.0	33 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	13.5	---	13.2	---	2.0	8.3	20 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Long Beach, CA*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	84.2	39	12.8	39	66.7	63.1	---	---	42.4	47.9	39 of 40	---	---
AIDS Prevalence, 2005	54.3	45	---	---	34.7	32.8	---	---	21.8	29.5	45 of 46	---	---
HIV Incidence, 2005	53.4	11	10.2	14	44.5	42.1	---	---	29.7	31.4	15 of 38	---	---
AIDS Incidence, 2005	73.7	9	---	---	49.7	47.0	---	---	29.7	40.3	10 of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	332.5	---
Gonorrhea Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	1,051.5	42	707.6	39	864.0	847.5	1,343.2	1,294.3	639.5	853.5	40 of 53	801.0	---
Heart Disease Mortality, 2004	367.0	11	228.3	11	293.0	288.2	475.4	458.6	199.1	285.1	11 of 53	217.5	---
Cancer Mortality, 2004	242.1	41	157.3	43	196.1	192.6	309.4	298.8	120.7	191.6	42 of 53	184.6	158.6
Lung Cancer Mortality, 2004	63.4	41	34.0	46	51.5	50.5	91.7	88.8	---	47.2	43 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	25.3	36	22.5	22.1	---	---	---	25.3	36 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	13.2	41	9.4	14	13.0	12.4	---	---	---	11.2	33 of 53	14.8	8.0
Homicide, 2004	22.5	24	---	---	---	---	31.3	31.3	11.9	12.5	27 of 48	5.6	2.8
Firearm-related Mortality, 2004	32.1	18	---	---	10.2	10.0	---	---	11.6	15.0	27 of 52	9.8	3.6
Suicide, 2004	18.6	27	---	---	15.0	14.5	---	---	---	9.3	40 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	21.1	13	---	---	11.1	10.8	---	---	---	11.1	15 of 40	4.4	0.7
Pneumonia, 2004	23.9	32	22.9	10	25.0	24.6	---	---	---	23.3	17 of 53	20.4	---
Diabetes, 2004	25.7	45	27.7	22	19.5	19.1	---	---	53.2	26.7	33 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	48.8	45.8	57.7	54.9	104.6	72.2	26 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	---	---	6.9	7.0	27 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	6.6	---	10.7	---	6.6	7.4	41 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	4.0	---	12.8	---	12.6	10.4	39 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	---	---	---	---	---	---	--- of 43	10.7	1.0

Los Angeles, CA*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	434.9	20	67.6	25	285.8	269.2	574.4	546.1	186.2	250.7	22 of 40	---	---
AIDS Prevalence, 2005	541.1	18	61.5	29	342.5	322.6	609.0	579.0	262.1	300.6	21 of 46	---	---
HIV Incidence, 2005	45.6	17	6.8	21	---	---	---	---	---	26.1	18 of 38	---	---
AIDS Incidence, 2005	26.4	24	3.7	22	10.1	9.5	36.8	35.0	16.5	15.0	27 of 45	13.7	---
P&S Syphilis Incidence, 2005	19.9	13	1.9	11	15.2	14.3	21.1	20.1	8.8	10.9	13 of 30	3.0	0.2
Chlamydia Incidence, 2005	242.1	29	522.9	38	103.0	97.0	1,098.8	1,044.7	500.3	382.9	39 of 41	332.5	---
Gonorrhea Incidence, 2005	126.0	33	93.8	34	55.7	52.4	552.5	525.3	71.4	109.9	37 of 41	115.6	19.0
Tuberculosis Incidence 2005	11.8	21	6.7	17	---	---	15.7	14.9	11.2	9.3	19 of 33	4.8	1.0
Overall Mortality, 2004	985.7	47	667.3	44	768.8	745.6	1,322.6	1,282.4	784.5	806.5	46 of 53	801.0	---
Heart Disease Mortality, 2004	314.9	29	202.1	24	246.7	240.3	405.5	394.5	232.3	250.8	24 of 53	217.5	---
Cancer Mortality, 2004	216.8	49	160.1	41	180.0	174.5	290.8	282.5	163.7	182.3	46 of 53	184.6	158.6
Lung Cancer Mortality, 2004	53.1	50	30.5	50	41.9	40.6	72.9	70.9	25.7	40.1	50 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	28.4	25	31.4	30.4	47.1	45.6	18.5	28.4	25 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	15.1	33	6.6	24	10.3	9.7	17.2	16.4	10.9	10.7	36 of 53	14.8	8.0
Homicide, 2004	23.8	19	2.9	13	3.9	3.6	49.8	49.8	13.3	13.5	23 of 48	5.6	2.8
Firearm-related Mortality, 2004	25.5	32	2.1	9	6.0	5.7	48.2	45.7	12.3	13.8	33 of 52	9.8	3.6
Suicide, 2004	11.9	47	3.0	17	9.6	9.2	6.4	6.1	4.1	7.1	47 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	16.0	20	2.0	16	8.2	7.8	22.6	21.7	8.5	8.9	24 of 40	4.4	0.7
Pneumonia, 2004	40.9	6	29.3	6	31.5	30.7	45.1	43.9	37.9	33.7	6 of 53	20.4	---
Diabetes, 2004	35.9	24	26.3	25	21.3	20.7	54.4	52.8	47.7	30.4	23 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	45.3	42.3	59.7	56.6	97.8	72.0	27 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	5.7	---	11.2	---	4.8	5.5	42 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	6.9	---	13.8	---	6.3	7.2	44 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	2.2	---	13.5	---	12.8	10.2	41 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	---	---	---	---	---	---	--- of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Memphis, TN*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	548.0	13	271.0	6	178.1	174.8	550.6	546.7	129.4	402.1	11 of 40	---	---
AIDS Prevalence, 2005	483.7	22	157.1	12	166.5	163.5	408.8	405.9	150.1	311.6	19 of 46	---	---
HIV Incidence, 2005	57.9	7	33.0	3	12.5	12.3	64.6	64.2	---	44.8	5 of 38	---	---
AIDS Incidence, 2005	77.4	6	27.4	6	17.6	17.3	71.9	71.4	---	51.1	6 of 45	13.7	---
P&S Syphilis Incidence, 2005	26.0	8	13.7	2	---	---	27.4	27.2	---	19.5	6 of 30	3.0	0.2
Chlamydia Incidence, 2005	541.9	7	1,489.2	5	53.7	52.7	595.1	590.8	196.7	1,040.9	4 of 41	332.5	---
Gonorrhea Incidence, 2005	453.4	8	446.8	8	14.3	14.1	364.3	361.7	---	449.9	8 of 41	115.6	19.0
Tuberculosis Incidence 2005	18.2	4	7.9	10	---	---	18.1	18.0	---	12.8	5 of 33	4.8	1.0
Overall Mortality, 2004	1,317.3	13	863.4	12	844.3	837.5	1,262.2	1,255.9	534.9	1,045.7	13 of 53	801.0	---
Heart Disease Mortality, 2004	408.1	7	238.6	8	248.9	247.3	369.0	367.2	---	304.7	7 of 53	217.5	---
Cancer Mortality, 2004	282.9	22	192.4	13	170.3	169.1	289.8	288.4	---	226.0	19 of 53	184.6	158.6
Lung Cancer Mortality, 2004	94.4	14	42.7	30	51.8	51.4	76.6	76.2	---	62.7	24 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	35.3	8	21.9	21.8	47.2	46.9	---	35.3	8 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	29.6	6	7.0	21	17.3	17.0	16.6	16.5	---	17.3	10 of 53	14.8	8.0
Homicide, 2004	31.0	11	---	---	---	---	23.7	23.7	---	17.6	10 of 48	5.6	2.8
Firearm-related Mortality, 2004	36.0	11	---	---	12.6	12.4	21.7	21.6	---	19.0	14 of 52	9.8	3.6
Suicide, 2004	15.2	41	---	---	12.9	12.7	5.3	5.3	---	8.6	44 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	24.3	8	12.6	6	---	---	28.4	28.3	---	18.0	8 of 40	4.4	0.7
Pneumonia, 2004	36.5	11	20.6	18	25.9	25.7	26.3	26.2	---	25.8	16 of 53	20.4	---
Diabetes, 2004	40.9	14	31.9	14	19.5	19.3	54.7	54.5	---	34.8	15 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	48.6	47.7	76.3	75.8	215.3	71.4	29 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	22.1	---	---	17.3	1 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	6.6	---	14.4	---	5.0	12.0	4 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	8.2	---	21.4	---	15.3	17.8	2 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	13.4	---	5.9	---	---	6.9	22 of 43	10.7	1.0

Mesa, AZ*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	801.5	7	169.5	9	418.0	410.7	1,695.6	1,432.0	514.8	482.6	7 of 40	---	---
AIDS Prevalence, 2005	835.6	11	133.5	16	412.5	405.3	1,653.0	1,396.0	550.6	481.4	11 of 46	---	---
HIV Incidence, 2005	13.7	33	---	---	---	---	---	---	---	9.3	35 of 38	---	---
AIDS Incidence, 2005	11.7	39	---	---	---	---	---	---	---	6.8	38 of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	159.4	38	625.5	33	164.7	161.8	1,109.1	936.7	714.1	394.6	37 of 41	332.5	---
Gonorrhea Incidence, 2005	77.4	38	86.0	37	40.7	39.9	565.2	477.3	104.8	81.7	39 of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	1,139.2	30	792.0	24	925.4	919.1	1,701.5	1,607.6	1,025.9	943.1	28 of 53	801.0	---
Heart Disease Mortality, 2004	307.8	32	196.4	26	241.1	239.8	---	---	280.2	243.8	27 of 53	217.5	---
Cancer Mortality, 2004	254.9	34	175.2	26	205.9	204.5	---	---	193.8	207.5	29 of 53	184.6	158.6
Lung Cancer Mortality, 2004	63.4	41	43.2	29	53.7	53.4	---	---	---	51.7	35 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	34.7	10	32.9	32.7	---	---	---	34.7	10 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	26.9	10	---	---	16.6	16.4	---	---	---	17.7	9 of 53	14.8	8.0
Homicide, 2004	9.2	42	---	---	---	---	---	---	---	6.0	42 of 48	5.6	2.8
Firearm-related Mortality, 2004	27.0	30	---	---	13.0	12.9	---	---	---	14.5	30 of 52	9.8	3.6
Suicide, 2004	32.0	6	---	---	19.4	19.1	---	---	---	19.6	6 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	---	---	---	---	---	---	---	---	---	---	--- of 40	4.4	0.7
Pneumonia, 2004	24.1	31	15.7	32	18.6	18.5	---	---	---	19.1	31 of 53	20.4	---
Diabetes, 2004	27.3	41	21.9	39	21.8	21.7	---	---	---	24.1	41 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	76.2	74.9	97.6	87.3	163.8	97.1	8 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	---	---	8.0	6.0	39 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	5.9	---	12.8	---	6.1	6.2	53 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	7.5	---	13.0	---	15.6	10.7	37 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	9.6	---	---	---	2.6	6.6	23 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Miami, FL*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	3,262.0	2	1,562.5	2	2,846.4	2,768.4	5,826.3	5,444.9	1,350.9	2,407.4	2 of 40	---	---
AIDS Prevalence, 2005	4,813.1	1	1,910.3	1	3,555.0	3,457.7	8,312.8	7,768.6	1,876.6	3,353.4	1 of 46	---	---
HIV Incidence, 2005	469.5	1	211.2	1	892.8	868.4	476.5	445.3	206.8	339.6	1 of 38	---	---
AIDS Incidence, 2005	400.7	1	203.5	1	256.4	249.4	850.5	794.9	150.2	301.5	1 of 45	13.7	---
P&S Syphilis Incidence, 2005	79.4	1	13.7	2	74.6	72.6	97.0	90.6	26.4	46.3	1 of 30	3.0	0.2
Chlamydia Incidence, 2005	424.0	13	1,716.1	3	741.3	721.0	3,413.2	3,189.8	354.9	1,073.7	3 of 41	332.5	---
Gonorrhea Incidence, 2005	465.6	7	451.0	7	279.7	272.1	1,572.2	1,469.3	134.7	458.2	6 of 41	115.6	19.0
Tuberculosis Incidence 2005	79.4	1	47.2	1	---	---	131.6	123.0	45.7	63.2	1 of 33	4.8	1.0
Overall Mortality, 2004	1,651.7	4	989.2	4	1,984.5	1,949.5	2,128.8	2,013.7	1,013.2	1,288.4	4 of 53	801.0	---
Heart Disease Mortality, 2004	504.9	2	293.6	4	569.9	560.7	606.9	578.0	325.1	388.2	2 of 53	217.5	---
Cancer Mortality, 2004	333.5	7	204.1	8	376.6	370.0	376.7	356.3	223.0	258.5	4 of 53	184.6	158.6
Lung Cancer Mortality, 2004	87.0	21	31.8	49	90.3	88.8	78.4	74.2	48.4	55.7	30 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	41.8	3	98.6	96.7	75.3	70.5	27.4	41.8	3 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	50.9	1	14.1	3	---	---	47.6	44.5	28.6	32.5	2 of 53	14.8	8.0
Homicide, 2004	36.0	7	---	---	---	---	62.9	62.9	8.8	22.5	6 of 48	5.6	2.8
Firearm-related Mortality, 2004	41.9	9	---	---	---	---	56.3	52.4	12.8	25.2	6 of 52	9.8	3.6
Suicide, 2004	26.6	9	---	---	60.7	59.2	---	---	12.4	17.1	7 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	79.4	1	37.9	1	48.8	47.6 1	191.2	76.6	25.8	58.4	1 of 40	4.4	0.7
Pneumonia, 2004	36.7	10	22.7	12	43.7	43.0	36.9	34.7	22.6	28.0	8 of 53	20.4	---
Diabetes, 2004	52.0	6	31.9	14	51.2	50.4	86.4	82.3	31.1	39.8	8 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	137.6	132.9	326.8	305.7	146.8	182.9	1 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	4.2	---	---	5.0	44 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	10.5	---	13.9	---	7.5	10.3	12 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	9.6	---	16.5	---	7.3	11.0	33 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	2.1	---	0.7	---	0.6	0.7	43 of 43	10.7	1.0

Milwaukee, WI*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	345.9	23	101.4	23	135.8	131.8	342.5	333.0	237.3	218.3	23 of 40	---	---
AIDS Prevalence, 2005	368.7	30	86.0	22	147.6	143.3	325.3	316.2	269.4	221.1	28 of 46	---	---
HIV Incidence, 2005	20.7	31	---	---	8.9	8.6	18.6	18.1	---	12.7	30 of 38	---	---
AIDS Incidence, 2005	9.1	42	---	---	---	---	11.3	11.0	---	6.2	41 of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	875.7	1	2,197.9	1	116.6	113.2	1,956.2	1,901.7	552.7	1,565.9	1 of 41	332.5	---
Gonorrhea Incidence, 2005	569.5	4	711.5	2	28.8	27.9	1,031.6	1,002.9	94.9	643.6	3 of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	3.7	33 of 33	4.8	1.0
Overall Mortality, 2004	1,224.6	22	787.0	25	886.5	878.1	1,237.7	1,220.6	581.4	965.4	25 of 53	801.0	---
Heart Disease Mortality, 2004	318.2	28	191.1	30	233.6	232.0	287.6	284.2	100.1	243.6	28 of 53	217.5	---
Cancer Mortality, 2004	304.6	11	181.6	21	212.9	211.2	309.3	305.6	98.5	227.3	17 of 53	184.6	158.6
Lung Cancer Mortality, 2004	92.7	16	48.8	22	54.8	54.4	104.3	103.0	---	65.1	22 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	22.4	48	22.8	22.6	27.3	27.0	---	22.4	48 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	15.4	32	11.8	7	10.0	9.8	20.5	20.1	---	13.7	24 of 53	14.8	8.0
Homicide, 2004	23.1	22	---	---	---	---	22.1	22.1	---	13.4	24 of 48	5.6	2.8
Firearm-related Mortality, 2004	27.4	27	---	---	9.9	9.7	21.7	21.2	---	14.7	29 of 52	9.8	3.6
Suicide, 2004	21.6	17	7.8	7	18.9	18.5	---	---	---	14.2	16 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	9.1	35	---	---	---	---	---	---	---	5.6	33 of 40	4.4	0.7
Pneumonia, 2004	23.4	33	13.8	40	15.8	15.7	19.7	19.5	---	17.0	39 of 53	20.4	---
Diabetes, 2004	44.3	10	26.5	24	22.5	22.3	69.1	68.3	---	33.3	17 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	56.1	54.6	88.0	86.1	125.1	77.8	20 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	6.0	---	16.0	---	9.4	11.4	7 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	6.6	---	13.8	---	6.2	9.8	15 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	6.9	---	24.4	---	18.0	17.4	7 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	13.6	---	15.6	---	5.1	12.4	13 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Minneapolis, MN*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	533.7	14	117.7	19	297.8	287.3	616.5	546.5	233.1	326.7	17 of 40	---	---
AIDS Prevalence, 2005	426.6	26	73.5	24	220.8	213.0	487.0	431.7	229.6	250.9	25 of 46	---	---
HIV Incidence, 2005	41.1	20	---	---	22.2	21.4	45.6	40.4	---	24.6	19 of 38	---	---
AIDS Incidence, 2005	18.7	33	---	---	9.2	8.9	29.4	26.1	---	13.1	31 of 45	13.7	---
P&S Syphilis Incidence, 2005	21.3	12	---	---	11.7	11.3	---	---	---	11.0	12 of 30	3.0	0.2
Chlamydia Incidence, 2005	434.4	12	906.6	18	187.4	180.8	1,770.0	1,569.0	822.6	669.6	13 of 41	332.5	---
Gonorrhea Incidence, 2005	352.7	14	274.2	18	101.2	97.6	931.3	825.6	140.5	313.9	17 of 41	115.6	19.0
Tuberculosis Incidence 2005	15.6	10	12.6	2	---	---	54.4	48.3	---	14.1	4 of 33	4.8	1.0
Overall Mortality, 2004	1,016.3	44	643.3	47	767.1	758.8	1,164.9	1,093.8	523.5	799.5	47 of 53	801.0	---
Heart Disease Mortality, 2004	192.3	53	102.0	53	137.4	136.1	230.8	218.1	---	140.7	53 of 53	217.5	---
Cancer Mortality, 2004	253.4	36	165.4	38	198.9	196.9	237.0	224.0	---	198.6	37 of 53	184.6	158.6
Lung Cancer Mortality, 2004	70.8	38	44.4	26	57.6	57.1	---	---	---	54.9	31 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	19.1	52	19.9	19.7	---	---	---	19.1	52 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	11.8	45	---	---	---	---	---	---	---	7.1	48 of 53	14.8	8.0
Homicide, 2004	17.0	31	---	---	---	---	37.2	37.2	---	10.5	32 of 48	5.6	2.8
Firearm-related Mortality, 2004	19.7	38	---	---	---	---	32.0	28.2	---	10.8	39 of 52	9.8	3.6
Suicide, 2004	15.1	42	---	---	9.0	8.8	---	---	---	8.8	43 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	---	---	---	---	---	---	---	---	---	---	--- of 40	4.4	0.7
Pneumonia, 2004	17.9	49	11.6	47	13.9	13.7	---	---	---	13.9	50 of 53	20.4	---
Diabetes, 2004	24.3	47	23.2	34	18.7	18.5	---	---	---	23.0	43 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	45.4	44.0	100.3	89.9	163.0	64.8	37 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	---	---	---	5.4	43 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	6.3	---	11.3	---	4.5	7.5	40 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	3.1	---	16.5	---	13.1	10.3	40 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	5.1	---	9.3	---	---	6.2	25 of 43	10.7	1.0

Nashville-Davidson, TN*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	468.3	18	136.0	16	206.7	202.5	586.0	572.2	203.1	296.9	18 of 40	---	---
AIDS Prevalence, 2005	483.9	21	104.8	20	203.7	199.5	566.2	552.9	168.6	288.3	23 of 46	---	---
HIV Incidence, 2005	35.9	22	9.2	17	16.7	16.4	40.2	39.2	---	22.1	21 of 38	---	---
AIDS Incidence, 2005	47.1	17	17.0	12	17.2	16.9	70.8	69.1	---	31.6	14 of 45	13.7	---
P&S Syphilis Incidence, 2005	8.3	26	---	---	---	---	---	---	---	4.2	27 of 30	3.0	0.2
Chlamydia Incidence, 2005	348.7	16	631.6	32	139.8	137.0	1,156.3	1,129.0	505.9	494.7	27 of 41	332.5	---
Gonorrhea Incidence, 2005	232.4	23	161.6	28	46.1	45.1	526.1	513.7	149.5	195.8	24 of 41	115.6	19.0
Tuberculosis Incidence 2005	15.9	8	7.5	12	---	---	23.8	23.3	---	11.6	9 of 33	4.8	1.0
Overall Mortality, 2004	1,131.9	32	744.4	35	843.8	837.0	1,188.8	1,175.7	331.8	899.7	34 of 53	801.0	---
Heart Disease Mortality, 2004	306.8	33	193.5	27	220.6	219.1	338.3	334.9	---	239.7	31 of 53	217.5	---
Cancer Mortality, 2004	249.9	40	170.0	35	195.2	193.8	239.9	237.7	---	199.7	36 of 53	184.6	158.6
Lung Cancer Mortality, 2004	86.4	23	53.2	17	67.7	67.2	66.6	66.0	---	66.5	19 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	22.9	47	20.6	20.4	---	---	---	22.9	47 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	25.2	13	8.2	17	15.6	15.4	15.4	15.1	---	16.3	12 of 53	14.8	8.0
Homicide, 2004	14.7	36	---	---	---	---	23.2	23.2	---	9.6	35 of 48	5.6	2.8
Firearm-related Mortality, 2004	26.9	31	---	---	12.0	11.8	24.2	23.7	---	15.4	26 of 52	9.8	3.6
Suicide, 2004	20.8	23	---	---	15.5	15.3	---	---	---	12.6	25 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	22.1	11	7.1	13	6.6	6.5	39.4	39.0	---	14.1	11 of 40	4.4	0.7
Pneumonia, 2004	28.9	21	16.4	31	20.3	20.2	23.9	23.6	---	21.0	26 of 53	20.4	---
Diabetes, 2004	37.5	21	28.8	19	22.9	22.7	72.4	71.8	---	32.1	19 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	50.7	49.8	67.4	66.3	212.6	62.7	43 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	12.0	---	---	7.4	23 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	7.9	---	13.9	---	6.5	9.5	18 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	7.7	---	17.2	---	15.8	11.6	30 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	12.7	---	8.6	---	---	9.2	19 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

New Orleans, LA*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	639.8	9	212.4	8	467.1	455.6	410.0	406.7	323.8	412.6	9 of 40	---	---
AIDS Prevalence, 2005	675.9	16	146.4	14	558.7	544.9	345.1	342.3	411.4	394.5	16 of 46	---	---
HIV Incidence, 2005	42.7	18	24.1	5	27.2	26.5	35.3	35.0	---	32.8	13 of 38	---	---
AIDS Incidence, 2005	59.4	11	22.5	9	32.6	31.8	45.1	44.8	---	39.8	12 of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	332.5	---
Gonorrhea Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	1,429.1	7	848.8	14	862.6	850.3	1,319.7	1,308.0	360.3	1,095.1	9 of 53	801.0	---
Heart Disease Mortality, 2004	311.9	30	192.3	28	202.0	199.5	287.2	284.6	---	243.5	29 of 53	217.5	---
Cancer Mortality, 2004	335.0	6	186.9	19	187.0	184.5	303.0	300.3	---	244.1	9 of 53	184.6	158.6
Lung Cancer Mortality, 2004	103.6	6	43.8	27	51.4	50.8	82.4	81.7	---	67.5	16 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	35.3	8	18.0	17.7	47.6	47.2	---	35.3	8 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	21.9	19	---	---	---	---	14.1	14.0	---	13.4	26 of 53	14.8	8.0
Homicide, 2004	91.7	1	8.4	4	---	---	68.0	68.0	---	47.9	1 of 48	5.6	2.8
Firearm-related Mortality, 2004	100.2	1	8.7	1	16.2	15.9	70.1	69.6	---	51.6	1 of 52	9.8	3.6
Suicide, 2004	15.8	38	---	---	14.8	14.5	---	---	---	8.9	42 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	41.0	5	15.3	5	16.7	16.4	34.7	34.4	---	27.2	5 of 40	4.4	0.7
Pneumonia, 2004	18.5	47	15.0	34	17.2	17.0	16.0	15.9	---	16.7	41 of 53	20.4	---
Diabetes, 2004	77.9	1	60.5	1	29.0	28.7	99.8	98.9	---	66.3	1 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	43.2	42.1	67.7	67.2	41.4	60.1	46 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	12.2	---	---	11.3	8 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	7.5	---	15.1	---	---	13.5	1 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	2.7	---	21.5	---	---	17.5	6 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	5.3	---	2.0	---	---	2.5	39 of 43	10.7	1.0

New York, NY*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	624.2	11	275.6	5	286.8	275.8	801.3	766.6	482.9	440.8	8 of 40	---	---
AIDS Prevalence, 2005	1,120.5	7	413.4	5	424.7	408.4	1,383.7	1,323.9	919.3	748.4	6 of 46	---	---
HIV Incidence, 2005	52.8	12	18.5	9	17.2	16.6	73.8	70.6	35.6	34.7	12 of 38	---	---
AIDS Incidence, 2005	73.8	8	30.7	5	22.9	22.0	107.6	102.9	58.6	51.1	6 of 45	13.7	---
P&S Syphilis Incidence, 2005	15.7	17	0.5	13	3.3	3.2	9.2	8.8	3.6	7.7	18 of 30	3.0	0.2
Chlamydia Incidence, 2005	322.7	18	639.4	31	19.0	18.2	454.6	434.9	199.1	489.7	28 of 41	332.5	---
Gonorrhea Incidence, 2005	146.0	32	119.9	31	10.5	10.1	161.0	154.0	36.5	132.3	33 of 41	115.6	19.0
Tuberculosis Incidence 2005	16.7	6	8.3	7	3.3	3.2	15.5	14.9	12.9	12.3	8 of 33	4.8	1.0
Overall Mortality, 2004	922.6	50	630.3	49	713.9	698.7	984.0	951.1	724.6	748.9	49 of 53	801.0	---
Heart Disease Mortality, 2004	361.6	12	259.5	7	306.2	300.6	358.7	347.5	255.0	300.6	9 of 53	217.5	---
Cancer Mortality, 2004	210.9	51	146.1	52	173.0	169.3	211.0	204.0	150.1	170.2	52 of 53	184.6	158.6
Lung Cancer Mortality, 2004	54.5	49	28.3	51	42.9	42.0	43.4	42.0	26.5	38.6	51 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	26.8	33	28.7	28.1	32.7	31.6	20.0	26.8	33 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	7.1	48	3.0	30	4.8	4.6	5.5	5.3	4.4	4.9	52 of 53	14.8	8.0
Homicide, 2004	11.8	40	2.0	14	2.4	2.3	15.4	15.4	6.4	6.7	41 of 48	5.6	2.8
Firearm-related Mortality, 2004	10.0	50	0.6	11	2.5	2.4	12.1	11.5	4.4	5.1	52 of 52	9.8	3.6
Suicide, 2004	9.9	51	2.7	18	8.0	7.7	4.7	4.5	4.4	6.0	50 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	25.5	7	12.1	7	7.0	6.8	42.7	40.9	22.0	18.2	7 of 40	4.4	0.7
Pneumonia, 2004	47.4	4	30.9	2	34.9	34.2	45.3	43.9	42.1	37.1	4 of 53	20.4	---
Diabetes, 2004	27.3	41	19.6	45	14.4	14.1	46.3	44.8	31.2	22.8	45 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	57.7	55.3	60.7	57.9	72.0	62.5	44 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	4.2	---	10.3	---	4.8	6.2	35 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	6.5	---	12.1	---	7.7	8.5	26 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	2.0	---	10.4	---	12.2	7.4	48 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	1.7	---	3.1	---	1.6	1.9	41 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Oakland, CA*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	404.7	21	112.2	21	274.6	253.0	408.9	391.1	131.5	253.3	21 of 40	---	---
AIDS Prevalence, 2005	682.2	15	153.3	13	424.7	391.2	712.2	681.2	205.8	408.5	15 of 46	---	---
HIV Incidence, 2005	32.2	26	---	---	---	---	32.1	30.7	---	20.0	25 of 38	---	---
AIDS Incidence, 2005	37.4	21	---	---	---	---	39.2	37.5	---	21.3	22 of 45	13.7	---
P&S Syphilis Incidence, 2005	11.4	22	---	---	---	---	---	---	---	5.8	23 of 30	3.0	0.2
Chlamydia Incidence, 2005	306.6	23	882.3	20	50.0	46.1	669.3	640.2	299.5	604.8	20 of 41	332.5	---
Gonorrhea Incidence, 2005	277.6	21	309.6	16	34.1	31.4	394.6	377.4	65.2	294.6	19 of 41	115.6	19.0
Tuberculosis Incidence 2005	15.0	12	---	---	---	---	---	---	---	11.3	11 of 33	4.8	1.0
Overall Mortality, 2004	1,009.3	46	677.5	43	709.8	686.4	1,133.7	1,105.8	709.8	822.8	44 of 53	801.0	---
Heart Disease Mortality, 2004	263.4	43	172.5	35	192.4	187.7	288.7	282.3	162.5	211.9	40 of 53	217.5	---
Cancer Mortality, 2004	237.7	43	162.9	39	166.9	161.8	249.8	244.1	176.9	193.6	41 of 53	184.6	158.6
Lung Cancer Mortality, 2004	57.6	46	34.0	46	37.6	36.5	66.9	65.4	---	44.0	47 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	24.0	41	---	---	30.5	29.7	---	24.0	41 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	18.4	25	---	---	---	---	15.3	14.7	---	12.7	29 of 53	14.8	8.0
Homicide, 2004	31.2	10	---	---	---	---	39.1	39.1	---	17.6	10 of 48	5.6	2.8
Firearm-related Mortality, 2004	27.7	26	---	---	---	---	35.3	33.6	---	15.8	25 of 52	9.8	3.6
Suicide, 2004	12.6	46	---	---	---	---	---	---	---	8.4	45 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	17.0	18	---	---	---	---	17.5	16.9	---	9.9	19 of 40	4.4	0.7
Pneumonia, 2004	32.7	16	23.3	9	34.9	34.1	21.1	20.6	---	26.7	12 of 53	20.4	---
Diabetes, 2004	36.3	23	25.7	27	---	---	51.5	50.3	---	30.1	24 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	58.8	53.8	50.2	47.8	104.8	64.5	39 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	13.2	---	---	6.5	33 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	5.6	---	13.6	---	4.4	7.4	41 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	2.8	---	14.1	---	12.9	9.8	43 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	---	---	---	---	---	---	--- of 43	10.7	1.0

Oklahoma City, OK*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	241.4	31	44.4	32	107.9	103.6	194.8	183.6	58.4	140.7	31 of 40	---	---
AIDS Prevalence, 2005	234.1	35	27.0	40	108.5	104.2	170.1	160.3	64.2	128.2	35 of 46	---	---
HIV Incidence, 2005	21.0	30	---	---	8.6	8.2	---	---	---	11.5	31 of 38	---	---
AIDS Incidence, 2005	17.0	34	---	---	7.6	7.3	---	---	---	9.7	36 of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	4.1	28 of 30	3.0	0.2
Chlamydia Incidence, 2005	247.9	28	774.3	26	220.0	211.3	1,817.0	1,712.1	607.4	517.1	25 of 41	332.5	---
Gonorrhea Incidence, 2005	329.5	20	359.7	10	103.6	99.5	1,623.5	1,529.7	149.9	345.0	11 of 41	115.6	19.0
Tuberculosis Incidence 2005	8.1	28	---	---	---	---	---	---	---	6.5	26 of 33	4.8	1.0
Overall Mortality, 2004	1,139.0	31	794.4	23	909.4	890.7	1,278.7	1,242.7	814.6	936.2	29 of 53	801.0	---
Heart Disease Mortality, 2004	348.2	17	212.7	18	257.9	253.2	387.0	377.8	---	266.5	18 of 53	217.5	---
Cancer Mortality, 2004	236.6	44	167.2	37	192.6	188.8	259.7	253.9	---	194.2	40 of 53	184.6	158.6
Lung Cancer Mortality, 2004	80.7	28	51.3	20	64.9	63.6	75.2	73.6	---	62.7	24 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	24.8	37	23.4	22.9	---	---	---	24.8	37 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	22.3	16	8.1	18	12.5	12.1	---	---	---	15.2	15 of 53	14.8	8.0
Homicide, 2004	16.0	32	---	---	6.5	6.2	---	---	---	10.2	33 of 48	5.6	2.8
Firearm-related Mortality, 2004	24.1	34	---	---	11.3	11.0	---	---	---	13.4	34 of 52	9.8	3.6
Suicide, 2004	22.3	16	---	---	16.3	15.8	---	---	---	14.1	17 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	8.8	36	---	---	---	---	---	---	---	4.9	37 of 40	4.4	0.7
Pneumonia, 2004	27.6	22	18.7	21	23.2	22.8	---	---	---	21.4	24 of 53	20.4	---
Diabetes, 2004	31.5	33	24.5	31	21.5	21.0	58.2	57.0	---	26.2	35 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	59.1	56.8	79.1	75.5	167.4	73.6	24 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	10.0	---	16.6	---	---	10.3	11 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	8.2	---	13.7	---	5.7	8.4	27 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	11.7	---	21.2	---	17.6	14.6	16 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	21.6	---	14.6	---	3.4	15.1	7 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Omaha, NB*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	145.8	34	51.5	30	69.4	68.3	252.8	238.6	95.2	97.4	34 of 40	---	---
AIDS Prevalence, 2005	177.9	40	44.0	32	76.9	75.7	250.8	236.8	204.1	109.2	40 of 46	---	---
HIV Incidence, 2005	13.7	33	---	---	---	---	---	---	---	10.8	32 of 38	---	---
AIDS Incidence, 2005	15.8	36	---	---	7.8	7.7	---	---	---	11.0	33 of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	405.2	14	1,001.1	12	297.7	293.1	2,385.9	2,252.0	850.4	711.0	12 of 41	332.5	---
Gonorrhea Incidence, 2005	162.6	30	222.5	22	57.5	56.6	838.1	791.1	112.3	193.3	25 of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	1,082.3	38	714.3	37	819.1	814.8	1,252.4	1,225.3	769.6	859.5	38 of 53	801.0	---
Heart Disease Mortality, 2004	265.7	42	162.9	42	200.0	199.1	249.5	244.9	---	203.3	44 of 53	217.5	---
Cancer Mortality, 2004	256.7	32	175.6	25	199.1	198.3	286.6	281.4	---	206.2	31 of 53	184.6	158.6
Lung Cancer Mortality, 2004	81.2	27	49.1	21	59.8	59.5	84.1	82.8	---	61.6	26 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	29.7	20	28.0	27.9	---	---	---	29.7	20 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	---	---	---	---	8.0	7.9	---	---	---	7.7	44 of 53	14.8	8.0
Homicide, 2004	---	---	---	---	---	---	---	---	---	---	--- of 48	5.6	2.8
Firearm-related Mortality, 2004	15.0	44	---	---	---	---	---	---	---	7.2	45 of 52	9.8	3.6
Suicide, 2004	16.8	34	---	---	12.2	12.1	---	---	---	10.5	35 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	---	---	---	---	---	---	---	---	---	---	--- of 40	4.4	0.7
Pneumonia, 2004	21.3	39	21.4	14	21.2	21.1	---	---	---	20.7	27 of 53	20.4	---
Diabetes, 2004	32.1	30	25.3	28	20.3	20.2	101.9	100.1	---	27.7	30 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	66.4	65.5	87.8	84.2	182.0	77.9	19 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	5.3	---	---	---	---	7.3	24 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	7.0	---	12.0	---	6.2	7.8	37 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	6.4	---	22.4	---	13.0	10.2	41 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	15.9	---	15.2	---	3.2	13.2	10 of 43	10.7	1.0

Philadelphia, PA*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 40	---	---
AIDS Prevalence, 2005	992.8	8	315.6	6	319.1	312.1	979.7	960.2	---	630.2	7 of 46	---	---
HIV Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 38	---	---
AIDS Incidence, 2005	66.2	10	24.1	8	15.4	15.0	74.3	72.8	---	43.7	9 of 45	13.7	---
P&S Syphilis Incidence, 2005	11.5	21	---	---	3.9	3.8	8.2	8.0	---	5.7	24 of 30	3.0	0.2
Chlamydia Incidence, 2005	658.1	2	1,347.8	6	87.8	85.9	1,364.0	1,336.8	4,045.7	1,027.3	5 of 41	332.5	---
Gonorrhea Incidence, 2005	345.3	16	322.6	14	34.0	33.2	478.1	468.6	1,215.4	333.2	14 of 41	115.6	19.0
Tuberculosis Incidence 2005	9.1	24	6.4	19	---	---	9.0	8.8	---	7.6	24 of 33	4.8	1.0
Overall Mortality, 2004	1,281.2	15	815.5	18	898.7	888.4	1,212.8	1,195.6	889.1	1,006.1	16 of 53	801.0	---
Heart Disease Mortality, 2004	347.1	18	213.0	17	253.0	250.5	302.1	298.2	188.6	265.9	19 of 53	217.5	---
Cancer Mortality, 2004	287.2	20	200.1	10	218.1	215.8	270.1	266.6	196.1	232.2	14 of 53	184.6	158.6
Lung Cancer Mortality, 2004	86.9	22	55.2	13	62.1	61.4	83.2	82.2	---	67.4	17 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	31.7	12	33.7	33.3	31.7	31.3	---	31.7	12 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	14.6	36	5.8	25	11.4	11.1	8.5	8.3	---	9.8	38 of 53	14.8	8.0
Homicide, 2004	39.2	6	5.3	7	5.6	5.5	39.7	39.7	18.9	21.4	8 of 48	5.6	2.8
Firearm-related Mortality, 2004	42.6	8	3.4	8	8.6	8.5	38.6	37.8	18.1	21.8	9 of 52	9.8	3.6
Suicide, 2004	18.8	26	4.3	15	13.7	13.5	6.8	6.7	---	10.7	34 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	24.3	8	9.1	9	4.2	4.1	29.9	29.3	23.9	16.1	9 of 40	4.4	0.7
Pneumonia, 2004	21.9	38	13.0	44	14.2	14.1	20.1	19.8	---	16.2	42 of 53	20.4	---
Diabetes, 2004	31.3	34	22.9	36	19.1	18.9	39.6	39.1	---	26.6	34 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	44.1	43.1	72.6	71.1	106.3	63.0	41 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	7.5	---	14.0	---	5.8	10.6	9 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	7.6	---	14.9	---	10.3	11.7	5 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	7.5	---	20.1	---	22.1	16.0	10 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	---	---	---	---	---	17.7	1 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Phoenix, AZ*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	335.4	25	51.0	31	209.3	204.5	566.2	513.9	122.0	195.6	26 of 40	---	---
AIDS Prevalence, 2005	292.5	33	37.6	36	183.2	179.0	437.6	397.2	109.1	167.2	34 of 46	---	---
HIV Incidence, 2005	31.4	27	6.0	23	18.0	17.6	54.9	49.8	16.9	18.9	26 of 38	---	---
AIDS Incidence, 2005	25.8	26	4.6	21	13.7	13.4	47.1	42.7	13.6	15.4	26 of 45	13.7	---
P&S Syphilis Incidence, 2005	8.9	23	---	---	4.5	4.4	---	---	7.8	5.9	22 of 30	3.0	0.2
Chlamydia Incidence, 2005	233.3	31	794.9	25	171.4	167.5	1,135.6	1,030.7	698.7	509.4	26 of 41	332.5	---
Gonorrhea Incidence, 2005	171.2	28	133.1	29	67.2	65.6	660.3	599.3	151.3	152.5	29 of 41	115.6	19.0
Tuberculosis Incidence 2005	10.6	23	4.5	20	---	---	---	---	15.8	7.6	24 of 33	4.8	1.0
Overall Mortality, 2004	1,076.4	40	687.5	42	810.4	802.6	1,150.5	1,103.5	1,036.1	852.2	41 of 53	801.0	---
Heart Disease Mortality, 2004	285.4	39	168.5	37	210.7	209.0	317.6	307.1	237.9	215.8	37 of 53	217.5	---
Cancer Mortality, 2004	222.6	46	149.5	50	172.8	171.2	247.5	239.5	192.7	177.4	49 of 53	184.6	158.6
Lung Cancer Mortality, 2004	64.0	40	38.9	36	51.0	50.5	87.4	84.5	35.2	49.1	40 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	22.4	48	22.0	21.7	---	---	---	22.4	48 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	27.5	8	11.8	7	14.5	14.2	---	---	31.3	19.5	8 of 53	14.8	8.0
Homicide, 2004	22.8	23	4.2	9	6.9	6.8	30.4	30.4	23.9	13.9	22 of 48	5.6	2.8
Firearm-related Mortality, 2004	34.7	12	4.6	7	14.7	14.5	34.1	31.9	27.2	19.5	12 of 52	9.8	3.6
Suicide, 2004	23.4	13	7.0	9	17.4	17.2	---	---	11.3	14.7	14 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	9.9	32	---	---	4.8	4.7	---	---	---	5.6	33 of 40	4.4	0.7
Pneumonia, 2004	29.8	19	18.6	23	22.8	22.6	---	---	21.6	22.4	19 of 53	20.4	---
Diabetes, 2004	26.4	43	20.1	44	17.7	17.5	---	---	54.4	22.9	44 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	46.5	45.5	80.8	74.6	147.6	85.3	13 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	4.9	---	---	---	7.6	6.8	31 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	6.7	---	12.9	---	6.9	7.1	45 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	8.7	---	21.5	---	18.3	15.3	12 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	13.2	---	10.3	---	2.1	5.8	28 of 43	10.7	1.0

Pittsburgh, PA*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 40	---	---
AIDS Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 46	---	---
HIV Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 38	---	---
AIDS Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	332.5	---
Gonorrhea Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	1,219.3	23	768.1	30	883.3	877.3	1,232.4	1,208.8	---	950.5	26 of 53	801.0	---
Heart Disease Mortality, 2004	357.4	13	207.7	22	253.2	251.7	332.7	326.9	---	268.4	17 of 53	217.5	---
Cancer Mortality, 2004	290.7	19	190.0	16	214.3	213.0	289.0	284.1	---	227.3	17 of 53	184.6	158.6
Lung Cancer Mortality, 2004	91.6	18	57.8	9	68.2	67.8	89.3	87.9	---	71.9	12 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	27.5	28	26.1	25.9	---	---	---	27.5	28 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	---	---	---	---	---	---	---	---	---	8.1	42 of 53	14.8	8.0
Homicide, 2004	18.7	29	---	---	---	---	36.8	36.8	---	12.1	29 of 48	5.6	2.8
Firearm-related Mortality, 2004	27.4	27	---	---	8.5	8.4	37.2	36.1	---	14.9	28 of 52	9.8	3.6
Suicide, 2004	26.2	11	---	---	17.3	17.1	---	---	---	15.2	10 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	---	---	---	---	---	---	---	---	---	---	--- of 40	4.4	0.7
Pneumonia, 2004	26.3	26	14.3	37	17.9	17.8	---	---	---	18.7	33 of 53	20.4	---
Diabetes, 2004	34.5	26	18.0	49	19.3	19.1	44.7	43.9	---	24.2	40 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	39.9	39.3	64.7	62.9	74.5	47.1	51 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	26.1	---	---	14.5	3 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	8.8	---	15.6	---	---	11.2	8 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	6.4	---	22.3	---	---	11.9	28 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	---	---	---	---	---	---	--- of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Portland, OR (Multnomah County)*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	268.6	28	35.1	35	158.9	153.2	273.3	231.8	131.0	150.6	30 of 40	---	---
AIDS Prevalence, 2005	438.7	24	34.2	38	246.7	237.9	360.7	306.0	247.9	234.4	27 of 46	---	---
HIV Incidence, 2005	33.3	25	---	---	17.8	17.2	---	---	---	17.7	27 of 38	---	---
AIDS Incidence, 2005	13.8	37	---	---	6.3	6.1	---	---	---	6.8	38 of 45	13.7	---
P&S Syphilis Incidence, 2005	8.3	26	---	---	---	---	---	---	---	4.1	28 of 30	3.0	0.2
Chlamydia Incidence, 2005	312.0	22	554.3	36	268.8	259.3	1,664.3	1,411.6	782.1	434.4	34 of 41	332.5	---
Gonorrhea Incidence, 2005	175.3	27	93.8	34	90.4	87.2	601.2	509.9	272.1	134.1	32 of 41	115.6	19.0
Tuberculosis Incidence 2005	8.3	27	---	---	---	---	---	---	---	6.1	28 of 33	4.8	1.0
Overall Mortality, 2004	1,106.9	35	757.8	33	910.2	897.1	1,183.2	1,114.7	603.0	902.7	33 of 53	801.0	---
Heart Disease Mortality, 2004	259.6	44	167.8	38	204.8	202.5	286.6	272.7	---	204.1	43 of 53	217.5	---
Cancer Mortality, 2004	270.2	26	174.1	30	211.1	208.2	263.6	250.9	---	211.4	27 of 53	184.6	158.6
Lung Cancer Mortality, 2004	74.3	32	48.6	23	59.8	59.0	86.9	82.5	---	59.6	28 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	23.1	45	23.1	22.7	---	---	---	23.1	45 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	14.3	38	7.7	20	10.6	10.2	---	---	---	10.9	35 of 53	14.8	8.0
Homicide, 2004	6.9	44	---	---	---	---	---	---	---	4.7	44 of 48	5.6	2.8
Firearm-related Mortality, 2004	17.6	41	---	---	8.5	8.2	---	---	---	9.2	42 of 52	9.8	3.6
Suicide, 2004	21.4	19	10.1	4	17.3	16.9	---	---	---	15.1	12 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	8.0	37	---	---	5.1	4.9	---	---	---	4.4	38 of 40	4.4	0.7
Pneumonia, 2004	18.5	47	10.9	50	13.8	13.7	---	---	---	13.2	52 of 53	20.4	---
Diabetes, 2004	41.0	13	28.8	19	32.6	32.2	84.4	80.2	---	34.1	16 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	60.3	58.0	82.7	71.7	161.2	69.1	32 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	---	---	---	3.9	49 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	6.2	---	12.5	---	5.0	6.5	51 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	5.1	---	16.2	---	12.6	7.0	49 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	12.7	---	19.3	---	3.8	11.1	14 of 43	10.7	1.0

Sacramento, CA (Sacramento County)*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 40	---	---
AIDS Prevalence, 2005	209.4	37	36.3	37	123.7	117.3	293.0	261.1	96.0	121.0	37 of 46	---	---
HIV Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 38	---	---
AIDS Incidence, 2005	10.7	40	---	---	4.8	4.6	22.9	20.4	---	6.5	40 of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	318.8	20	799.6	24	129.6	122.9	1,076.5	959.1	382.9	569.1	24 of 41	332.5	---
Gonorrhea Incidence, 2005	175.5	26	193.7	24	39.6	37.6	514.1	458.0	82.7	186.3	26 of 41	115.6	19.0
Tuberculosis Incidence 2005	12.0	19	9.3	5	2.8	2.7	16.9	15.1	12.3	10.6	16 of 33	4.8	1.0
Overall Mortality, 2004	1,794.9	2	1,195.5	2	1,611.2	1,568.0	1,768.7	1,687.1	1,203.9	1,449.6	2 of 53	801.0	---
Heart Disease Mortality, 2004	492.3	3	303.9	3	426.6	417.6	446.7	428.5	290.4	383.4	3 of 53	217.5	---
Cancer Mortality, 2004	399.9	2	276.0	2	382.2	372.6	333.9	320.1	235.9	324.2	2 of 53	184.6	158.6
Lung Cancer Mortality, 2004	92.6	17	69.9	2	104.0	101.5	66.7	63.9	---	79.3	5 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	42.3	2	49.9	48.5	---	---	---	42.3	2 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	34.4	4	12.9	6	21.8	20.7	---	---	23.6	23.0	4 of 53	14.8	8.0
Homicide, 2004	27.8	13	---	---	14.0	13.0	31.1	31.1	---	17.6	10 of 48	5.6	2.8
Firearm-related Mortality, 2004	39.0	10	---	---	18.9	17.9	---	---	25.6	20.9	10 of 52	9.8	3.6
Suicide, 2004	36.6	5	10.9	3	29.7	28.3	---	---	---	22.7	4 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	11.6	29	---	---	---	---	---	---	---	7.0	29 of 40	4.4	0.7
Pneumonia, 2004	58.5	2	38.8	1	49.1	48.0	---	---	---	45.7	1 of 53	20.4	---
Diabetes, 2004	55.0	5	34.0	10	37.0	36.1	80.1	76.8	54.0	42.5	4 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	116.7	108.9	117.6	108.8	185.0	129.9	4 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	11.5	---	5.7	5.9	40 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	6.1	---	10.7	---	5.9	6.9	48 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	6.7	---	17.7	---	14.1	11.4	31 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	---	---	---	---	---	---	--- of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

San Antonio, TX*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	208.6	32	44.0	33	113.1	110.0	314.3	299.2	111.4	123.5	33 of 40	---	---
AIDS Prevalence, 2005	355.7	31	48.0	31	185.5	180.5	393.2	374.3	188.1	196.7	31 of 46	---	---
HIV Incidence, 2005	36.5	21	7.4	20	13.2	12.8	69.5	66.2	20.9	21.5	23 of 38	---	---
AIDS Incidence, 2005	26.4	24	5.9	20	14.0	13.6	28.1	26.7	16.2	15.8	24 of 45	13.7	---
P&S Syphilis Incidence, 2005	16.4	15	5.4	7	---	---	---	---	---	10.7	17 of 30	3.0	0.2
Chlamydia Incidence, 2005	320.1	19	898.0	19	152.0	147.9	1,108.6	1,055.5	717.5	618.7	18 of 41	332.5	---
Gonorrhea Incidence, 2005	188.5	24	179.2	26	50.0	48.6	735.5	700.3	163.7	183.7	27 of 41	115.6	19.0
Tuberculosis Incidence 2005	8.5	26	4.4	21	---	---	---	---	8.3	6.4	27 of 33	4.8	1.0
Overall Mortality, 2004	1,205.3	25	822.6	17	989.6	977.6	1,308.0	1,281.3	947.2	983.5	19 of 53	801.0	---
Heart Disease Mortality, 2004	334.7	23	217.5	15	273.7	271.0	391.2	384.6	244.1	265.8	20 of 53	217.5	---
Cancer Mortality, 2004	265.0	29	171.2	34	219.0	216.4	257.5	253.2	192.1	207.5	29 of 53	184.6	158.6
Lung Cancer Mortality, 2004	66.5	39	37.5	39	66.7	65.9	75.2	74.0	27.1	49.0	41 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	27.3	30	30.8	30.4	---	---	24.4	27.3	30 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	26.3	11	9.1	15	15.3	14.9	33.6	32.4	17.7	17.1	11 of 53	14.8	8.0
Homicide, 2004	12.7	38	4.0	12	---	---	---	---	10.2	8.2	39 of 48	5.6	2.8
Firearm-related Mortality, 2004	17.8	40	---	---	9.9	9.7	---	---	8.7	9.4	41 of 52	9.8	3.6
Suicide, 2004	17.6	32	3.8	16	16.3	16.0	---	---	6.4	10.2	38 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	11.9	28	---	---	5.1	5.0	---	---	6.8	6.8	30 of 40	4.4	0.7
Pneumonia, 2004	19.2	46	12.6	46	15.4	15.2	---	---	14.9	15.3	47 of 53	20.4	---
Diabetes, 2004	55.3	4	46.1	2	35.1	34.7	60.1	59.1	66.4	49.8	2 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	68.1	66.1	73.1	70.2	97.6	85.8	12 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	6.0	---	16.8	---	7.3	7.5	22 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	8.1	---	14.7	---	8.7	8.9	22 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	6.3	---	16.6	---	18.4	15.3	12 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	6.3	---	5.5	---	2.0	3.2	36 of 43	10.7	1.0

San Diego, CA (San Diego County)*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 40	---	---
AIDS Prevalence, 2005	379.5	29	38.7	34	209.6	201.2	515.9	456.9	224.8	210.1	30 of 46	---	---
HIV Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 38	---	---
AIDS Incidence, 2005	24.8	28	2.5	23	12.7	12.1	26.5	23.5	18.2	13.7	29 of 45	13.7	---
P&S Syphilis Incidence, 2005	11.9	19	1.7	12	7.1	6.8	---	---	7.5	6.9	19 of 30	3.0	0.2
Chlamydia Incidence, 2005	207.7	34	558.2	35	86.2	82.7	548.3	485.6	283.8	391.0	38 of 41	332.5	---
Gonorrhea Incidence, 2005	103.6	36	76.1	38	20.5	19.6	199.4	176.6	38.1	92.6	38 of 41	115.6	19.0
Tuberculosis Incidence 2005	13.9	16	7.7	11	2.0	1.9	---	---	21.4	10.8	13 of 33	4.8	1.0
Overall Mortality, 2004	927.1	49	640.8	48	760.3	748.4	1,190.5	1,132.4	748.7	762.0	48 of 53	801.0	---
Heart Disease Mortality, 2004	277.5	41	163.0	41	209.1	206.6	362.1	346.2	220.3	210.5	41 of 53	217.5	---
Cancer Mortality, 2004	218.0	48	153.4	48	183.4	180.6	242.7	232.3	149.7	178.3	48 of 53	184.6	158.6
Lung Cancer Mortality, 2004	55.3	47	38.4	38	49.4	48.7	54.4	52.1	29.9	45.5	45 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	23.1	45	23.6	23.2	---	---	24.2	23.1	45 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	14.9	34	5.1	28	9.2	8.8	---	---	11.7	10.0	37 of 53	14.8	8.0
Homicide, 2004	8.0	43	---	---	---	---	27.5	27.5	7.6	5.4	43 of 48	5.6	2.8
Firearm-related Mortality, 2004	10.8	48	---	---	4.5	4.4	21.7	19.8	7.0	6.6	49 of 52	9.8	3.6
Suicide, 2004	14.0	43	7.2	8	13.7	13.3	---	---	---	10.4	36 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	13.9	25	---	---	7.7	7.5	---	---	---	7.6	28 of 40	4.4	0.7
Pneumonia, 2004	22.4	36	13.4	41	15.5	15.3	---	---	21.9	16.8	40 of 53	20.4	---
Diabetes, 2004	25.4	46	18.7	48	16.0	15.7	47.1	45.1	42.7	21.7	46 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	48.3	46.0	61.4	55.8	102.1	65.6	35 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	4.5	---	---	---	5.3	4.5	45 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	6.1	---	10.7	---	6.0	6.7	49 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	3.1	---	12.2	---	12.7	7.9	45 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	---	---	---	---	---	---	--- of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

San Francisco, CA*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	1,458.4	4	103.4	22	1,150.5	1,094.1	1,534.2	1,407.8	751.6	792.2	4 of 40	---	---
AIDS Prevalence, 2005	2,082.4	4	131.2	17	1,685.7	1,603.1	2,075.1	1,904.2	1,208.2	1,123.0	4 of 46	---	---
HIV Incidence, 2005	136.8	3	13.1	12	90.3	85.9	161.6	148.3	105.9	76.0	3 of 38	---	---
AIDS Incidence, 2005	94.2	5	9.4	17	68.2	64.8	127.6	117.1	68.5	52.5	5 of 45	13.7	---
P&S Syphilis Incidence, 2005	61.5	3	---	---	48.7	46.3	---	---	36.5	32.1	3 of 30	3.0	0.2
Chlamydia Incidence, 2005	473.1	9	462.4	40	282.1	268.3	1,425.4	1,307.9	545.2	477.4	30 of 41	332.5	---
Gonorrhea Incidence, 2005	517.7	6	91.6	36	313.9	298.6	876.0	803.8	299.5	310.7	18 of 41	115.6	19.0
Tuberculosis Incidence 2005	22.8	2	11.0	3	---	---	---	---	---	17.0	2 of 33	4.8	1.0
Overall Mortality, 2004	889.0	51	544.5	53	737.4	717.7	1,315.5	1,249.5	608.8	699.3	52 of 53	801.0	---
Heart Disease Mortality, 2004	231.3	51	131.0	50	190.3	185.9	284.3	272.9	149.6	174.5	51 of 53	217.5	---
Cancer Mortality, 2004	210.5	52	151.9	49	192.4	187.1	283.0	271.2	128.2	175.3	50 of 53	184.6	158.6
Lung Cancer Mortality, 2004	55.1	48	34.1	44	48.3	47.1	55.7	53.5	---	43.4	48 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	24.5	40	32.1	31.2	59.5	56.6	---	24.5	40 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	6.7	49	4.9	29	---	---	---	---	---	5.8	50 of 53	14.8	8.0
Homicide, 2004	15.1	35	---	---	---	---	65.1	65.1	---	8.6	37 of 48	5.6	2.8
Firearm-related Mortality, 2004	16.6	43	---	---	---	---	64.7	57.7	---	8.6	43 of 52	9.8	3.6
Suicide, 2004	18.3	29	5.1	13	16.3	15.7	---	---	---	11.6	30 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	38.0	6	---	---	26.9	26.0	65.7	62.1	22.8	21.7	6 of 40	4.4	0.7
Pneumonia, 2004	37.8	7	21.3	15	31.8	31.0	39.2	37.7	---	28.3	7 of 53	20.4	---
Diabetes, 2004	20.0	50	13.7	52	13.1	12.8	52.8	50.7	---	17.0	51 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	38.4	36.5	54.8	49.3	68.2	45.7	53 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	---	---	---	3.1	52 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	6.2	---	15.3	---	7.5	7.3	43 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	0.8	---	15.0	---	10.1	4.3	52 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	---	---	---	---	---	---	--- of 43	10.7	1.0

San Jose, CA*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	131.7	36	20.0	37	94.3	88.6	244.1	214.5	97.8	76.8	36 of 40	---	---
AIDS Prevalence, 2005	198.8	39	27.0	40	133.9	125.9	447.5	393.2	145.2	114.3	38 of 46	---	---
HIV Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 38	---	---
AIDS Incidence, 2005	7.5	44	---	---	---	---	---	---	---	4.2	44 of 45	13.7	---
P&S Syphilis Incidence, 2005	8.6	24	---	---	---	---	---	---	---	4.6	26 of 30	3.0	0.2
Chlamydia Incidence, 2005	201.8	35	486.2	39	71.3	67.0	440.8	387.2	289.6	343.5	41 of 41	332.5	---
Gonorrhea Incidence, 2005	73.2	39	54.1	40	19.2	18.1	111.9	98.3	54.1	63.9	40 of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	846.0	52	602.8	50	772.1	750.8	970.3	884.7	800.2	708.9	51 of 53	801.0	---
Heart Disease Mortality, 2004	223.7	52	151.6	45	209.2	204.1	221.6	202.1	183.7	184.0	47 of 53	217.5	---
Cancer Mortality, 2004	212.0	50	149.2	51	194.6	189.3	254.1	233.6	174.2	174.5	51 of 53	184.6	158.6
Lung Cancer Mortality, 2004	52.7	51	34.1	44	51.8	50.5	---	---	30.2	41.8	49 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	21.5	50	25.9	25.2	---	---	---	21.5	50 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	12.3	44	---	---	10.0	9.4	---	---	13.6	8.1	42 of 53	14.8	8.0
Homicide, 2004	6.3	46	---	---	---	---	---	---	---	3.5	48 of 48	5.6	2.8
Firearm-related Mortality, 2004	9.9	51	---	---	---	---	---	---	---	5.3	50 of 52	9.8	3.6
Suicide, 2004	14.0	43	4.8	14	12.1	11.6	---	---	---	9.2	41 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	---	---	---	---	---	---	---	---	---	2.3	40 of 40	4.4	0.7
Pneumonia, 2004	30.9	17	24.5	7	24.4	23.8	---	---	40.8	27.0	10 of 53	20.4	---
Diabetes, 2004	32.0	31	25.8	26	23.2	22.6	---	---	56.1	28.0	29 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	53.3	50.0	55.4	49.3	103.2	76.0	23 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	---	---	5.3	4.0	48 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	6.2	---	12.3	---	5.7	6.3	52 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	2.5	---	---	---	11.3	6.0	50 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	---	---	---	---	---	---	--- of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Seattle, WA*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	717.2	8	64.1	28	407.5	391.3	715.4	618.2	588.8	389.8	13 of 40	---	---
AIDS Prevalence, 2005	854.2	10	69.8	26	485.2	465.9	818.6	707.3	821.0	461.0	13 of 46	---	---
HIV Incidence, 2005	57.3	8	---	---	30.1	28.9	64.5	55.7	---	31.8	14 of 38	---	---
AIDS Incidence, 2005	52.3	13	---	---	28.5	27.4	55.9	48.3	---	29.5	17 of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	332.5	---
Gonorrhea Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	115.6	19.0
Tuberculosis Incidence 2005	15.7	9	---	---	---	---	43.0	37.1	---	10.8	13 of 33	4.8	1.0
Overall Mortality, 2004	931.4	48	579.2	51	732.7	722.5	1,047.6	980.4	500.2	729.5	50 of 53	801.0	---
Heart Disease Mortality, 2004	235.3	49	127.2	52	175.1	173.2	233.6	220.2	---	171.7	52 of 53	217.5	---
Cancer Mortality, 2004	221.7	47	154.1	45	183.8	181.4	247.6	234.8	---	180.6	47 of 53	184.6	158.6
Lung Cancer Mortality, 2004	58.6	45	39.0	35	49.8	49.2	70.0	66.6	---	46.8	44 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	23.3	44	23.5	23.2	---	---	---	23.3	44 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	9.4	47	---	---	6.2	6.0	---	---	---	6.8	49 of 53	14.8	8.0
Homicide, 2004	6.8	45	---	---	---	---	---	---	---	4.4	45 of 48	5.6	2.8
Firearm-related Mortality, 2004	11.8	47	---	---	6.1	5.9	---	---	---	6.9	48 of 52	9.8	3.6
Suicide, 2004	18.3	29	---	---	13.7	13.3	---	---	---	12.2	26 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	13.3	27	---	---	7.4	7.2	---	---	---	7.8	27 of 40	4.4	0.7
Pneumonia, 2004	22.3	37	9.0	52	15.1	15.0	---	---	---	13.9	50 of 53	20.4	---
Diabetes, 2004	31.1	35	19.6	45	20.5	20.3	74.2	70.5	---	24.6	39 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	43.1	41.3	68.4	58.2	71.3	46.2	52 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	---	---	---	5.6	41 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	5.9	---	10.1	---	5.8	6.6	50 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	1.7	---	10.5	---	11.3	3.8	53 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	---	---	---	---	---	---	--- of 43	10.7	1.0

St. Louis, MO*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 40	---	---
AIDS Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 46	---	---
HIV Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 38	---	---
AIDS Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	332.5	---
Gonorrhea Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	1,328.3	12	798.3	20	882.6	871.0	1,201.9	1,188.7	552.2	1,013.2	14 of 53	801.0	---
Heart Disease Mortality, 2004	374.7	10	226.9	12	264.8	261.7	316.8	313.6	---	284.7	12 of 53	217.5	---
Cancer Mortality, 2004	308.6	9	189.3	17	209.0	206.5	279.5	276.8	---	234.4	12 of 53	184.6	158.6
Lung Cancer Mortality, 2004	103.1	7	57.8	9	65.6	64.8	92.5	91.6	---	75.5	7 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	28.8	24	27.3	27.0	31.6	31.2	---	28.8	24 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	21.9	19	---	---	15.9	15.5	12.4	12.1	---	14.1	23 of 53	14.8	8.0
Homicide, 2004	45.0	5	---	---	---	---	46.0	46.0	---	25.4	5 of 48	5.6	2.8
Firearm-related Mortality, 2004	48.3	5	---	---	---	---	43.2	42.5	---	26.2	5 of 52	9.8	3.6
Suicide, 2004	18.9	25	---	---	17.2	16.8	---	---	---	13.0	22 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	19.5	15	---	---	---	---	15.0	14.8	---	10.3	17 of 40	4.4	0.7
Pneumonia, 2004	33.7	14	16.9	29	23.9	23.7	19.3	19.1	---	22.1	21 of 53	20.4	---
Diabetes, 2004	37.7	20	33.4	12	23.9	23.6	53.3	52.8	---	35.6	13 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	50.6	49.2	77.2	76.0	111.0	65.0	36 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	15.8	---	---	12.7	5 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	7.4	---	13.9	---	---	11.4	6 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	7.0	---	24.2	---	13.3	17.7	4 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	17.4	---	16.5	---	---	16.0	4 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Tucson, AZ*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	336.0	24	58.0	29	218.8	213.0	464.8	407.8	128.8	194.2	27 of 40	---	---
AIDS Prevalence, 2005	335.1	32	39.1	33	204.4	198.9	419.3	367.9	140.3	184.1	33 of 46	---	---
HIV Incidence, 2005	27.3	28	---	---	17.4	17.0	---	---	---	15.8	28 of 38	---	---
AIDS Incidence, 2005	23.9	30	---	---	12.9	12.5	---	---	14.4	13.6	30 of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	332.5	---
Gonorrhea Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	1,747.3	3	1,142.8	3	1,468.4	1,452.2	1,487.9	1,407.1	1,168.7	1,398.2	3 of 53	801.0	---
Heart Disease Mortality, 2004	451.0	6	260.9	6	363.0	359.5	306.7	294.7	273.4	340.8	6 of 53	217.5	---
Cancer Mortality, 2004	398.7	3	253.0	3	336.4	333.0	327.8	314.1	255.8	311.1	3 of 53	184.6	158.6
Lung Cancer Mortality, 2004	117.3	2	69.6	3	104.8	103.8	---	---	53.0	89.5	2 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	41.7	4	43.5	43.1	---	---	---	41.7	4 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	29.2	7	17.5	2	23.2	22.7	---	---	24.4	23.1	3 of 53	14.8	8.0
Homicide, 2004	25.7	17	---	---	10.5	10.3	---	---	21.7	16.0	15 of 48	5.6	2.8
Firearm-related Mortality, 2004	44.5	6	---	---	21.4	21.1	---	---	23.9	24.3	7 of 52	9.8	3.6
Suicide, 2004	39.7	3	12.3	2	31.6	31.1	---	---	14.4	25.0	3 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	---	---	---	---	---	---	---	---	---	5.3	36 of 40	4.4	0.7
Pneumonia, 2004	58.6	1	30.4	4	44.6	44.2	---	---	31.9	41.2	2 of 53	20.4	---
Diabetes, 2004	42.4	11	39.1	3	34.5	34.1	---	---	61.8	40.7	7 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	59.6	58.0	268.6	239.7	28.6	57.2	48 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	6.5	---	---	---	39.0	12.1	6 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	7.7	---	13.4	---	5.1	8.3	29 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	10.4	---	20.4	---	17.2	13.9	17 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	14.2	---	10.4	---	---	11.1	14 of 43	10.7	1.0

Tulsa, OK*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 40	---	---
AIDS Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 46	---	---
HIV Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 38	---	---
AIDS Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	332.5	---
Gonorrhea Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	1,153.9	29	779.5	28	919.2	894.4	1,281.9	1,242.7	547.1	933.6	30 of 53	801.0	---
Heart Disease Mortality, 2004	341.0	19	212.2	19	263.8	257.4	353.9	343.5	---	263.6	21 of 53	217.5	---
Cancer Mortality, 2004	253.5	35	153.5	46	190.8	185.8	250.5	243.4	---	190.6	43 of 53	184.6	158.6
Lung Cancer Mortality, 2004	85.5	24	43.7	28	63.8	62.1	66.0	64.4	---	60.2	27 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	24.0	41	19.2	18.6	---	---	---	24.0	41 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	18.0	27	10.2	9	13.8	13.1	---	---	---	14.3	20 of 53	14.8	8.0
Homicide, 2004	17.9	30	---	---	8.5	8.2	35.7	35.7	---	12.9	25 of 48	5.6	2.8
Firearm-related Mortality, 2004	32.7	17	---	---	17.3	16.7	34.1	32.5	---	18.6	15 of 52	9.8	3.6
Suicide, 2004	26.4	10	---	---	18.1	17.5	---	---	---	14.5	15 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	---	---	---	---	---	---	---	---	---	---	--- of 40	4.4	0.7
Pneumonia, 2004	25.5	27	18.8	20	23.4	22.9	---	---	---	21.5	23 of 53	20.4	---
Diabetes, 2004	29.4	37	25.3	28	20.3	19.8	102.5	99.9	---	27.3	32 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	87.4	83.3	24.8	23.6	926.9	138.0	3 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	6.0	---	---	---	---	4.5	45 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	7.9	---	11.8	---	7.1	7.7	38 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	8.8	---	15.1	---	17.5	13.8	19 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	8.1	---	8.7	---	2.2	4.9	30 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Virginia Beach, VA*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	182.4	33	67.5	26	69.4	67.6	365.4	348.3	135.1	124.4	32 of 40	---	---
AIDS Prevalence, 2005	143.5	42	51.2	30	59.9	58.4	268.0	255.5	---	96.9	41 of 46	---	---
HIV Incidence, 2005	12.4	35	---	---	---	---	27.8	26.5	---	9.4	34 of 38	---	---
AIDS Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	221.8	32	523.0	37	159.8	155.6	1,036.8	988.2	309.5	373.9	40 of 41	332.5	---
Gonorrhea Incidence, 2005	106.9	34	116.4	33	28.1	27.4	409.6	390.5	---	111.7	36 of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	1,106.3	36	767.0	31	868.7	861.2	1,228.5	1,207.7	854.4	888.2	35 of 53	801.0	---
Heart Disease Mortality, 2004	302.3	35	180.9	34	221.8	220.2	293.9	289.6	---	226.8	35 of 53	217.5	---
Cancer Mortality, 2004	291.4	18	178.1	23	215.0	213.5	272.2	268.1	---	215.8	23 of 53	184.6	158.6
Lung Cancer Mortality, 2004	105.1	5	56.1	12	77.3	76.8	64.7	63.6	---	73.1	10 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	24.6	38	23.4	23.2	---	---	---	24.6	38 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	10.0	46	---	---	7.1	7.0	---	---	---	7.7	44 of 53	14.8	8.0
Homicide, 2004	---	---	---	---	---	---	---	---	---	4.4	45 of 48	5.6	2.8
Firearm-related Mortality, 2004	18.4	39	---	---	10.8	10.6	---	---	---	10.5	40 of 52	9.8	3.6
Suicide, 2004	21.6	17	---	---	14.7	14.5	---	---	---	12.8	24 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	---	---	---	---	---	---	---	---	---	---	--- of 40	4.4	0.7
Pneumonia, 2004	35.0	12	21.1	16	27.2	27.0	---	---	---	25.9	15 of 53	20.4	---
Diabetes, 2004	22.3	49	20.3	43	18.0	17.9	---	---	---	21.4	49 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	61.2	59.8	66.7	64.6	89.2	63.0	41 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	6.1	---	---	---	---	6.7	32 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	6.6	---	10.9	---	7.9	7.6	39 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	6.1	---	13.4	---	10.5	7.8	46 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	8.0	---	4.1	---	---	6.5	24 of 43	10.7	1.0

Washington, DC*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total Rate/Percent†	Total Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	4,074.4	1	1,952.5	1	657.8	636.4	4,344.2	4,268.9	2,177.8	2,951.6	1 of 40	---	---
AIDS Prevalence, 2005	3,226.1	2	937.6	2	1,242.6	1,202.3	2,624.9	2,579.4	1,187.9	2,015.2	2 of 46	---	---
HIV Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 38	---	---
AIDS Incidence, 2005	188.6	2	83.9	2	30.2	29.2	192.6	189.3	117.9	133.2	2 of 45	13.7	---
P&S Syphilis Incidence, 2005	38.2	5	---	---	23.9	23.1	19.7	19.4	---	19.9	5 of 30	3.0	0.2
Chlamydia Incidence, 2005	253.2	27	983.5	13	37.7	36.5	430.5	423.0	129.0	643.3	15 of 41	332.5	---
Gonorrhea Incidence, 2005	413.2	11	339.9	12	41.5	40.1	430.5	423.0	48.9	375.1	9 of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	---	--- of 33	4.8	1.0
Overall Mortality, 2004	1,249.2	18	770.9	29	669.1	654.4	1,193.8	1,176.9	196.0	966.4	24 of 53	801.0	---
Heart Disease Mortality, 2004	348.6	16	224.6	13	181.9	178.6	333.8	329.5	---	273.7	14 of 53	217.5	---
Cancer Mortality, 2004	268.3	28	167.5	36	160.6	157.3	240.2	237.1	---	205.6	33 of 53	184.6	158.6
Lung Cancer Mortality, 2004	73.9	34	34.8	43	39.4	38.6	59.7	59.0	---	50.6	38 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	27.1	32	28.1	27.5	29.6	29.2	---	27.1	32 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	13.5	40	---	---	---	---	8.8	8.7	---	7.7	44 of 53	14.8	8.0
Homicide, 2004	51.4	4	---	---	---	---	50.1	50.1	---	27.7	4 of 48	5.6	2.8
Firearm-related Mortality, 2004	43.6	7	---	---	---	---	42.1	41.3	---	22.3	8 of 52	9.8	3.6
Suicide, 2004	9.7	52	---	---	---	---	---	---	---	5.6	51 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	57.3	4	27.1	3	---	---	65.6	64.4	---	41.1	4 of 40	4.4	0.7
Pneumonia, 2004	19.3	44	14.9	35	---	---	20.0	19.8	---	16.2	42 of 53	20.4	---
Diabetes, 2004	45.5	9	36.1	6	16.6	16.3	54.0	53.3	---	39.8	8 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	40.5	39.2	59.4	58.2	81.3	53.0	49 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	---	---	13.7	---	---	10.5	10 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	6.1	---	13.8	---	7.6	10.9	10 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	---	---	16.3	---	10.6	11.4	31 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	---	---	5.9	---	---	3.7	34 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Wichita, KS (Sedgwick County)*

Health Indicator¥	Gender: Female Rate/Percent†	Female Rank‡	Male Rate/Percent†	Male Rank‡	Race/Ethnicity: NHW alone Rate/Pct.†	NHW alone or in combination Rate/Pct.†	NHB alone Rate/Pct.†	NHB alone or in combination Rate/Pct.†	Hispanic Rate/Pct.†	Total: Rate/Percent†	Total: Rank‡	U.S.¥ Rate/Percent†	Year 2010 Goal Rate/Percent†
HIV Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 40	---	---
AIDS Prevalence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 46	---	---
HIV Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 38	---	---
AIDS Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 45	13.7	---
P&S Syphilis Incidence, 2005	---	---	---	---	---	---	---	---	---	---	--- of 30	3.0	0.2
Chlamydia Incidence, 2005	179.6	36	664.2	30	161.9	158.2	1,366.9	1,261.5	618.2	424.6	35 of 41	332.5	---
Gonorrhea Incidence, 2005	96.9	37	191.7	25	35.3	34.5	812.3	749.6	101.7	144.9	30 of 41	115.6	19.0
Tuberculosis Incidence 2005	---	---	---	---	---	---	---	---	---	4.4	32 of 33	4.8	1.0
Overall Mortality, 2004	1,164.4	27	798.0	21	933.7	924.2	1,329.9	1,290.2	983.1	950.5	26 of 53	801.0	---
Heart Disease Mortality, 2004	310.1	31	167.1	39	225.2	223.3	356.5	348.5	---	227.0	34 of 53	217.5	---
Cancer Mortality, 2004	277.9	23	187.3	18	223.0	221.0	286.3	280.1	219.5	221.9	21 of 53	184.6	158.6
Lung Cancer Mortality, 2004	100.3	9	52.4	19	74.7	74.0	86.5	84.6	---	71.9	12 of 53	52.9	43.3
Female Breast Cancer Mort., 2004	---	---	31.2	13	30.7	30.5	---	---	---	31.2	13 of 53	---	21.3
Motor Vehicle Injury Mort., 2004	19.8	22	---	---	16.0	15.7	---	---	---	14.2	21 of 53	14.8	8.0
Homicide, 2004	12.5	39	---	---	---	---	---	---	---	8.7	36 of 48	5.6	2.8
Firearm-related Mortality, 2004	22.3	37	---	---	9.2	9.1	52.6	50.2	---	13.4	34 of 52	9.8	3.6
Suicide, 2004	25.6	12	---	---	16.4	16.1	---	---	---	15.2	10 of 53	10.7	4.8
HIV/AIDS Mortality, 2004	---	---	---	---	---	---	---	---	---	---	--- of 40	4.4	0.7
Pneumonia, 2004	17.9	49	14.3	37	15.9	15.8	---	---	---	15.1	48 of 53	20.4	---
Diabetes, 2004	35.5	25	27.3	23	25.6	25.4	---	---	---	30.5	22 of 53	24.4	46.0
Fertility, 2003	---	---	---	---	77.2	75.4	93.4	88.9	139.9	84.9	14 of 53	66.1	---
Infant Mortality, 2003	---	---	---	---	4.9	---	---	---	---	6.3	34 of 52	6.8	4.5
Low Birthweight, 2003	---	---	---	---	7.5	---	13.7	---	7.0	8.3	29 of 53	7.9	5.0
Mothers Under Age 20, 2003	---	---	---	---	10.5	---	18.3	---	15.5	12.2	27 of 53	10.3	---
Mothers Who Smoke, 2003	---	---	---	---	18.1	---	15.7	---	3.3	14.7	8 of 43	10.7	1.0

* See technical notes on limitations of reported versus geocoded cities.

¥ County morbidity data were used instead of city-level data for the following: Albuquerque, Colorado Springs, Fresno, Honolulu, Indianapoilis, Portland, Sacramento, San Diego, and Wichita. Fulton County data were used instead of Atlanta city-level data for Primary and Secondary Syphilis, Gonorrea, Chlamydia and Tuberculosis.

‡ Rank of cities for which data are available and numerator data used in rate or percent calculation is greater than 20; 1 corresponds to highest rate/percent.

"---" Numerator data used in rate or percent calculation is less than 20 or data not available.

† Morbidity and mortality indicators are rates and natality indicators are percent of all births. Infant mortality rate per 1,000 live births; mortality rates age-adjusted using year 2000 as the standard per 100,000 population, based on U.S. Census Bureau 2000 figures. Female breast cancer mortality rate per 100,000 females, fertility rate per 1,000 women age 15-44.

For the Non-Hispanic (NH) group specified above, §Alone represents the population that indicated being only of that race; £Alone/Combination represents the population that indicated being only of that race or being of that race in combination with one or more races.

Section 5

Table 5.1: Percent Foreign Born*, 2000

City	NH White Alone§	NH White Alone/ Combination£	Percent NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
Albuquerque, NM	3.1	3.2	2.8	3.1	14.2	8.9
Arlington, TX	2.6	3.0	7.4	7.6	42.2	15.3
Atlanta, GA	4.2	4.4	1.6	1.8	62.1	6.6
Austin, TX	3.6	3.8	3.2	3.5	35.0	16.6
Baltimore, MD	4.2	4.3	2.0	2.2	40.6	4.6
Boston, MA	11.6	12.4	24.1	26.4	42.9	25.8
Charlotte, NC	3.7	4.0	3.1	3.3	70.1	11.0
Chicago, IL	17.0	17.8	1.6	1.8	45.6	21.7
Cincinnati, OH	2.6	2.7	1.4	1.5	37.8	3.8
Cleveland, OH	5.3	5.5	0.7	0.8	10.0	4.5
El Paso County, CO	3.4	3.5	3.6	3.8	16.3	7.0
Columbus, OH	2.1	2.4	4.2	5.5	36.8	6.7
Dallas, TX	4.6	5.0	3.2	3.5	54.9	24.4
Denver, CO	4.8	5.2	4.4	5.0	38.1	17.4
Detroit, MI	10.5	12.4	0.8	0.8	37.0	4.8
El Paso, TX	7.0	7.3	3.9	4.1	31.0	26.1
Fort Worth, TX	2.5	2.8	1.4	1.5	42.6	16.3
Fresno, CA	4.1	4.6	2.8	3.0	28.3	20.3
Honolulu, HI	8.8	7.4	6.2	7.1	12.6	25.3
Houston, TX	6.7	7.4	3.7	4.0	50.2	26.4
Indianapolis, IN	1.6	1.7	1.5	1.6	52.2	4.6
Jacksonville, FL	3.1	3.4	2.1	2.3	26.7	5.9
Kansas City, MO	1.7	1.9	1.6	2.0	37.3	5.8
Las Vegas, NV	5.0	5.2	2.1	2.6	52.2	18.9
Long Beach, CA	6.2	6.7	2.6	2.7	48.8	28.6
Los Angeles, CA	19.9	21.3	5.8	6.3	56.2	40.9
Louisville, KY	1.9	2.2	1.0	1.2	55.4	3.8
Memphis, TN	2.0	2.2	0.5	0.6	60.0	4.0
Mesa, AZ	2.7	2.8	4.2	4.4	39.5	11.2
Miami, FL	16.2	17.0	20.4	23.8	78.8	59.5
Milwaukee, WI	3.3	3.4	0.9	0.9	32.9	7.7
Minneapolis, MN	3.0	3.2	16.0	17.3	59.6	14.5
Nashville-Davidson, TN	2.4	3.0	2.3	2.6	58.7	7.1
New Orleans, LA	3.1	3.4	0.5	0.6	47.4	4.2
New York, NY	23.2	24.0	28.3	29.4	41.2	35.9
Oakland, CA	8.7	9.2	2.7	3.2	55.9	26.6
Oklahoma City, OK	1.2	1.4	1.6	1.8	45.1	8.5
Omaha, NB	1.5	1.6	2.6	2.6	47.1	6.6
Philadelphia, PA	7.1	7.4	3.1	3.4	12.7	9.0
Phoenix, AZ	4.2	4.5	4.3	4.7	44.8	19.5
Pittsburgh, PA	4.1	4.3	1.2	1.3	27.0	5.6
Portland, OR	5.5	5.8	6.0	6.6	47.4	13.0
Sacramento, CA	6.2	6.5	2.0	2.2	31.2	20.3
San Antonio, TX	3.4	3.7	2.2	2.5	15.6	11.7
San Diego, CA	8.2	8.7	6.4	7.8	43.4	25.7
San Francisco, CA	14.9	15.3	3.8	4.1	53.1	36.8
San Jose, CA	10.2	11.1	13.7	13.8	41.9	36.9
Seattle, WA	5.9	6.0	12.1	13.2	40.0	16.9
St. Louis, MO	5.9	6.3	0.9	1.1	38.1	5.6
Tucson, AZ	3.6	3.8	4.9	4.8	28.4	14.3
Tulsa, OK	1.7	1.8	1.8	1.8	50.5	6.5
Virginia Beach, VA	2.8	2.9	2.5	2.6	19.0	6.6
Washington, DC	10.3	10.8	4.2	4.6	64.2	12.9

Source: 2000 Census Summary File 4 (SF4) sample data, total population
* Defined by the Census Bureau as anyone who is not born a U.S. citizen.

Table 5.2: Childhood Poverty, 2000

City	NH White Alone§	NH White Alone/ Combination£	Poverty NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
Albuquerque, NM	2,357	2,683	567	751	9,186	13,652
Arlington, TX	1,994	2,257	2,160	2,361	3,552	8,671
Atlanta, GA	476	593	24,205	24,448	789	26,025
Austin, TX	1,805	2,097	3,245	3,460	12,112	18,008
Baltimore, MD	2,879	3,451	29,793	30,274	480	34,391
Boston, MA	2,381	2,586	7,882	8,380	7,546	20,520
Charlotte, NC	2,233	2,447	8,980	9,194	2,030	13,819
Chicago, IL	6,544	8,073	90,823	91,644	46,970	150,448
Cincinnati, OH	3,087	3,498	15,075	15,479	317	19,163
Cleveland, OH	6,069	6,793	26,493	27,120	3,891	37,587
El Paso County, CO	3,422	3,734	1,221	1,507	2,319	7,674
Columbus, OH	7,416	8,312	12,915	14,303	781	23,592
Dallas, TX	3,272	3,765	20,281	20,742	31,699	56,994
Denver, CO	1,818	2,138	3,114	3,348	11,442	17,347
Detroit, MI	3,585	5,322	62,405	63,652	3,866	72,967
El Paso, TX	1,440	1,588	539	647	33,273	35,610
Fort Worth, TX	2,838	3,166	8,004	8,243	11,534	23,410
Fresno, CA	3,240	3,665	4,016	4,298	19,966	35,901
Honolulu, HI	298	1,493	50	314	875	7,237
Houston, TX	4,598	5,385	33,947	34,657	58,453	100,937
Indianapolis, IN	7,815	8,487	12,852	13,512	1,438	23,427
Jacksonville, FL	6,200	6,880	14,391	14,917	1,187	23,087
Kansas City, MO	3,214	3,629	10,423	10,894	1,890	16,340
Las Vegas, NV	3,335	3,791	3,576	3,913	6,606	14,498
Long Beach, CA	1,647	1,990	6,396	6,755	18,557	31,195
Los Angeles, CA	11,811	14,600	27,777	29,146	160,636	212,547
Louisville, KY	3,607	4,049	10,154	10,584	271	14,822
Memphis, TN	2,236	2,638	35,827	36,198	976	40,055
Mesa, AZ	3,037	3,193	384	502	4,753	8,795
Miami, FL	1,671	1,771	8,043	8,563	9,469	19,982
Milwaukee, WI	2,726	3,457	26,456	27,262	6,709	38,428
Minneapolis, MN	1,419	2,064	6,685	7,709	1,723	14,282
Nashville-Davidson, TN	3,728	4,353	10,586	11,025	1,886	17,425
New Orleans, LA	681	791	33,398	33,601	585	35,580
New York, NY	51,932	58,007	124,632	129,684	177,620	397,499
Oakland, CA	478	841	9,274	9,534	5,782	19,275
Oklahoma City, OK	6,091	7,089	7,447	8,269	5,367	21,822
Omaha, NB	3,163	3,579	5,345	5,777	1,767	11,258
Philadelphia, PA	10,362	11,295	49,292	50,245	17,043	81,977
Phoenix, AZ	8,641	9,511	4,237	4,896	43,317	59,552
Pittsburgh, PA	3,106	3,499	9,303	9,721	252	13,364
Portland, OR	5,630	6,474	2,404	2,961	2,462	12,680
Sacramento, CA	3,644	4,508	5,393	6,119	6,904	22,853
San Antonio, TX	3,842	4,435	4,435	4,843	47,312	56,705
San Diego, CA	4,116	5,173	5,197	6,264	26,382	41,528
San Francisco, CA	813	1,115	3,043	3,250	2,728	10,071
San Jose, CA	1,755	2,047	596	677	10,462	16,746
Seattle, WA	1,670	2,127	2,339	2,939	1,406	8,203
St. Louis, MO	2,541	3,164	19,045	19,570	485	23,171
Tucson, AZ	4,372	4,639	930	1,129	14,552	21,113
Tulsa, OK	4,182	5,073	6,241	6,987	2,303	14,895
Virginia Beach, VA	2,690	3,055	3,018	3,315	677	7,086
Washington, DC	319	476	22,729	22,989	2,099	25,864
Wichita, KS	3,257	3,815	2,878	3,298	2,524	9,885

Source: 2000 Census Summary File 4 (SF4) sample data, persons under 12 years for whom poverty status is known.

Table 5.3: Percent Below 200% Poverty Level, 2000

City	NH White Alone§	NH White Alone/ Combination£	Percent NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
Albuquerque, NM	20.9	21.4	38.6	39.4	43.8	32.2
Arlington, TX	15.5	16.0	32.8	33.5	48.5	25.2
Atlanta, GA	15.9	16.4	57.1	57.2	55.7	43.9
Austin, TX	19.6	20.0	42.2	42.1	48.7	31.7
Baltimore, MD	30.2	30.7	51.0	51.0	42.7	44.4
Boston, MA	25.4	25.7	44.4	44.0	55.4	37.2
Charlotte, NC	12.9	13.3	39.0	39.2	49.3	24.9
Chicago, IL	19.9	20.7	50.8	50.6	48.8	39.7
Cincinnati, OH	28.1	28.5	57.5	57.4	52.4	41.7
Cleveland, OH	37.0	37.5	59.5	59.4	59.4	50.4
El Paso County, CO	19.1	19.5	37.0	37.2	39.9	23.3
Columbus, OH	25.1	25.6	45.6	46.2	47.2	31.7
Dallas, TX	17.0	17.4	48.5	48.5	60.4	41.2
Denver, CO	19.4	19.9	41.6	41.2	52.2	33.3
Detroit, MI	42.6	44.6	48.6	48.7	55.4	48.5
El Paso, TX	22.1	22.6	33.9	35.0	55.4	48.2
Fort Worth, TX	22.2	22.5	51.0	50.8	56.5	38.7
Fresno, CA	27.6	28.3	62.3	61.7	64.9	51.0
Honolulu, HI	22.2	23.7	32.7	36.3	37.3	26.4
Houston, TX	17.1	17.7	50.3	50.2	60.1	42.8
Indianapolis, IN	21.5	21.8	44.5	44.5	50.0	28.8
Jacksonville, FL	21.6	21.9	46.5	46.5	37.1	29.7
Kansas City, MO	21.1	21.6	48.8	48.9	48.8	32.5
Las Vegas, NV	19.2	19.6	46.5	45.8	48.7	29.4
Long Beach, CA	21.5	22.3	52.2	52.0	64.1	45.6
Los Angeles, CA	22.4	23.4	48.6	48.1	63.6	46.4
Louisville, KY	31.5	31.9	61.2	61.2	58.0	42.3
Memphis, TN	22.3	22.6	52.7	52.6	56.4	42.2
Mesa, AZ	20.1	20.3	35.4	36.4	49.5	27.0
Miami, FL	31.0	31.6	69.6	69.9	57.0	56.6
Milwaukee, WI	24.4	25.1	59.2	58.9	57.7	42.8
Minneapolis, MN	22.5	23.2	58.1	57.2	58.8	35.8
Nashville-Davidson, TN	20.7	21.3	45.3	45.5	56.5	29.6
New Orleans, LA	23.9	24.5	60.3	60.2	47.2	49.9
New York, NY	24.0	24.8	43.7	43.6	55.7	39.8
Oakland, CA	17.4	18.4	45.3	44.7	52.1	40.0
Oklahoma City, OK	26.6	27.4	54.1	54.4	66.1	36.4
Omaha, NB	19.9	20.3	54.7	54.6	49.4	27.5
Philadelphia, PA	29.0	29.5	51.5	51.5	67.1	43.4
Phoenix, AZ	20.7	21.1	46.4	46.2	61.9	36.9
Pittsburgh, PA	32.9	33.3	59.4	59.4	49.3	41.0
Portland, OR	25.7	26.3	48.2	48.3	53.4	30.4
Sacramento, CA	28.7	29.5	51.3	51.1	50.1	41.5
San Antonio, TX	19.7	20.1	44.6	44.3	51.5	40.4
San Diego, CA	19.2	19.8	43.7	44.3	57.0	32.9
San Francisco, CA	17.1	17.5	45.7	44.7	37.4	26.0
San Jose, CA	10.9	11.2	21.6	21.6	35.1	20.9
Seattle, WA	18.7	19.2	42.6	42.5	43.8	25.0
St. Louis, MO	30.6	31.5	61.0	61.0	53.7	47.6
Tucson, AZ	32.4	32.8	50.4	51.3	55.7	42.5
Tulsa, OK	24.5	25.4	57.8	58.2	60.0	34.0
Virginia Beach, VA	17.5	17.8	35.4	35.6	35.4	22.1
Washington, DC	14.3	15.0	43.8	43.7	46.9	35.9
Wichita, KS	21.2	21.7	50.1	50.1	51.1	28.6

Source: 2000 Census Summary File 4 (SF4) sample data, persons for whom poverty status is determined.

Table 5.4: Median Household Income, 1999

City	Annual Household Income					
	NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
Albuquerque, NM	43,331	43,014	32,675	31,632	32,314	38,272
Arlington, TX	52,407	52,153	38,967	38,683	36,814	47,622
Atlanta, GA	61,619	61,330	23,137	23,059	36,545	34,770
Austin, TX	48,979	48,608	32,061	32,150	35,632	42,689
Baltimore, MD	37,113	36,855	26,197	26,202	31,292	30,078
Boston, MA	47,668	47,234	31,061	31,405	27,141	39,629
Charlotte, NC	56,808	56,578	33,687	33,639	38,298	46,975
Chicago, IL	49,222	48,605	29,108	29,168	36,543	38,625
Cincinnati, OH	36,467	36,296	20,998	21,082	27,623	29,493
Cleveland, OH	31,491	31,368	21,181	21,230	25,296	25,928
El Paso County, CO	47,413	47,227	37,430	37,197	34,940	45,081
Columbus, OH	41,585	41,394	29,196	28,902	33,158	37,897
Dallas, TX	50,148	49,863	27,386	27,420	31,575	37,628
Denver, CO	44,022	43,684	30,895	31,064	32,636	39,500
Detroit, MI	28,984	28,562	29,651	29,622	30,270	29,526
El Paso, TX	46,949	46,628	36,833	36,788	27,386	32,124
Fort Worth, TX	43,222	43,102	26,609	26,647	32,671	37,074
Fresno, CA	40,666	40,209	22,392	22,490	26,646	32,236
Honolulu, HI	47,894	46,054	36,774	36,521	33,274	45,112
Houston, TX	51,830	51,467	27,567	27,512	29,650	36,616
Indianapolis, IN	43,577	43,435	30,116	30,048	35,046	40,051
Jacksonville, FL	44,388	44,271	30,022	30,034	37,497	40,316
Kansas City, MO	43,204	42,932	26,923	26,951	31,312	37,198
Las Vegas, NV	48,656	48,425	30,533	30,737	37,122	44,069
Long Beach, CA	49,418	48,900	27,623	27,675	29,359	37,270
Los Angeles, CA	51,516	50,802	27,236	27,420	28,759	36,687
Louisville, KY	33,573	33,399	19,184	19,266	20,756	28,843
Memphis, TN	41,223	41,104	26,873	26,871	34,505	32,285
Mesa, AZ	44,491	44,334	36,652	35,850	38,303	42,817
Miami, FL	48,704	48,004	17,341	17,412	22,209	23,483
Milwaukee, WI	37,697	37,585	24,400	24,369	30,281	32,216
Minneapolis, MN	42,231	41,988	25,299	25,056	32,347	37,974
Nashville-Davidson, TN	43,185	42,950	29,491	29,518	32,038	39,232
New Orleans, LA	40,390	40,168	21,485	21,501	28,545	27,133
New York, NY	50,730	50,257	31,451	31,540	27,757	38,293
Oakland, CA	57,399	56,497	31,151	31,263	38,779	40,055
Oklahoma City, OK	38,734	38,324	24,023	23,871	27,081	34,947
Omaha, NB	43,171	42,991	23,885	23,796	35,028	40,006
Philadelphia, PA	37,073	36,897	26,322	26,359	20,762	30,746
Phoenix, AZ	47,044	46,835	30,436	30,478	31,062	41,207
Pittsburgh, PA	32,692	32,462	20,095	20,089	22,407	28,588
Portland, OR	41,618	41,401	27,169	27,256	32,371	40,146
Sacramento, CA	41,003	40,815	29,641	30,010	33,605	37,049
San Antonio, TX	46,839	46,548	29,722	29,909	30,468	36,214
San Diego, CA	52,025	51,760	34,620	34,362	31,022	45,733
San Francisco, CA	65,431	64,879	29,561	30,581	46,553	55,221
San Jose, CA	76,186	75,449	58,146	58,303	55,561	70,243
Seattle, WA	49,994	49,470	32,042	31,689	35,699	45,736
St. Louis, MO	33,590	33,321	20,790	20,791	29,143	27,156
Tucson, AZ	32,866	32,664	28,814	28,080	27,463	30,981
Tulsa, OK	39,135	38,781	22,942	22,751	28,378	35,316
Virginia Beach, VA	51,323	51,195	39,297	39,161	42,314	48,705
Washington, DC	67,266	66,375	30,475	30,470	36,156	40,127
Wichita, KS	42,503	42,338	27,122	27,067	31,660	39,939

Source: 2000 Census Summary File 4 (SF4) sample data, households.

Table 5.5: Number of High School Graduates 18 and Older, 2000

City	High School Graduates					
	NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
Albuquerque, NM	171,069	174,909	7,915	8,915	88,058	286,951
Arlington, TX	137,706	140,511	25,532	26,311	19,470	198,044
Atlanta, GA	109,131	110,913	121,100	122,293	7,724	247,422
Austin, TX	276,138	281,532	35,445	36,636	75,768	419,670
Baltimore, MD	126,960	129,602	192,605	194,998	5,275	338,009
Boston, MA	234,718	240,191	70,164	76,459	34,225	380,726
Charlotte, NC	217,640	220,041	93,595	95,044	13,254	339,602
Chicago, IL	672,839	693,401	502,566	510,706	237,738	,530,200
Cincinnati, OH	119,625	121,367	61,845	63,097	2,151	190,860
Cleveland, OH	108,312	110,729	104,471	106,120	11,360	232,803
El Paso County, CO	190,306	194,199	13,377	14,413	19,664	236,605
Columbus, OH	328,274	333,690	87,923	91,590	7,992	451,299
Dallas, TX	317,177	321,897	154,509	156,951	91,395	593,355
Denver, CO	230,557	235,455	33,183	35,307	52,778	335,332
Detroit, MI	57,105	62,045	366,150	370,358	12,546	450,000
El Paso, TX	74,736	76,489	9,901	10,238	175,713	267,729
Fort Worth, TX	170,613	173,599	53,516	54,267	37,757	274,903
Fresno, CA	107,804	111,921	15,478	16,257	50,845	197,149
Honolulu, HI	57,052	75,568	3,753	4,692	9,356	252,514
Houston, TX	453,436	463,684	251,878	255,696	188,497	975,264
Indianapolis, IN	343,099	347,036	97,753	99,618	10,414	465,032
Jacksonville, FL	299,370	303,525	102,127	103,476	16,486	437,874
Kansas City, MO	179,035	182,301	66,220	67,790	11,361	267,522
Las Vegas, NV	191,495	196,629	24,858	26,081	31,226	271,592
Long Beach, CA	117,829	123,111	34,887	36,901	43,907	235,439
Los Angeles, CA	834,366	878,828	221,539	232,738	420,670	,796,757
Louisville, KY	102,581	104,246	38,715	39,494	1,849	147,933
Memphis, TN	155,990	158,211	181,369	182,406	5,853	352,934
Mesa, AZ	196,422	199,046	5,377	5,907	26,806	239,464
Miami, FL	27,887	28,642	24,848	26,262	94,787	151,494
Milwaukee, WI	194,520	197,602	87,104	88,987	19,533	314,959
Minneapolis, MN	192,129	196,121	29,830	32,851	9,487	250,870
Nashville-Davidson, TN	242,776	246,294	76,162	77,596	9,122	341,721
New Orleans, LA	100,020	101,960	148,205	149,428	8,495	265,347
New York, NY	1,996,845	2,058,770	981,336	1,033,875	813,543	,388,600
Oakland, CA	78,223	82,996	76,627	80,247	24,040	217,948
Oklahoma City, OK	221,594	229,369	39,146	41,018	12,660	300,968
Omaha, NB	203,813	205,775	24,595	25,486	8,340	245,975
Philadelphia, PA	419,298	427,333	306,101	312,783	41,029	817,048
Phoenix, AZ	508,911	516,809	32,637	34,414	116,168	695,518
Pittsburgh, PA	161,040	163,233	46,046	47,367	2,823	221,586
Portland, OR	290,843	298,511	17,663	19,735	13,756	353,828
Sacramento, CA	120,145	125,741	31,488	33,996	31,842	226,749
San Antonio, TX	264,312	270,694	42,227	43,816	280,836	609,291
San Diego, CA	476,771	492,375	53,494	57,287	110,321	771,552
San Francisco, CA	296,234	308,110	34,145	37,271	53,488	541,591
San Jose, CA	234,217	246,807	18,546	20,332	93,106	508,991
Seattle, WA	317,733	327,590	26,192	29,615	15,681	425,344
St. Louis, MO	97,853	99,686	76,279	77,617	2,996	184,759
Tucson, AZ	196,775	200,607	11,408	12,411	69,179	294,666
Tulsa, OK	183,817	191,270	30,415	31,679	8,823	245,526
Virginia Beach, VA	202,424	206,214	43,984	45,431	9,853	275,763
Washington, DC	141,550	145,518	179,290	183,181	16,212	357,384
Wichita, KS	166,309	169,472	19,071	19,969	9,461	207,143

Source: 2000 Census Summary File 4 (SF4) sample data, persons aged 18 and over.

Table 5.6: Unemployment Among People 16 and Older, 2000

City	Unemployed NH White Alone§	NH White Alone/ Combination£	NH Black Alone§	NH Black Alone/ Combination£	Hispanic	Total
Albuquerque, NM	5,186	5,443	607	699	5,828	13,283
Arlington, TX	3,811	3,982	1,401	1,466	1,853	7,746
Atlanta, GA	8,786	8,974	17,747	17,877	1,089	29,881
Austin, TX	7,047	7,242	2,450	2,502	5,857	16,408
Baltimore, MD	5,167	5,437	24,140	24,431	509	30,699
Boston, MA	9,088	9,446	6,335	6,768	4,079	22,248
Charlotte, NC	6,110	6,290	8,118	8,268	1,591	16,691
Chicago, IL	24,732	25,949	76,410	77,364	29,437	137,421
Cincinnati, OH	4,100	4,235	7,246	7,372	145	11,892
Cleveland, OH	6,433	6,694	14,030	14,251	1,697	22,847
El Paso County, CO	5,794	6,020	864	1,009	1,216	8,520
Columbus, OH	10,184	10,511	7,134	7,635	495	19,200
Dallas, TX	8,191	8,441	16,162	16,305	13,636	39,194
Denver, CO	7,311	7,556	2,451	2,564	6,215	17,094
Detroit, MI	3,975	4,515	45,555	45,968	2,453	53,259
El Paso, TX	2,545	2,635	675	713	17,328	20,904
Fort Worth, TX	4,787	4,972	5,085	5,130	4,828	15,319
Fresno, CA	5,302	5,646	2,449	2,609	9,949	20,100
Honolulu, HI	2,396	3,342	263	331	596	10,679
Houston, TX	14,292	14,886	25,232	25,552	27,073	70,517
Indianapolis, IN	11,912	12,196	9,374	9,549	1,007	22,966
Jacksonville, FL	8,921	9,110	7,539	7,631	876	18,266
Kansas City, MO	5,346	5,613	7,161	7,336	1,032	14,226
Las Vegas, NV	7,917	8,233	2,917	3,044	4,032	16,176
Long Beach, CA	4,912	5,338	4,693	4,924	7,330	19,680
Los Angeles, CA	39,819	43,189	26,279	27,395	72,930	156,578
Louisville, KY	3,962	4,123	4,507	4,639	177	9,074
Memphis, TN	4,883	5,060	20,296	20,420	726	26,321
Mesa, AZ	5,029	5,180	383	430	2,108	8,136
Miami, FL	841	871	4,936	5,320	10,925	17,220
Milwaukee, WI	7,640	7,972	14,125	14,365	3,411	26,579
Minneapolis, MN	5,824	6,132	4,128	4,486	1,070	12,778
Nashville-Davidson, TN	7,885	8,065	5,999	6,073	986	15,634
New Orleans, LA	2,438	2,526	16,748	16,826	572	20,203
New York, NY	75,075	79,185	117,880	122,701	116,488	346,741
Oakland, CA	1,990	2,352	7,656	7,930	3,823	15,923
Oklahoma City, OK	6,322	6,847	3,629	3,824	1,549	13,078
Omaha, NB	5,055	5,204	2,387	2,544	934	8,955
Philadelphia, PA	21,653	22,212	38,362	39,084	7,281	71,582
Phoenix, AZ	16,202	16,702	3,121	3,286	14,674	36,278
Pittsburgh, PA	8,891	9,143	5,422	5,649	285	16,228
Portland, OR	13,484	14,099	2,040	2,223	1,515	19,344
Sacramento, CA	4,858	5,276	3,094	3,439	3,459	14,543
San Antonio, TX	7,315	7,568	2,833	2,968	21,384	32,346
San Diego, CA	15,340	16,247	3,802	4,182	11,035	36,358
San Francisco, CA	7,465	7,994	2,869	3,079	3,972	20,609
San Jose, CA	5,452	6,030	914	1,057	7,642	19,552
Seattle, WA	10,140	10,806	2,146	2,473	1,222	17,342
St. Louis, MO	5,442	5,645	11,919	12,190	250	18,256
Tucson, AZ	6,724	6,997	774	868	5,048	13,639
Tulsa, OK	5,875	6,285	3,035	3,167	847	10,985
Virginia Beach, VA	4,546	4,749	2,589	2,687	489	8,247
Washington, DC	7,476	7,602	20,938	21,247	1,999	31,844
Wichita, KS	5,406	5,549	1,921	2,007	1,244	9,280

Source: 2000 Census Summary File 4 (SF4) sample data, persons aged 16 and over.

Appendix

Technical Notes

Source of Data

This report presents 31 health indicators for residents of U.S. cities with population greater than 350,000 in 1990, 2000 or 2005. The indicators encompass four separate areas: morbidity, mortality, maternal and child health, and socio-demographic characteristics of the population *(see table A.1)*. They were selected based on the fact that they are among the leading causes of morbidity and mortality in the United States. Many of the indicators are among the 18 Health Status Indicators that were developed as part of the Healthy People 2000 process to facilitate the comparison of health status measures at national, state and local levels.[1]

Mortality and Maternal and Child Health

Mortality and maternal and child health data, were obtained from the National Center for Health Statistics' (NCHS) Vital Records Public-Use files which contain information from all birth and death certificates filed in the 50 U.S. states and the District of Columbia. Mortality data are presented for the years 1990 to 2004, while natality data are presented for the years 1990-2003. Causes of death for 1990-1998 are based on the *International Classification of Diseases* Ninth Revision (ICD-9) and 1999-2004 deaths are based on ICD-10.

National rates were obtained from the NCHS annual mortality and natality reports.[2,3]

In 2003, the U.S. Standard Certificate of Live Birth was revised for the first time since 1989[4]. This revision was adopted immediately by Pennsylvania and Washington, resulting in data for these states being incompatible with data from the other 48 states and the District of Columbia. Data related to cigarette use during pregnancy changed from recording number of cigarettes to trimester of tobacco use. In order to maintain consistency with previous years for trend comparison, 2002 data were used for this indicator. California does not collect maternal smoking data on the birth certificate, resulting in missing data for babies born in that state.[5]

Morbidity

Morbidity data were obtained from data requests made to local health departments collecting or maintaining communicable disease data for the 53 cities covered in this report. Data were requested for the years 1998 to 2005 using the national case definitions developed by the Council of State and Territorial Epidemiologists and the Centers for Disease Control and Prevention (CDC). Cities were asked to provide the total number of reported cases by year, race/ethnicity, and gender; AIDS and HIV (not AIDS) data were requested by year of diagnosis. Date of implementation of HIV reporting varied across states and thus HIV (not AIDS) data are not available since 1998 for some cities.

Because the numbers for the above measures rely on reported data, it is important to consider possible underreporting. Therefore, these figures must be interpreted as minimum estimates of the true number of cases. Methods and completeness of reporting are also likely to vary between cities, thus accounting for observed differences rather than differences in disease prevalence.

National rates were obtained from CDC's Annual

Table A.1: Report Indicators

Morbidity	Mortality	Maternal and Child Health	Census Indicators
HIV Prevalence	Overall Mortality	Infant Mortality	Child Poverty
AIDS Prevalence	Heart Disease	Fertility	High School Graduates
HIV Incidence	All Cancer	Low Birthweight	Median Household Income
AIDS Incidence	Lung Cancer	Mothers Under Age 20	Below 200% Poverty
Primary & Secondary Syphilis	Female Breast Cancer	Maternal Smoking	Foreign Born
Gonorrhea	Motor Vehicle Injury		Unemployment
Chlamydia	Homicide		
Tuberculosis	Suicide		
	AIDS/HIV		
	Firearms Related		
	Pneumonia & Influenza		
	Diabetes Mellitus		

STD and HIV/AIDS surveillance reports.[6,7]

Census

Census indicators were obtained from the 2000 U.S. Census Bureau's Summary File 4 (SF4).

Availability and Reliability of Data

The nature of the data that were obtained for morbidity indicators varied considerably. When data were not provided, the symbol "—-" was recorded in the appropriate cell. Some health departments provided race/ethnicity categories, while others were not able to do so. Additionally, not all health departments were able to provide data for one or more of the indicators. Whenever possible, unusual numbers were verified, either by checking with the original sources or by cross-checking numbers.

Some health departments were only able to provide county-level data because morbidity data are only collected at the county level and/or because the city accounts for most of the county population and the characteristics of the outlying areas that are not part of the city do not differ significantly from those of the city. Additionally, some cities often do not correspond to jurisdictions of the local public health department in which the central city is located. For example, Fulton and DeKalb counties, where the city of Atlanta is partially located, are represented only to the extent that the geography of Atlanta is part of both counties. Further, the bulk of the city of Atlanta lies in Fulton County and accounts for 50% of the county's population. Thus, Atlanta city health statistics do not accurately represent health conditions of DeKalb County or Fulton County. This situation exists for several cities included in this report. Table A.2 presents the city and its respective county populations in 2000 and the percent of the county represented by the city.

Table A.2: Cities providing county-level data

City	2000 Total	% in County
Albuquerque, NM	448,607	
Bernalillo, NM County	556,678	81%
Atlanta, GA	416,474	
Fulton, GA County	816,006	51%
Fresno, CA	427,652	
Fresno, CA County	799,407	53%
Honolulu, HI	371,657	
Honolulu, HI County	876,156	42%
Indianapolis, IN	791,926	
Marion, IN County	860,454	92%
Portland, OR	529,121	
Multnomah, OR County	660,486	80%
Sacramento, CA	407,018	
Sacramento, CA County	1,223,499	33%
San Diego, CA	1,223,400	
San Diego, CA County	2,813,833	43%
Wichita, KS	344,284	
Sedgwick, KS County	452,869	76%
Colorado Springs, CO	360,890	
El Paso, CO County	516,929	70%

Most of the denominators used to calculate the rates in this report are large. Thus, the question of statistical stability of rates becomes what restrictions should be placed on the size of the numerator in order to present reliable rates and proportions. Kleinman[8] suggests that a numerator of 20 is a minimal size needed to generate a meaningful confidence interval for an unadjusted rate or percent. Thus, rates based on less than 20 observations in the numerator were suppressed and are represented by the symbol "---" throughout the report. This decision to use the cut-off of 20 for displaying and analyzing rates, adjusted and unadjusted, is the same one employed by the National Center for Health Statistics.[9]

Comparability Ratios

The Tenth Revision of the International Classification of Diseases (ICD-10) was implemented in the United States beginning with deaths occurring in 1999 and replaces the Ninth Revision of the International Classification of Diseases (ICD-9). The change in classification and rules for selecting underlying cause of death from ICD-9 to ICD-10 impacts cause-of-death trend data by shifting deaths away from some cause-of-death categories and into others.[10]

Comparability ratios measure the effect of changes in classification and coding rules. Table A.3 displays the respective ICD-9 and ICD-10 codes for the selected causes of death presented in this report and the preliminary comparability ratios for these causes. The ratios are based on a comparability study in which the same deaths were coded by both the Ninth and Tenth Revisions. The comparability ratio was calculated by dividing the number of deaths classified by ICD-10 by the number of deaths classified by ICD-9. The resulting ratios represent the net effect of the Tenth Revision on causes-of-death statistics. In this report, comparability ratios were applied to mortality rates from 1990-1998 to analyze changes in health status between 1990 and 2000. For each indicator, the 1990-1998 comparability-

Table A.3: Mortality indicators codes according to applicable revision of the International Classification of Diseases (ICD) and comparability ratios between ICD-9 and ICD-10

Cause of Death	ICD-9	ICD-10	Preliminary Comparability Ratio*
Heart Disease	390-398, 402, 404-429	I00-I09, I11, I13, I20-I51	0.9858
All Cancer	140-208	C00-C97	1.0068
Lung Cancer	162	C33-C34	0.9837
Female Breast Cancer	174-175	C50	1.0056
Influenza and Pneumonia	480-487	J10-J18	0.6982
Diabetes	250	E10-E14	1.0082
Motor Vehicle Injury	E810-E825	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.0-V19.2,V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2	0.8527
Homicide	E960-E978	X85-Y09, Y87.1	0.9983
Suicide	E950-E959	X60-X84, Y87.0	0.9962
Firearms Related	E922, E955.0-E955.4, E965.0-E965.4, E970, E985.0-E985.4	W32-W34, X72-X74, X93-X95, Y22-Y24, Y35.0	1.00
AIDS/HIV	042-044	B20-B24	1.1448

* Ratio of number of deaths classified by ICD-10 to number of deaths classified using ICD-9.

modified age-adjusted death rate was calculated by multiplying the respective comparability ratio listed in Table A.3 by the 1990-1998 age-adjusted death rates.[11]

Definitions

Geography

When using the information in this report, especially when comparing across cities, it is important to consider how the geographic areas are defined. All geographic areas are those defined by the U.S. Census as incorporated cities. While these cities tend to be the central city of their respective metropolitan area, they often do not encompass the entire metropolitan area nor represent a county or counties where the central city may be located.

Most data in this report are presented by city identified on the report of the health event (referred to as "reported city"), rather than by city derived from assignment of city based on geocoding the street address (referred to as "geocoded city"). Using "reported city" can result in misclassification, with the size of the discrepancy depending on the locality.

Geocoding is a process by which an address or location is assigned to a point on a map. These points can then be aggregated to larger areas (census tract, block group, cities, school districts, etc.) The highest standard of geocoding is to assign latitude and longitude coordinates. This process usually occurs using a geocoding software engine ("batch geocoded"). This takes electronically inputted addresses and compares them to an underlying Geographic Information System (GIS) dataset (street centerline or parcel data) to assign the point. Depending on the quality of the address data, and the quality of the underlying dataset, not all addresses are able to be automatically matched and must be manually assigned.

The Table A.4 shows counts of all-cause mortality and the number one and two causes of death in Seattle, Washington, for 2004 by whether reported city or geocoded city was derived from the death certificate. For each cause, the count for reported city exceeded the count for geocoded city.

Misclassification based on reported city is probably most likely to occur near city boundaries, where individuals may report postal addresses that differ from the physical location of their residence. For instance, a section of North Seattle and bordering Snohomish County are both included in several ZIP codes. Individuals who reside in these zip codes may reside outside Seattle city limits in Snohomish County, but report their postal address as Seattle. This may be the cause of the higher counts in the reported city column of the Table. However, depending on local boundaries and other variables (such as the perceived desirability of a location), counts for reported city may not always exceed counts for geocoded city.

Table A.4: Number of Deaths, All Causes and the Two Leading Causes, Seattle WA, 2004: Reported vs. Geocoded City

Cause of Death	(a) Geocoded City Count*	(b) Reported City Count^	(c) Difference [(b) – (a)]	(d) Percent difference
All Causes	4,093	4,331	238	5.8%
Diseases of the heart	989	1,044	55	5.6%
Malignant neoplasms	939	1,005	66	7.0%

* Source of geocoded city: street address on death certificate geocoded to city boundaries, Washington State Department of Health and Public Health-Seattle & King County.
^ Source of reported city: city reported on death certificate, National Center for Health Statistics.

Race

The Office of Management and Budget (OMB) released the 1977 Statistical Policy Directive 15, "Race and Ethnic Standards for Federal Statistics and Administrative Reporting," which specified rules for the collection, tabulation, and presentation of race and ethnicity data within the federal statistical system. Directive 15 specified that data on race be reported for two ethnicity categories (Hispanic Origin and not of Hispanic Origin) and for the following four mutually exclusive single race categories: a) White, b) Black, c) American Indian and Alaska Native, and d) Asian and Pacific Islander. In 1997, the OMB issued the "Revisions to the Standards for the Classification of Federal Data on Race and Ethnicity."

There are two fundamental changes between the new standards and those specified in Directive 15. First, there are five racial categories instead of four. In addition to White, Black, American Indian and Alaska Native, the racial category "Asian and Pacific Islanders" was divided into two groups, "Asian" and "Native Hawaiian and Other Pacific Islander." Second, the categories are not mutually exclusive, and respondents now have the option of identifying themselves as belonging to one or more races.

The U.S. Census Bureau is the first federal agency that has used the 1997 standards to collect race data in the 2000 decennial census. The Census 2000 data on race were taken from answers to the question on race that was asked of all people. The race data yield seven basic categories: 1) White alone, 2) Black or African American alone, 3) American Indian and Alaska Native alone, 4) Asian alone, 5) Native Hawaiian and Other Pacific Islander alone, 6) Some Other Race alone, and 7) Two or more races. The two or more races category consists of 57 possible combinations of the first six race categories and includes all respondents who reported two or more races, such as "White **and** Black or African American" **and** "White **and** Black or African American **and** Asian."[12] Nationally, 98% of all respondents reported only one race in the 2000 Census. Table A.5 displays the percent of respondents reporting single and multiple race by city.

Since respondents were able to select one or more races, the Census Bureau presents several tabulation options so that users may decide which best satisfies their needs. The first approach provides the number of respondents selecting only one race. The second approach provides tallies for each of the races. These are tallies of responses rather than respondents. They are called the *alone or in combination* totals. For example, people who reported "White **and** Black or African American" were counted both in the "White alone or in combination" population and the "Black or African American alone or in combination" population. Consequently, the sum of the *alone or in combination* will be greater than the total population.

Many other federal data systems have begun to implement the 1997 standards starting in 2003, and several states have begun the 1997 standards on their birth and death certificates. During the transition period to collecting race/ethnicity using the same standard nationwide, national reports have had to deal with the issue of uniformity and comparability of race/ethnicity data over time and across states. The National Center for Health Statistics, for instance, has had to "bridge" the responses of those for whom more than one race was reported (multiple race) to one, single race. The bridging procedure of mortality data is similar to the procedure used to bridge multiracial population estimates provided by the U.S. Census Bureau. Multiracial decedents are imputed to a single race (either white, black, American Indian or Alaska Native, or Asian or Pacific Islander) according to their combination of races, Hispanic origin, sex, and age indicated on the death certificate. The imputation procedure is described in detail at: http://www.cdc.gov/nchs/data/dvs/Multiple_race_docu_5-10-04.pdf.

Table A.5: Percent Distribution of Single and Multiple Race Population by City, 2000

City	Hispanic		Non-Hispanic Single Race		Non-Hispanic Two or More Races		Total
	N	%	N	%	N	%	
Albuquerque, NM	179,075	39.9	261,794	58.4	7,738	1.7	448,607
Arlington, TX	60,817	18.3	265,669	79.8	6,483	1.9	332,969
Atlanta, GA	18,720	4.5	393,588	94.5	4,166	1.0	416,474
Austin, TX	200,579	30.5	445,825	67.9	10,158	1.5	656,562
Baltimore, MD	11,061	1.7	631,681	97.0	8,412	1.3	651,154
Boston, MA	85,089	14.4	485,878	82.5	18,174	3.1	589,141
Charlotte, NC	39,800	7.4	494,482	91.4	6,546	1.2	540,828
Chicago, IL	753,644	26.0	2,094,898	72.3	47,474	1.6	2,896,016
Cincinnati, OH	4,230	1.3	322,003	97.2	5,052	1.5	331,285
Cleveland, OH	34,728	7.3	435,582	91.0	8,093	1.7	478,403
Colorado Springs, CO	43,330	12.0	307,877	85.3	9,683	2.7	360,890
Columbus, OH	17,471	2.5	677,041	95.2	16,958	2.4	711,470
Dallas, TX	422,587	35.6	752,553	63.3	13,440	1.1	1,188,580
Denver, CO	175,704	31.7	368,349	66.4	10,583	1.9	554,636
Detroit, MI	47,167	5.0	885,439	93.1	18,664	2.0	951,270
El Paso, TX	431,875	76.6	127,518	22.6	4,269	0.8	563,662
Fort Worth, TX	159,368	29.8	368,453	68.9	6,873	1.3	534,694
Fresno, CA	170,520	39.9	245,380	57.4	11,752	2.7	427,652
Honolulu, HI	16,229	4.4	306,655	82.5	48,773	13.1	371,657
Houston, TX	730,865	37.4	1,198,936	61.4	23,830	1.2	1,953,631
Indianapolis, IN	30,759	3.9	750,245	94.7	10,922	1.4	791,926
Jacksonville, FL	30,594	4.2	692,931	94.2	12,092	1.6	735,617
Kansas City, MO	30,604	6.9	402,475	91.2	8,466	1.9	441,545
Las Vegas, NV	112,962	23.6	353,485	73.9	11,987	2.5	478,434
Long Beach, CA	165,092	35.8	282,849	61.3	13,581	2.9	461,522
Los Angeles, CA	1,719,073	46.5	1,888,470	51.1	87,277	2.4	3,694,820
Memphis, TN	19,317	3.0	625,147	96.2	5,636	0.9	650,100
Mesa, AZ	78,281	19.7	312,042	78.7	6,052	1.5	396,375
Miami, FL	238,351	65.8	118,017	32.6	6,102	1.7	362,470
Milwaukee, WI	71,646	12.0	514,273	86.1	11,055	1.9	596,974
Minneapolis, MN	29,175	7.6	339,323	88.7	14,120	3.7	382,618
Nashville-Davidson, TN	26,091	4.6	534,074	93.7	9,726	1.7	569,891
New Orleans, LA	14,826	3.1	465,083	96.0	4,765	1.0	484,674
New York, NY	2,160,554	27.0	5,622,575	70.2	225,149	2.8	8,008,278
Oakland, CA	87,467	21.9	299,051	74.9	12,966	3.2	399,484
Oklahoma City, OK	51,368	10.1	438,765	86.7	15,999	3.2	506,132
Omaha, NE	29,397	7.5	354,866	91.0	5,744	1.5	390,007
Philadelphia, PA	128,928	8.5	1,363,896	89.9	24,726	1.6	1,517,550
Phoenix, AZ	449,972	34.1	850,366	64.4	20,707	1.6	1,321,045
Pittsburgh, PA	4,425	1.3	325,203	97.2	4,935	1.5	334,563
Portland, OR	36,058	6.8	474,662	89.7	18,401	3.5	529,121
Sacramento, CA	87,974	21.6	300,988	73.9	18,056	4.4	407,018
San Antonio, TX	671,394	58.7	460,731	40.3	12,521	1.1	1,144,646
San Diego, CA	310,752	25.4	874,260	71.5	38,388	3.1	1,223,400
San Francisco, CA	109,504	14.1	644,075	82.9	23,154	3.0	776,733
San Jose, CA	269,989	30.2	598,158	66.8	26,796	3.0	894,943
Seattle, WA	29,719	5.3	511,964	90.9	21,691	3.9	563,374
St. Louis, MO	7,022	2.0	335,187	96.3	5,980	1.7	348,189
Tucson, AZ	173,868	35.7	304,188	62.5	8,643	1.8	486,699
Tulsa, OK	28,111	7.2	349,803	89.0	15,135	3.9	393,049
Virginia Beach, VA	17,770	4.2	397,829	93.6	9,658	2.3	425,257
Washington, DC	44,953	7.9	517,522	90.5	9,584	1.7	572,059
Wichita, KS	33,112	9.6	303,420	88.1	7,752	2.3	344,284

Source: U.S. Census Bureau - Census 2000 ST2 and SF1

The main data sources used to calculate the race/ethnicity-specific rates in this report, namely, vital statistics and communicable disease data as the numerator and census data as the denominator, have incompatible race data. In recognition of this incompatibility of racial/ethnic data across systems, the Census Bureau is conducting research to develop a data file that can be used to implement bridging methods between these sources and the Census 2000 data on race. Recently, the National Center for Health Statistics, in collaboration with the U.S. Census Bureau, released bridged single-race estimates down to the county level.[13] Given that such data are not yet available at the city-level, the non-Hispanic *race alone* and the non-Hispanic *race alone or in combination* population figures were used in this report to calculate the race/ethnicity-specific rates. These two population figures provide the lower and upper limits for the "true" number of people of a given race that would have been classified in that race category using the one race reporting methodology specified in Directive 15. Table A.6 presents these population figures for the 53 cities presented in this report.

Race/ethnicity figures for morbidity indicators are based on reported data. While all states generally adhere to the national notifiable case definitions, reporting mechanisms, resources and systems for collecting disease reports vary significantly from state to state. States that are heavily reliant on laboratory reporting may identify cases in a more timely manner than those dependent on provider reporting, but less information may be obtained on each case report. The ability to follow-up on incomplete disease reports is dependent on staff resources and reporting load. Completion of the patient's race/ethnicity is highly susceptible to these factors. Therefore, race/ethnicity-specific rates should be interpreted as minimum estimate of the true rate. The percent of reported morbidity cases with "Other or Unknown Race" can be used to assess the possible level of underreporting across cities and diseases covered in this report *(see Table A.7)*. While a city may have a high percentage of "Other/Unknown Race" because its population has a considerable proportion of people of race, other than the two included in the report, it may also reflect the fact that a large proportion of cases had missing information for the patient's race. While the data requested for this report are not robust enough to differentiate between these two possibilities, race/ethnicity-specific comparisons across cities should consider the percent of cases with "Other/Unknown Race". In general, rates for cities where the percentage of Other/Unknown Race" is greater than 20% may not be comparable.

While it is essential to capture the health status of all race/ethnicity groups, non-Hispanic White, non-Hispanic Black and Hispanic were selected due to the fact that most of the cities in the report tended to have a large enough population concentration in these groups to produce statistically reliable rates. The data in Section 2 reveal that, for most causes, Hispanic people tended to have the lowest mortality rates. While this may correspond to reality, research suggests that the Hispanic death rate is estimated to be understated by 2%.[14] This underestimation should be considered when interpreting race/ethnicity-specific results.

Rank

For each health indicator, cities for which data were available and met reliability standards were assigned a rank. A rank of 1 corresponds to the highest rate or percent.

Rates and Percents

As is customary, communicable disease indicators were measured using crude rates. Mortality rates are age-adjusted to compare relative mortality risks among cities, different demographic groups and over time. In all cases, the 2000 projected population of the U.S. by the standard 11 age ranges was used as the standard for adjustment and the 11 age ranges.[15] All mortality rates are presented per 100,000 population with the exception of female breast cancer mortality which is per 100,000 female population and hence is not comparable to other causes of death.

Infant mortality is presented as the number of deaths of children less than one year old per 1,000 live births occurring in the same year. Fertility rate is calculated by dividing the total number of live births by the number of women of reproductive age (15-44) in the population and is presented per 1,000 women ages 15-44.

The city average rates and percents are the unweighted average of individual city rates or percents. The average for each indicator is calculated using only those cities for which data are available and have numerators of 20 or more.

Table A.6: City Population & Race/Ethnicity Distribution, 2000

City	NH White Alone N	NH White Alone % of Total	NH White Alone/Combo N	NH White Alone/Combo % of Total	NH Black Alone N	NH Black Alone % of Total	NH Black Alone/Combo N	NH Black Alone/Combo % Total	Hispanic N	Hispanic % Total	Total N
Albuquerque, NM	223,895	49.9	230,367	51.4	12,376	2.8	14,343	3.2	179,075	39.9	448,607
Arlington, TX	198,591	59.6	203,832	61.2	45,061	13.5	47,116	14.2	60,817	18.3	332,969
Atlanta, GA	130,222	31.3	132,645	31.8	254,062	61.0	256,605	61.6	18,720	4.5	416,474
Austin, TX	347,554	52.9	355,695	54.2	64,259	9.8	67,117	10.2	200,579	30.5	656,562
Baltimore, MD	201,566	31.0	206,940	31.8	417,009	64.0	422,007	64.8	11,061	1.7	651,154
Boston, MA	291,561	49.5	300,117	50.9	140,305	23.8	151,246	25.7	85,089	14.4	589,141
Charlotte, NC	297,845	55.1	302,363	55.9	175,661	32.5	178,699	33.0	39,800	7.4	540,828
Chicago, IL	907,166	31.3	943,299	32.6	1,053,739	36.4	1,068,054	36.9	753,644	26.0	2,896,016
Cincinnati, OH	173,781	52.5	177,483	53.6	141,534	42.7	144,770	43.7	4,230	1.3	331,285
Cleveland, OH	185,641	38.8	191,741	40.1	241,512	50.5	245,890	51.4	34,728	7.3	478,403
Colorado Springs, CO	271,734	75.3	279,961	77.6	22,760	6.3	26,370	7.3	43,330	12.0	360,890
Columbus, OH	475,897	66.9	487,638	68.5	172,750	24.3	183,224	25.8	17,471	2.5	711,470
Dallas, TX	410,777	34.6	420,044	35.3	304,824	25.6	310,185	26.1	422,587	35.6	1,188,580
Denver, CO	287,997	51.9	296,074	53.4	59,921	10.8	64,370	11.6	175,704	31.7	554,636
Detroit, MI	99,921	10.5	112,574	11.8	771,966	81.2	782,837	82.3	47,167	5.0	951,270
El Paso, TX	103,422	18.3	106,960	19.0	15,768	2.8	17,070	3.0	431,875	76.6	563,662
Fort Worth, TX	244,966	45.8	250,412	46.8	106,988	20.0	109,379	20.5	159,368	29.8	534,694
Fresno, CA	159,473	37.3	167,387	39.1	34,357	8.0	36,800	8.6	170,520	39.9	427,652
Honolulu, HI	69,503	18.7	103,539	27.9	5,706	1.5	8,236	2.2	16,229	4.4	371,657
Houston, TX	601,851	30.8	618,504	31.7	487,851	25.0	495,338	25.4	730,865	37.4	1,953,631
Indianapolis, IN	536,496	67.7	545,617	68.9	199,096	25.1	205,360	25.9	30,759	3.9	791,926
Jacksonville, FL	457,478	62.2	467,111	63.5	211,252	28.7	215,484	29.3	30,594	4.2	735,617
Kansas City, MO	254,471	57.6	260,692	59.0	136,921	31.0	141,182	32.0	30,604	6.9	441,545
Las Vegas, NV	277,704	58.0	287,272	60.0	48,380	10.1	51,888	10.8	112,962	23.6	478,434
Long Beach, CA	152,899	33.1	161,584	35.0	66,836	14.5	70,935	15.4	165,092	35.8	461,522
Los Angeles, CA	1,099,188	29.7	1,167,030	31.6	401,986	10.9	422,819	11.4	1,719,073	46.5	3,694,820
Memphis, TN	216,174	33.3	220,230	33.9	397,732	61.2	400,616	61.6	19,317	3.0	650,100
Mesa, AZ	290,180	73.2	295,371	74.5	9,377	2.4	11,103	2.8	78,281	19.7	396,375
Miami, FL	42,897	11.8	44,105	12.2	72,190	19.9	77,247	21.3	238,351	65.8	362,470
Milwaukee, WI	270,989	45.4	279,184	46.8	220,432	36.9	226,742	38.0	71,646	12.0	596,974
Minneapolis, MN	239,080	62.5	247,853	64.8	67,966	17.8	76,672	20.0	29,175	7.6	382,618
Nashville-Davidson, TN	371,150	65.1	378,853	66.5	146,939	25.8	150,483	26.4	26,091	4.6	569,891
New Orleans, LA	128,871	26.6	132,133	27.3	323,392	66.7	326,032	67.3	14,826	3.1	484,674
New York, NY	2,801,267	35.0	2,912,995	36.4	1,962,154	24.5	2,050,764	25.6	2,160,554	27.0	8,008,278
Oakland, CA	93,953	23.5	101,996	25.5	140,139	35.1	146,510	36.7	87,467	21.9	399,484
Oklahoma City, OK	327,225	64.7	340,685	67.3	76,994	15.2	81,714	16.1	51,368	10.1	506,132
Omaha, NE	293,876	75.4	298,507	76.5	51,427	13.2	54,484	14.0	29,397	7.5	390,007
Philadelphia, PA	644,395	42.5	658,721	43.4	646,123	42.6	659,241	43.4	128,928	8.5	1,517,550
Phoenix, AZ	736,844	55.8	754,002	57.1	63,756	4.8	70,246	5.3	449,972	34.1	1,321,045
Pittsburgh, PA	223,982	66.9	227,669	68.0	90,183	27.0	93,132	27.8	4,425	1.3	334,563
Portland, OR	399,351	75.5	414,564	78.3	34,395	6.5	40,209	7.6	36,058	6.8	529,121
Sacramento, CA	164,974	40.5	176,446	43.4	61,136	15.0	66,927	16.4	87,974	21.6	407,018
San Antonio, TX	364,357	31.8	374,557	32.7	74,778	6.5	78,542	6.9	671,394	58.7	1,144,646
San Diego, CA	603,892	49.4	632,533	51.7	92,830	7.6	103,508	8.5	310,752	25.4	1,223,400
San Francisco, CA	338,909	43.6	356,374	45.9	58,791	7.6	64,070	8.2	109,504	14.1	776,733
San Jose, CA	322,534	36.0	343,088	38.3	29,495	3.3	33,571	3.8	269,989	30.2	894,943
Seattle, WA	382,532	67.9	398,409	70.7	46,545	8.3	53,869	9.6	29,719	5.3	563,374
St. Louis, MO	149,329	42.9	153,721	44.1	177,446	51.0	180,487	51.8	7,022	2.0	348,189
Tucson, AZ	263,748	54.2	270,941	55.7	19,795	4.1	22,558	4.6	173,868	35.7	486,699
Tulsa, OK	263,782	67.1	276,741	70.4	60,297	15.3	64,132	16.3	28,111	7.2	393,049
Virginia Beach, VA	295,402	69.5	303,258	71.3	79,092	18.6	82,978	19.5	17,770	4.2	425,257
Washington, DC	159,178	27.8	164,520	28.8	340,088	59.4	346,083	60.5	44,953	7.9	572,059
Wichita, Kansas	246,924	71.7	253,386	73.6	38,732	11.3	41,738	12.1	33,112	9.6	344,284

Table A.7: Percent of Total Cases that are of Other/Unknown Race/Ethnicity by Indicator, 2005

City	HIV Prevalence	AIDS Prevalence	HIV Incidence	AIDS Incidence	Primary and Secondary Syphilis	Chlamydia	Gonorrhea	Tuberculosis
	Indicator							
Albuquerque, NM (Bernalillo County)	6.0%	4.0%	0.0%	4.4%	21.4%	6.7%	5.9%	---
Arlington, TX	---	---	---	---	---	---	---	---
Atlanta, GA	---	---	---	---	---	---	---	---
Austin, TX	---	---	---	---	---	---	---	---
Baltimore, MD	16.3%	0.3%	18.6%	0.3%	6.2%	16.8%	6.0%	---
Boston, MA	2.7%	1.4%	2.9%	1.4%	---	32.3%	26.0%	21.1%
Charlotte, NC	0.8%	1.2%	1.5%	1.4%	1.3%	3.4%	2.0%	10.9%
Chicago, IL	3.2%	1.6%	4.0%	1.8%	3.8%	22.3%	19.3%	16.4%
Cincinnati, OH	0.6%	0.9%	1.4%	1.4%	5.3%	71.7%	59.9%	5.0%
Cleveland, OH	7.7%	1.6%	5.2%	2.1%	0.0%	26.4%	23.9%	13.6%
Colorado Springs, CO (El Paso County)	2.4%	2.0%	0.0%	5.0%	0.0%	25.5%	19.6%	44.4%
Columbus, OH	0.7%	1.6%	0.0%	2.4%	0.0%	44.5%	9.9%	16.0%
Dallas, TX	1.4%	1.2%	1.1%	1.1%	0.8%	14.9%	13.3%	4.8%
Denver, CO	2.6%	1.6%	1.7%	3.6%	5.7%	37.2%	24.8%	9.1%
Detroit, MI	---	0.7%	---	1.8%	---	---	---	---
El Paso, TX	0.0%	0.0%	0.0%	0.0%	0.0%	6.2%	11.8%	---
Fort Worth, TX	2.3%	0.8%	2.5%	---	---	8.1%	5.3%	---
Fresno, CA (Fresno County)	8.4%	2.7%	2.2%	2.1%	0.0%	23.8%	22.8%	27.5%
Honolulu, HI (Honolulu County)	---	---	---	---	---	---	---	---
Houston, TX	1.3%	0.9%	2.8%	1.1%	0.4%	18.4%	14.9%	0.0%
Indianapolis, IN (Marion County)	1.4%	1.1%	3.9%	2.1%	0.0%	8.4%	7.2%	26.7%
Jacksonville, FL	1.7%	1.6%	2.2%	3.0%	4.1%	6.7%	4.3%	13.6%
Kansas City, MO	1.1%	1.2%	0.8%	0.0%	3.3%	18.0%	11.2%	4.2%
Las Vegas, NV	---	---	---	---	---	---	---	---
Long Beach, CA	22.2%	34.6%	19.3%	32.8%	---	---	---	---
Los Angeles, CA	6.6%	3.5%	100.0%	2.3%	0.0%	0.0%	0.0%	21.6%
Memphis, TN	0.5%	0.5%	0.7%	0.3%	7.9%	62.7%	49.1%	2.4%
Mesa, AZ	7.2%	6.6%	10.8%	7.4%	18.2%	27.0%	21.9%	26.7%
Miami, FL	0.9%	1.3%	0.9%	1.0%	1.8%	6.8%	5.1%	6.1%
Milwaukee, WI	0.8%	0.8%	0.0%	0.0%	6.7%	46.3%	37.0%	22.7%
Minneapolis, MN	4.1%	3.5%	5.3%	4.0%	9.5%	26.2%	23.7%	7.4%
Nashville-Davidson, TN	0.7%	0.7%	0.0%	1.1%	0.0%	16.6%	11.9%	3.0%
New Orleans, LA	1.2%	0.8%	1.9%	1.6%	---	---	---	---
New York, NY	3.1%	1.7%	2.9%	1.9%	43.0%	64.9%	60.0%	31.3%
Oakland, CA	6.5%	3.4%	10.0%	9.4%	21.7%	48.4%	45.5%	60.0%
Oklahoma City, OK	25.1%	20.0%	10.3%	6.1%	9.5%	7.1%	4.6%	30.3%
Omaha, NB	4.7%	2.6%	11.9%	2.3%	0.0%	15.2%	16.0%	25.0%
Philadelphia, PA	---	12.3%	---	12.7%	10.3%	6.4%	3.6%	38.8%
Phoenix, AZ	5.1%	4.0%	2.4%	5.4%	9.0%	23.7%	20.7%	2.0%
Pittsburgh, PA	---	---	---	---	---	---	---	---
Portland, OR (Multnomah County)	2.7%	3.0%	---	---	---	17.9%	8.4%	---
Sacramento, CA (Sacramento County)	---	4.9%	---	8.9%	0.0%	57.8%	54.0%	50.8%
San Antonio, TX	1.3%	0.8%	2.4%	0.0%	---	12.5%	12.9%	6.8%
San Diego, CA (San Diego County)	---	3.0%	---	3.1%	4.7%	60.8%	65.0%	30.8%
San Francisco, CA	8.6%	5.4%	12.4%	6.6%	11.6%	35.5%	21.0%	68.2%
San Jose, CA	6.8%	6.5%	18.2%	10.5%	48.8%	62.8%	57.9%	---
Seattle, WA	5.9%	4.5%	9.5%	9.0%	---	---	---	44.3%
St. Louis, MO	---	---	---	---	---	---	---	---
Tucson, AZ	5.5%	3.3%	3.9%	4.5%	---	---	---	---
Tulsa, OK	---	---	---	---	---	---	---	---
Virginia Beach, VA	2.1%	1.2%	0.0%	5.3%	0.0%	15.3%	11.4%	0.0%
Washington, DC	0.5%	0.8%	---	0.8%	4.4%	57.0%	27.7%	---
Wichita, KS (Sedgwick County)	---	---	---	---	0.0%	30.2%	25.3%	0.0%

Population figures used to calculate the rates presented in this report were obtained from the U.S. Census Bureau. Figures for 1990 were obtained from the Modified Age-Race-Sex (MARS) file directly from the census bureau and population figures for 2000 were obtained from the Census 2000 Summary File 2 (SF2) 100-Percent data *(see Table A.8)*. Rates for the years 1991 - 1999 were obtained by geometric interpolation using 1990 and 2000 census figures.

Morbidity and mortality rates for 2001-2005 are calculated using 2000 population figures and not population projections for 2001-2005 because the U.S. Census Bureau does not produce city-level population projections by age, gender and race/ethnicity.

The effect on rates from using 2000 census figures as the denominator for health data collected after 2000 should be considered when interpreting the rates in the report. For instance, the city of Fort Worth, TX experienced the largest population increase (16.7%) and Detroit the greatest decrease (6.8%) from 2000 to 2005 *(see Table A.8)*. The 2005 AIDS prevalence rate for these cities using the 2000 population figures are displayed in Table A.9. The AIDS prevalence rate for Fort Worth, TX using the 2000 population figure as calculated in this report is 485.5 per 100,000 population, compared to 416.0 using the 2005 population figure. Thus, the AIDS prevalence rate in the report is 16.7% greater than the rate using the true population figure in 2005.

Table A.8: Population Change Between 2000 and 2005

City	4/1/2000 Census	7/1/2005 Estimate	% Change, 2000–05
Albuquerque, NM	448,607	494,236	10.2%
Arlington, TX	332,969	362,805	9.0%
Atlanta, GA	416,474	470,688	13.0%
Austin, TX	656,562	690,252	5.1%
Baltimore, MD	651,154	635,815	-2.4%
Boston, MA	589,141	559,034	-5.1%
Charlotte, NC	540,828	610,949	13.0%
Chicago, IL	2,896,016	2,842,518	-1.8%
Cincinnati, OH	331,285	308,728	-6.8%
Cleveland, OH	478,403	452,208	-5.5%
Colorado Springs, CO	360,890	369,815	2.5%
Columbus, OH	711,470	730,657	2.7%
Dallas, TX	1,188,580	1,213,825	2.1%
Denver, CO	554,636	557,917	0.6%
Detroit, MI	951,270	886,671	-6.8%
El Paso, TX	563,662	598,590	6.2%
Fort Worth, TX	534,694	624,067	16.7%
Fresno, CA	427,652	461,116	7.8%
Honolulu, HI	371,657	377,379	1.5%
Houston, TX	1,953,631	2,016,582	3.2%
Indianapolis, IN	781,870	784,118	0.3%
Jacksonville, FL	735,617	782,623	6.4%
Kansas City, MO	441,545	444,965	0.8%
Las Vegas, NV	478,434	545,147	13.9%
Long Beach, CA	461,522	474,014	2.7%
Los Angeles, CA	3,694,820	3,844,829	4.1%
Memphis, TN	650,100	672,277	3.4%
Mesa, AZ	396,375	442,780	11.7%
Miami, FL	362,470	386,417	6.6%
Milwaukee, WI	596,974	578,887	-3.0%
Minneapolis, MN	382,618	372,811	-2.6%
Nashville-Davidson, TN	545,524	549,110	0.7%
New Orleans, LA	484,674	454,863	-6.2%
New York, NY	8,008,278	8,143,197	1.7%
Oakland, CA	399,484	395,274	-1.1%
Oklahoma City, OK	506,132	531,324	5.0%
Omaha, NB	390,007	414,521	6.3%
Philadelphia, PA	1,517,550	1,463,281	-3.6%
Phoenix, AZ	1,321,045	1,461,575	10.6%
Pittsburgh, PA	334,563	316,718	-5.3%
Portland, OR	529,121	533,427	0.8%
Sacramento, CA	407,018	456,441	12.1%
San Antonio, TX	1,144,646	1,256,509	9.8%
San Diego, CA	1,223,400	1,255,540	2.6%
San Francisco, CA	776,733	739,426	-4.8%
San Jose, CA	894,943	912,332	1.9%
Seattle, WA	563,374	573,911	1.9%
St. Louis, MO	348,189	344,362	-1.1%
Tucson, AZ	486,699	515,526	5.9%
Tulsa, OK	393,049	382,457	-2.7%
Virginia Beach, VA	425,257	438,415	3.1%
Washington, DC	572,059	550,521	-3.8%
Wichita, KS	344,284	354,865	3.1%

Source: 2000 U.S. Census Bureau Summary Tape File 2.

Table A.9: Impact of census population year used to calculate AIDS incidence rates for select cities

City	2000–2005 Population % Change	2005 AIDS Prevalence Rate per 100,000 Population Denominator 2000	2005
Fort Worth, TX	16.7%	485.5	416.0
Detroit, MI	-6.8%	270.4	290.1
Los Angeles, CA	4.1%	300.6	288.9
Washington, DC	-3.8%	3,348.4	3,248.6

In general, if a given city's population has increased over the last five years, the communicable disease rate presented in the *Inventory* overestimates the true rate proportionate to the percent change in population. Conversely, if a city's population declines, the rate will underestimate the true rate. This pattern generally holds true for age-adjusted rates but the differences in the two rates is not exactly equal to the percent change in population. It is also important to note that the rank order of cities with similar rates could change as well if 2005 population figures were used in the report. Rates by race/ethnicity and over time are equally susceptible to the magnitude of population change and should be considered when interpreting the data in this report.

Endnotes

1. Freedman MA. Health Status Indicators for the year 2000. Healthy People Statistical Notes, Vol. 1, No.1 Hyattsville, Maryland: National Center for Health Statistics. 1991.
2. Martin JA, Hamilton BE, Sutton PD, et al. Births: Final data for 2003. National vital statistics reports; vol 54 no 2. Hyattsville, MD: National Center for Health Statistics. 2005.
3. Miniño AM,Heron MP,Smith BL. Deaths:Preliminary Data for 2004. National vital statistics reports; vol 54 no 19. Hyattsville, MD: National Center for Health Statistics. 2006.
4. National Center for Health Statistics. *Documentation of the Detail Natality Public Use File for 2003*.
5. Martin JA, Hamilton BE, Sutton PD, et al. Births: Final data for 2003. National vital statistics reports; vol 54 no 2. Hyattsville, MD: National Center for Health Statistics. 2005.
6. Centers for Disease Control and Prevention. *Sexually Transmitted Disease Surveillance, 2005*. Atlanta, GA: U.S. Department of Health and Human Services.
7. Centers for Disease Control and Prevention. *HIV/AIDS Surveillance Report, 2005*. Vol. 17, Revised Edition, June 2007. Atlanta, GA: U.S. Department of Health and Human Services.
8. Joel C. Kleinman, "Infant Mortality," National Center for Health Statistics, *Statistical Notes,* Vol. 1, No. 2, p. 7, 1991.
9. National Center for Health Statistics. *Vital Statistics of the United States, 1990, Volume II-Mortality, Part A*. 7:25.
10. Pastor PN, Makuc DM, Reuben C, Xia H. *Chartbook and Trends in the Health of Americans. Health, United States, 2002*. Hyattsville, Maryland: National Center for Health Statistics. 2002.
11. Anderson RN, Miniño AM, Hoyert DL, Rosenberg HM. Comparability of cause-of-death classification between ICD-9 and ICD-10: Preliminary estimates. National Vital Statistics Reports. Vol 49 No. 2. Hyattsville, Maryland: National Center for Health Statistics. 2001.
12. U.S. Census Bureau. Summary File 2 - 2000 Census of Population and Housing: Technical Documentation.
13. National Center for Health Statistics. Estimates of the April 1, 2000, United States resident population by age, sex, race, and Hispanic origin, prepared under a collaborative arrangement with the U.S. Census Bureau. Available on the Internet at: http://www.cdc.gov/nchs/about/major/dvs/popbridge/popbridge.htm. 2003.
14. Rosenberg HM, Maurer JD, Sorlie PD, Johnson NJ, et al. Quality of death rates by race and Hispanic origin: A summary of current research, 1999. National Center for Health Statistics. *Vital Health Stat;* 2(128). 1999
15. Anderson RN, Rosenberg HM. Age standardization of death rates: Implementation of the year 2000 standard. *National Vital Statistics Reports*. 2001; 47(3). Hyattsville, Maryland: National Center for Health Statistics.

Report design and production by Desktop Edit Shop, Inc., Skokie, Illinois